

Volume 17 Number 1

March 1994

A periodical issued by the Meteorite Working Group to inform scientists of the basic characteristics of specimens recovered in the Antarctic.

Edited by Roberta Score and Marilyn Lindstrom Code SN2, NASA Johnson Space Center, Houston, Texas 77058

INSIDE THIS ISSUE:

Sample Request Guidelines Antarctic Meteorite Laboratory	2
Contacts	2
News and Information	3
New Meteorites	4
Location Abbreviations and Map	4
Table 1: Alpha List of New 1988-1992	
Meteorites	5
Notes to Tables 1 & 2	
Table 2: New Specimens of Special	_
Petrological Type	9
Table 3: Tentative Pairings	_
for New Specimens1	10
Petrographic Descriptions1	
Table 4: Classification and	
Pairing Changes1	8
Surveys of Thermal and	
Irradiation Histories	
Table 5: NTL Data for Antarctic	
Meteorites	23
17101001 ROU	

SAMPLE REQUEST DEADLINE: April 6, 1994

MWG MEETS April 22-23, 1994

SAMPLE REQUEST GUIDELINES

All sample requests should be made in writing to:

Secretary, MWG SN2/Office of the Curator NASA/Johnson Space Center Houston, TX 77058 USA.

Requests that are received by the MWG Secretary before April 6, 1994, will be reviewed at the MWG meeting on April 22-23, 1994, to be held in Houston, Texas. Requests that are received after the April 6 deadline may possibly be delayed for review until the MWG meets again in the Fall of 1994. PLEASE SUBMIT YOUR REQUESTS ON TIME. Questions pertaining to sample requests can be directed in writing to the above address or can be directed to the curator by phone, FAX, or e-mail.

Requests for samples are welcomed from research scientists of all countries, regardless of their current state of funding for meteorite studies. Graduate student requests should be initialed or countersigned by a supervising scientist to confirm access to facilities for analysis. All sample requests will be reviewed in a timely manner. Those requests that do not meet the JSC Curatorial Guidelines (published in this issue), will be reviewed by the Meteoritie Working Group (MWG), a peer-review committee which meets twice a year to guide the collection, curation, allocation, and distribution of the U.S. collection of Antarctic meteorites. Issuance

of samples does not imply a commitment by any agency to fund the proposed research. Requests for financial support must be submitted separately to the appropriate funding agencies. As a matter of policy, U.S. Antarctic meteorites are the property of the National Science Foundation and all allocations are subject to recall.

Each request should accurately refer to meteorite samples by their respective identification numbers and should provide detailed scientific justification for proposed research. Specific requirements for samples, such as sizes or weights, particular locations (if applicable) within individual specimens, or special handling or shipping procedures should be explained in each request. Requests forthin sections which will be used in destructive procedures such as ion probe, etch or even repolishing. must be stated explicitly. Consortium requests should be initialed or countersigned by a member of each group in the consortium. All necessary information should probably be condensable into a one- or two-page letter. although informative attachments (reprints of publication that explain rationale, flow diagrams for analyses, etc.) are welcome.

Samples can be requested from any meteorite that has been made available through announcement in any issue of the <u>Antarctic Meteorite Newsletter</u> (beginning with 1 (1) in June, 1978). Many of the meteorites have also been described in five <u>Smithsonian Contr. Earth Sci.</u>: Nos. 23, 24, 26, 28, and 30. A table containing all classification as of December 1993 is published in <u>Meteoritics</u> 29(1) p. 100-142.

Antarctic Meteorite Laboratory Contact Numbers

Marilyn Lindstrom Mail code SN2 NASA/Johnson Space Center Houston, Texas 77058

(713) 483-5135

Lindstrom@curate.jsc.nasa.gov

Roberta (Robbie) Score Mail code SN2 NASA/Johnson Space Center Houston, Texas 77058

(713) 483-5125

Score@curate.jsc.nasa.gov

FAX: (713) 483-5347

New Meteorites

This newsletter presents classifications of 170 meteorites from the 1990-1992 ANSMET collections. The new meteorites include 8 achondrites (1 aubrite, 4 eucrites, 3 howardites), 4 irons (2 grouped, 2 nodules), 18 carbonaceous chondrites, 2 enstatite chondrites, 2 type 3 ordinary chondrites and 3 type 7 ordinary chondrites.

ANSMET 1993-1994 Field Season

The 1993-1994 ANSMET (Antarctic Search for Meteorites) expedition. Worked several icefields in the Queen Alexandra Range and Lewis Cliff area of Antarctica. The team collected 850 meteorites which will be returned to JSC later this Spring. Classifications of the first 1993-1994 meteorites will be announced in the Fall newsletter.

Publication of ANSMET meteorite tables

The Meteorite Working Group and the Nomenclature Committee of the Meteoritical Society have recently published a complete listing of classifications of ANSMET meteorites in Meteoritical Bulletin #76 [Meteoritics 29, 100-142, 1994]. The tables were prepared by Jeff Grossman with the assistance of Robbie Score from information in the JSC meteorite database. Meteorite classifications and pairings were reviewed by a team of researchers and resulted in updated classifications for many meteorites. [Reclassification of enstatite chondrites announced in the last newsletter from EL to EH was due to an error in preparing the newsletter.] The list of meteorites whose classification or pairing was changed is presented here as Table Copies of the Meteoritics article or an electronic database are available from the JSC Curator's Office.

Publication of AMLAMP report

The Lunar and Planetary Institute and the Meteorite Working Group have recently published the AMLAMP (Antarctic Meteorite Location and Mapping Project) Explanatory Text and User's

Guide. This LPI Technical Report #93-07, prepared by John Schutt, Brian Fessler and Bill Cassidy, includes descriptions of maps from 4 major and 6 minor meteorite collection areas and locations of most classified ANSMET meteorites. It also includes a user's guide to accessing the AMLAMP database on the LPI computer. The AMLAMP report is available from the Order Department at LPI.

Availability of Meteorite Educational Materials

A variety of meteorite educational materials are available or in preparation at the JSC Curator's Office. The Antarctic Meteorite Petrographic Thin Section Package is available to college geoscience teachers. It consists of a set of 12 polished sections of meteorites and a booklet with background information and descriptive text written by Glenn MacPherson, Bevan French, and Roy Clarke. The meteorite educational thin sections are available from the Curator's Office. Marilyn Lindstrom and a team of scientists and teachers are reviving the Meteorite Educational Disk Package for pre-college teachers. With support from the NASA Headquarters Education and Solar System Exploration Divisions, they are preparing 200 lucite disks containing chips of 6 meteorites, an Exploring Meteorite Mysteries teacher's guide containing background information and hands-on activities, and a slide The meteorite disk materials will be presented at the LPSC education session and will be available next Fall to scientists through the Curator's Office and to teachers through NASA Teacher Resource Centers.

Problems with Overseas Mail

NASA has switched to an independent mail contractor and we have recently experienced delays in delivery of correspondence and newsletters to some overseas investigators. We expect mail to arrive AIRMAIL within about a week, but it has sometimes taken a month. If you receive any delayed mail from us please inform us by e-mail or FAX and save the envelop as evidence. One returned newsletter had our AIRMAIL stamp marked out with a black felt pen!

Information on the U.S. Collection of Antarctic Meteorites

Number of meteorites: Number of meteorites classified: 6192 5715

NEW METEORITES

From 1990-1992 Collections

Pages 5-17 contain preliminary descriptions and classifications of meteorites that were completed since publication of issue 16(1) (March 1993). All specimens of special petrologic type (carbonaceous chondrite, unequilibrated ordinary chondrite, achondrite, etc.) are represented by separate descriptions. However, some specimens of non-special petrologic type are listed only as single line entries in Table 1. For convenience, new specimens of special petrologic type are also recast in Table 2.

Macroscopic descriptions of stony meteorites were performed at NASA/JSC. These descriptions summarize hand-specimen features observed during initial examination. Classification is based on microscopic petrography and reconnaissance-level electron microprobe analyses using polished sections prepared from a small chip of each meteorite. For each stony meteorite the sample number assigned to the preliminary

examination section is included. In some cases, however, a single microscopic description was based on thin sections of several specimens believed to be members of a single fall.

Meteorite descriptions contained in this issue were contributed by the following individuals:

Robbie Marlow, Cecilia Satterwhite, and Carol Schwarz Antarctic Meteorite Laboratory NASA/Johnson Space Center Houston, Texas

Brian H. Mason and Roy S. Clarke, Jr. Department of Mineral Sciences U.S. National Museum of Natural History
Smithsonian Institution
Washington, D.C.

Antarctic Meteorite Locations

Taylor Glacier

Wisconsin Range

TYR

WIS

ALH Allan Hills BEC **Beckett Nunatak** BOW **Bowden Neve Bates Nunataks** BTN DAV **David Glacier** DOM **Dominion Range** DRP Derrick Peak EET **Elephant Moraine Geologists Range** GEO GRO **Grosvenor Mountains** HOW Mt. Howe ILD **Inland Forts** 0 LAP LaPaz ice Field 70 LEW **Lewis Cliff** 90W 90E MAC MacAlpine Hills Mount Baldr MBR MCY MacKay Glacier Meteorite Hills MET MIL Miller Range OTT **Outpost Nunatak** QUE Queen Alexandra Range PAT Patuxent Range PCA Pecora Escarpment PGP **Purgatory Peak** Reckling Peak RKP STE Stewart Hills 180 TIL Thiel Mountains

List of Newly Classified Antarctic Meteorites **

Sample Number	Weight (g)	Classification	Weathering	Fracturing	% Fa	% Fs
EET 90745 EET 90757 EET 90790	5.0 3.7 2.5	L4 CHONDRITE AUBRITE L4 CHONDRITE	B A B	A A A	25 25	21 0 21
EET 90807	3.2	L4 CHONDRITE	В	Â	25	21
PAT 91516 PAT 91528	1.6 3.3	IRON/TROILITE NO IRON NODULE	DDULE		22-29	22-25
PCA 91029~ PCA 91035~	365.7 222.2	L6 CHONDRITE L6 CHONDRITE	B B	A A		
PCA 91042~	271.0	L6 CHONDRITE	В	Α		
PCA 91049~	140.8	L6 CHONDRITE	В	Α		
PCA 91058~	330.4	L6 CHONDRITE	В	A/B		
PCA 91064~	317.0	L6 CHONDRITE	В	Α		
PCA 91068~	179.0	L6 CHONDRITE	В	Α		
PCA 91070~	186.7	L6 CHONDRITE	В	Α		
PCA 91087~	68.8	L6 CHONDRITE	В	A		
PCA 91089~	6.5	L6 CHONDRITE	В	Α		
PCA 91095~	48.3	L6 CHONDRITE	В	A		
PCA 91096~	33.0	L6 CHONDRITE	В	Ą		
PCA 91099~	11.4	L6 CHONDRITE	₽	Ą		
PCA 91102~	46.4	L6 CHONDRITE	В	Ą		
PCA 91105~	62.2	L6 CHONDRITE	В	Ą		
PCA 91112~	30.7	L6 CHONDRITE	В	A		
PCA 91128~	20.8	L6 CHONDRITE	B B/C	A	25	21
PCA 91142	4.3 27.4	L5 CHONDRITE L5 CHONDRITE	B/C	A A	25 24	20
PCA 91143 PCA 91144	27.4 59.6	L4 CHONDRITE	B/C	Â	24	20
PCA 91145~	31.4	L6 CHONDRITE	B	Â	27	20
PCA 91146	4.8	L5 CHONDRITE	B/C	Â	24	20
PCA 91149	6.4	H5 CHONDRITE	B/C	Â	19	17
PCA 91151	4.7	H5 CHONDRITE	B/C	Â	17	15
PCA 91153	17.8	H5 CHONDRITE	B/Ce	Ā	18	16
PCA 91154	33.1	L5 CHONDRITE	B/C	Ā	24	20
PCA 91155	4.8	H5 CHONDRITE	B/C	Α	18	16
PCA 91157	259.3	L5 CHONDRITE	B/C	Α	25	21
PCA 91158	29.8	H5 CHONDRITE	B/C	A	18	16
PCA 91161	9.3	H5 CHONDRITE	B/C	A	18	16
PCA 91164	11.1	H5 CHONDRITE	B/C	Α	18	16
PCA 91165	12.4	L5 CHONDRITE	A/B	Ą	24	20
PCA 91166	28.2	H5 CHONDRITE	B/C	Ą	19	17
PCA 91167	37.9	H5 CHONDRITE	B/C	A	18	16
PCA 91168	26.5	H5 CHONDRITE	B/C	A	18	16
PCA 91169	267.1	L5 CHONDRITE	Be	A	24	20
PCA 91170	4.9	H5 CHONDRITE	B/C B/C	A	17 18	15 16
PCA 91171	3.9	H5 CHONDRITE H5 CHONDRITE	B/C B	A A	19	17
PCA 91172 PCA 91174	9.9 9.7	H5 CHONDRITE	B/C	Ä	18	16
	9.7 10.5	H5 CHONDRITE	B/C	Â	19	17
PCA 91175 PCA 91177~	188.1	L6 CHONDRITE	B	Â/B	1 3	17
10A 31111~	100.1		<u> </u>			

⁻Classified by using refractive indices.

Sample Number	Weight (g)	Classification	Weathering	Fracturing	% Fa	% Fs
DOA 04470	540	LE CLONDUITE	n	•	4.0	.
PCA 91178	54.0	H5 CHONDRITE	B B/C	A	19	17
PCA 91183	102.5	H5 CHONDRITE		Ą	18	16
PCA 91184	62.0 4.9	L5 CHONDRITE	В	A	24	20
PCA 91188~ PCA 91189~	4.9 53.2	L6 CHONDRITE L6 CHONDRITE	B B	A		
PCA 91190	6.5	H5 CHONDRITE	B/C	A	10	16
PCA 91190	5.9	H5 CHONDRITE	B/C	A	19	16
PCA 91197	32.1	H5 CHONDRITE	B/C	A A	18 19	16
PCA 91197	38.9	L5 CHONDRITE	B/C B/C	Ä	25	17 21
PCA 91200	3.6	H5 CHONDRITE	B/C	Â	18	16
PCA 91201	4.5	H5 CHONDRITE	B/C	Â	19	16
PCA 91202	1.9	H4 CHONDRITE	B/C	Â	17	15-19
PCA 91209~	1.7	L6 CHONDRITE	B	Â	• •	10-10
PCA 91214~	247.3	L6 CHONDRITE	B	Â		
PCA 91220~	91.8	L6 CHONDRITE	B	Â		
PCA 91250~	8.3	L6 CHONDRITE	В	Ä		
PCA 91251~	1.0	L6 CHONDRITE	В	A		
PCA 91284~	9.5	L6 CHONDRITE	В	Ä		
PCA 91293~	8.1	L6 CHONDRITE	В	Α		
WIS 91614	299.7	IRON-IIIAB?				
DAV 92301	108.7	LL5 CHONDRITE	В	Α	28	23
DAV 92302	58.8	LL3.6 CHONDRITE	B	Â	11-29	8-18
DAV 92303	7.3	H5 CHONDRITE	B	- Â	18	16
DAV 92304~	4.7	H6 CHONDRITE	B/C	Â	10	10
DAV 92305~	0.9	L6 CHONDRITE	B	Â		
DAV 92306	1.6	LL3.6 CHONDRITE	Ā/B	Ä	16-32	4-18
DAV 92307~	5.0	L6 CHONDRITE	В	A/B		
DAV 92308	1.7	FUSION CRUST (CHON		A/B		
EET 92005	5.4	C2 CHONDRITE	В	A	1-25	
EET 92006	0.8	C2 CHONDRITE	A	A		
EET 92007	0.6	C2 CHONDRITE	A/B	Α	1-60	
EET 92008	1.5	C2 CHONDRITE	В	Α	1-7	
EET 92009	0.2	C2 CHONDRITE	A	Α	1-37	1-7
EET 92010	1.0	C2 CHONDRITE	A/B	В	1-38	
EET 92011	17.5	CR2 CHONDRITE	B/C	B/C	1-6	1-10
EET 92012	2.0	LL7 CHONDRITE	A/B	Ą	30	24
EET 92013	9.9	LL7 CHONDRITE	A/B	À	30	24
EET 92014	2.1	HOWARDITE	A/B	Ą		20-41
EET 92015	4.1	HOWARDITE	A/B	A	••	21-44
EET 92016	10.1	LL7 CHONDRITE	A/B	A	30	24
EET 92017~	0.3	LL6 CHONDRITE	A/B	В		
EET 92018~	3.9	LL6 CHONDRITE	A	A		
EET 92019~	0.9	LL6 CHONDRITE	В	B .		
EET 92020~	1.4	LL6 CHONDRITE	A A (D	A A/D		
EET 92021~	0.5 9.7	LL6 CHONDRITE HOWARDITE	A/B	A/B		20 52
EET 92022 EET 92023	9.7 21.8	EUCRITE (UNBRECCIAT	A [ED\A	A		20-53
EET 92023	21.6 15.4	LL6 CHONDRITE	A A	A A		41-46
EET 92024~	18.4	EUCRITE (BRECCIATED		Ä		44-48
EET 92026	17.0	EUCRITE (BRECCIATED		Â		44-48 42-55
EET 92027	16.3	EUCRITE (BRECCIATED		Â		42-55 39-46
EET 92028	0.4	L6 CHONDRITE	" B	Â	25	21
EET 92029	2434.2	IRON-IIIAB?	_	^	20	4. I
EET 92030~	1151.2	L6 CHONDRITE	A/B	Α .		
	uning refreether		<u> </u>			

[~]Classified by using refractive indices.

Sample Number	Weight (g)	Classification	Weathering	Fracturing	% Fa	% Fs
			_			
EET 92031~	1316.6	L6 CHONDRITE	В	A		
EET 92032~	693.7	L6 CHONDRITE	Be	В	4.0	10
EET 92033	735.6	H5 CHONDRITE	В	Ą	18	16
EET 92034~	727.8	L6 CHONDRITE	B B	A	10	16
EET 92035	646.4 533.5	H5 CHONDRITE	В	A A	18	16
EET 92036~		L6 CHONDRITE L6 CHONDRITE	A/B			
EET 92037~	349.5	H5 CHONDRITE	B	A A	18	16
EET 92038	731.4 426.2	H5 CHONDRITE	A/B	Ä	18	16 16
EET 92040 EET 92041	420.2 291.2	L5 CHONDRITE	A/B	Â	25	21
EET 92041	103.7	CR2 CHONDRITE	B	B	1-32	1-7
EET 92042	204.7	L6 CHONDRITE	A/B	Ä	1-02	1-7
EET 92043~	139.7	H5 CHONDRITE	A/B	Â	18	16
EET 92045	239.6	H5 CHONDRITE	B	Â	18	16
EET 92046~	162.2	L6 CHONDRITE	Ā/B	Â	, 0	
EET 92047	134.9	H5 CHONDRITE	B/C	Â	18	16
EET 92048	58.5	CR2 CHONDRITE	B	B/C	1-6	2-10
EET 92049	59.7	L5 CHONDRITE	A/B	A/B	24	20
EET 92050~	71.3	L6 CHONDRITE	A/B	A		
EET 92051~	94.5	L6 CHONDRITE	B/C	A		
EET 92052	89.6	CR2 CHONDRITE	B/C	B/C	1-3	2-5
EET 92053~	81.7	LL6 CHONDRITE	B/C	Ā		
EET 92054	59.3	LL6 CHONDRITE	Be	Ä	30	25
EET 92055~	61.7	L6 CHONDRITE	В	A		
EET 92056	67.4	H6 CHONDRITE	B/C	В	18	16
EET 92057	52.6	H5 CHONDRITE	B/C	A/B	19	17
EET 92058~	85.6	L6 CHONDRITE	B/C	Α		
EET 92059~	79.5	L6 CHONDRITE	В	Α		
EET 92060~	49.1	L6 CHONDRITE	В	Α		
EET 92061	79.1	L5 CHONDRITE	С	A/B	25	21
EET 92062	73.5	CR2 CHONDRITE	Be	A/B	1-4	2-5
EET 92063	74.6	E6 CHONDRITE	С	Α		.2-0.4
EET 92064	71.4	H5 CHONDRITE	В	Α	18	16
EET 92065	46.7	CR2 CHONDRITE	В	B/C	1-4	3-6
EET 92066	65.3	H5 CHONDRITE	В	Ą	17	15
EET 92067	49.8	L5 CHONDRITE	В	Ą	24	20
EET 92068~	49.3	L6 CHONDRITE	A/B	A		
EET 92069~	42.7	L6 CHONDRITE	В	B/C		
EET 92070	17.8	CR2 CHONDRITE	В	Ā	1-6	3-5
EET 92071	4.4	H5 CHONDRITE	A/B	Ą	17	15
EET 92072	23.0	L4 CHONDRITE	В	Ą	25	21
EET 92073~	10.0	L6 CHONDRITE	A/B	A		
EET 92074~	24.0	L6 CHONDRITE	B	A/B	4.0	4-
EET 92075	4.7	H5 CHONDRITE	A/B	A	19	17
EET 92076~	1.4	H6 CHONDRITE	C	A	4.0	40
EET 92077	11.4	H5 CHONDRITE	C	A	18	16
EET 92078~	4.0	L6 CHONDRITE	B A/B	A		
EET 92079~	4.4	L6 CHONDRITE		A A		
EET 92080~	2.3	L6 CHONDRITE	A A/B		28	23
EET 92081	1.6 3.9	LL5 CHONDRITE L6 CHONDRITE	B	A A	20	23
EET 92082~		H5 CHONDRITE	Č	Ä	19	17
EET 92083	26.2	L5 CHONDRITE	В	Â	25	21
EET 92085	30.3 6.8	L5 CHONDRITE	B	Â	25 24	20
EET 92086 EET 92087~	29.9	L6 CHONDRITE	B/C	Â	47	20
EET 92088	29.9 15.1	H5 CHONDRITE	B/C	Â	18	16
EET 92089	10.4	L5 CHONDRITE	Č	Â	23	19

-Classified by using refractive indices.

Sample Number	Weight (g)	Classification	Weathering	Fracturing	% Fa	% Fs
110111201	(9)	O I I I I I I I I I I I I I I I I I I I	rrouning	ridotainig	/0 / Q	7013
EET 92090~	23.7	L6 CHONDRITE	A/B	Α		
EET 92091~	5.8	L6 CHONDRITE	A/B	Α		
EET 92092	3.5	CR2 CHONDRITE	Be	Α	1-9	2-12
EET 92093	0.4	E6 CHONDRITE	С	Α		.2-0.4
EET 92094	16.7	CR2 CHONDRITE	В	Α	1-6	2-5
EET 92095~	1.4	L6 CHONDRITE	B/C	Α		
EET 92096~	0.2	L6 CHONDRITE	В	Α		
EET 92097~	0.5	L6 CHONDRITE	B/C	Α		
EET 92098~	1.1	L6 CHONDRITE	B/C	Α		
EET 92099	0.2	LL5 CHONDRITE	A/B	Α	29	24
MCY 92501	4.4	L5 CHONDRITE	В	Α	24	20
MCY 92502	0.7	C2 CHONDRITE	Be	Α	1-35	2-4
MCY 92503	7.7	H5 CHONDRITE	В	Α	19	17
				_		
RKP 92401	7.0	C2 CHONDRITE	B/C	B	1-62	2-5
RKP 92402	8.0	C2 CHONDRITE	B/C	A	1-67	3-4
RKP 92403	4.1	EUCRITE (BRECCIATE)		Ą		49-5 5
RKP 92404~	1419.9	LL6 CHONDRITE	A/B	A		
RKP 92405	1331.5	L5 CHONDRITE	В	Α	25	21
RKP 92406	592.7	H6 CHONDRITE	B/C	B	19	17

**NOTES TO TABLES 1 AND 2:

"Weathering" categories:

- A: Minor rustiness; rust haloes on metal particles and rust stains along fractures are minor.
- B: Moderate rustiness; large rust haloes occur on metal particles and rust stains on internal fractures are extensive.
- C: Severe rustiness; metal particles have been mostly stained by rust throughout.
- e: Evaporite minerals visible to the naked eye.

"Fracturing" categories:

- A: Minor cracks; few or no cracks are conspicuous to the naked eye and no cracks penetrate the entire specimen.
- B: Moderate cracks; several cracks extend across exterior surfaces and the specimen can be readily broken along the cracks.
- C: Severe cracks; specimen readily crumbles along cracks that are both extensive and abundant.

[~]Classified by using refractive indices.

Newly Classified Specimens Listed By Type **

Sample Number	Weight (g)	Classification	Weathering	Fracturing	% Fa	% Fs
		Acho	ndrites			
EET 90757	3.7	AUBRITE	A	Α		0
EET 92025	18.4	EUCRITE (BRECCIAT		A		44-48
EET 92026	17.0	EUCRITE (BRECCIAT		Ą		42-55
EET 92027	16.3	EUCRITE (BRECCIAT		Ą		39-46
RKP 92403	4.1	EUCRITE (BRECCIAT	ΓED) A/Be	Α		49-55
EET 92023	21.8	EUCRITE (UNBRECO	CIATED) A	Α		41-46
EET 92014	2.1	HOWARDITE	A/B	Ą		20-41
EET 92015	4.1	HOWARDITE	A/B	Ą		21-44
EET 92022	9.7	HOWARDITE	A	Α		20-53
			us Chondrite			
EET 92005	5.4	C2 CHONDRITE	B	Ą	1-25	
EET 92006	0.8	C2 CHONDRITE	A	Ą		
EET 92007	0.6	C2 CHONDRITE	A/B	Ą	1-60	
EET 92008	1.5	C2 CHONDRITE	В	Ą	1-7	4 -
EET 92009	0.2	C2 CHONDRITE	A A/B	A	1-37	1-7
EET 92010	1.0	C2 CHONDRITE C2 CHONDRITE	Be	В	1-38 1-35	2-4
MCY 92502 RKP 92401	0.7 7.0	C2 CHONDRITE C2 CHONDRITE	B/C	A B	1-62	2-4 2-5
RKP 92402	7.0 8.0	C2 CHONDRITE	B/C B/C	Ä	1-67	2-3 3-4
NNP 92402	6.0	OZ ONORDINI L				-
EET 92011	17.5	CR2 CHONDRITE	B/C	B/C	1-6	1-10
EET 92042	103.7	CR2 CHONDRITE	В	В	1-32	1-7
EET 92048	58.5	CR2 CHONDRITE	В	B/C	1-6	2-10
EET 92052	89.6	CR2 CHONDRITE	B/C	B/C	1-3	2-5
EET 92062	73.5	CR2 CHONDRITE	Be	A/B	1-4	2-5
EET 92065	46.7	CR2 CHONDRITE	В	B/C	1-4	3-6
EET 92070	17.8	CR2 CHONDRITE	В	A	1-6	3-5
EET 92092	3.5	CR2 CHONDRITE	Be	A	1-9	2-12
EET 92094	16.7	CR2 CHONDRITE	В	A	1-6	2-5
			es - Type 3			
DAV 92302	58.8	LL3.6 CHONDRITE	В	Ą	11-29	8-18
DAV 92306	1.6	LL3.6 CHONDRITE	A/B	A	16-32	4-18
			es - Type 7			
EET 92012	2.0	LL7 CHONDRITE	A/B	Ä	30	24
EET 92013	9.9	LL7 CHONDRITE	A/B	A	30	24
EET 92016	10.1	LL7 CHONDRITE	A/B	A	30	24
			ondrites	_		
EET 92063	74.6	E6 CHONDRITE	C	Ą		.2-0.4
EET 92093	0.4	E6 CHONDRITE	C	Α		.2-0.4

⁻Classified by using refractive indices.

TABLE 2 - continued

Sample Number	Weight (g)	Classification	Weathering	Fracturing	% Fa	% Fs
PAT 91528	3.3	IRON NODULE	irons		22-29	22-25
WIS 91614 EET 92029	299.7 2434.2	IRON-IIIAB? IRON-IIIAB?			Ç	
PAT 91516	1.6	IRON/TROILITE N	ODULE			

TABLE 3

Tentative Pairings for New Specimens

Table 3 summarizes possible pairings of the new specimens with each other and with previously classified specimens, based on descriptive data in this newsletter issue. Readers who desire a more comprehensive review of the meteorite pairings in the U.S. Antarctic collection should refer to the compilation provided by Dr. E.R.D. Scott, as published in issue 9(2) (June 1986).

EUCRITE:

EET 92025, 92026.

HOWARDITE:

EET 92014, 92015.

EET 92022 with EET 87503.

C2 CHONDRITE:

EET 92005, 92007, 92008, 92009, 92010.

MCY 92502 with MCY 92500.

RKP 92401, 92402 with RKP 92400.

CR2 CHONDRITE:

EET 92011, 92042, 92048, 92052, 92062, 92065, 92070, 92092, 92094, with EET 87711.

L4 CHONDRITE:

EET 90745, 90790, 90807.

PCA 91029, 91035, 91042, 91049, 91058, 91064, 91068, 91070, 91087, 91089, 91095, 91096, 91099, 91102, 91105, 91112, 91128, 91145, 91177, 91188, 91189, 91209, 91214, 91220, 91250, 91251, 91284, 91293.

LL3.6 CHONDRITE:

DAV 92302, 92306.

LL6 CHONDRITE:

EET 92017, 92018, 92019, 92020, 92021.

LL7 CHONDRITE:

EET 92012, 92013, 92016.

PETROGRAPHIC DESCRIPTIONS

Sample No.:

DAV92302; 92306

Location: Dimensions (cm): David Glacier 5.5 x 3.0 x 2.0; 1.5 x 1.0 x 0.8

Weight (g): Meteorite Type: 58.8; 1.6 LL3.6 chondrite

Macroscopic Description: Carol Schwarz

Both specimens are angular-shaped with thin weathered fusion crust. DAV92302, the larger specimen, has an interior of medium gray matrix which is moderately weathered. Less than 2 mm light-colored inclusions are abundant. This is a very coherent meteorite. DAV92306 also has a gray interior with dark and light colored inclusions and is less weathered.

Thin Section (DAV92302.2: 92306.2)
Description: Brian Mason

The sections are so similar that a single description will suffice; the meteorites are probably paired. They show a closed-packed aggregate of chondrules and chondrule fragments, up to 2.4 mm across, in a small amount of dark matrix which includes a few grains of nickel-iron and troilite. Weathering is extensive, with brown limonitic staining throughout the sections. Microprobe analyses show olivine and pyroxene of variable composition: olivine, Fa₁₁₋₃₂; pyroxene, Fs₄₋₁₈. The meteorite is classified as an LL3 chondrite (estimate LL3.6).

Sample No.: Location: DAV92308 David Glacier 2.0 x 1.8 x 0.3

Dimensions (cm): Weight (g):

1.7

Meteorite Type:

Fusion crust (chondrite)

Macroscopic Description: Carol Schwarz

This flat specimen consists mostly of fusion crust. One side is frothy while the opposite side is smooth and contains evaporite deposit. One or two light colored chondrules are present.

Thin Section (.2) Description: Brian Mason

The section consists of black fusion crust with a single chondrule of granular olivine, 3.6 mm across. There is insufficient material to characterize this meteorite and it is reported as fusion crust (chondrite).

Sample No.:

EET90757

Location: Dimensions (cm): Elephant Moraine 2.2 x 1.1 x 1.0

Weight (g): Meteorite Type: 3.7 Aubrite

Macroscopic Description: Robbie Marlow

EET90757 is slightly weathered, slightly friable, and completely devoid of fusion crust. Cleaving this specimen revealed a pure white interior matrix with sulfide grains of various sizes scattered throughout.

Thin Section (.2) Description: Brian Mason

The section has brecciated texture, with pyroxene clasts up to 3 mm across in a comminuted groundmass of the same mineral. A little accessory nickel-iron and sulfide was noted. The meteorite appears to be unweathered. The pyroxene is essentially pure enstatite (FeO less than 0.1%, CaO 0.4-0.9%). One grain of plagioclase, Ab₉₁Or₄An₅, was analyzed. The meteorite is an aubrite.

Sample No.:

EET92005; 92007;

92008, 92009, 92010

Location:

Elephant Moraine

Dimensions (cm): 2.8 x 2.0 x 1.0; 1.3 x 0.7 x

0.7; 1.7 x 1.3 x 0.8; 0.7 x 0.5 x 0.5; 3 fragments ~

1 x 0.5 x 0.5 each 5.4; 0.6; 1.5; 0.2; 1.0

Meteorite Type:

Weight (a):

5.4; 0.6; 1.5; 0.2; C2 chandrite

C2 chondrite

Macroscopic Description: Carol Schwarz

EET92005 and 92008 retain some frothy fusion crust; the other specimens have none. The exterior of 92008 has weathered to a dark green color typical for Antarctic carbonaceous chondrites. Its interior is black with rust-colored inclusions. All of the other specimens have dark gray to black colored matrices with numerous weathered, light colored, <1-mm sized inclusions. 92010 consists of three small fragments.

Thin Section (EET92005.2: 92007.2: 92008.2: 92009.2: 92010.2) Description: Brian Mason

These sections are so similar that a single description will suffice; the meteorites are probably paired. The sections show a few chondrules, up to 0.9 mm across, irregular aggregates, and small mineral grains in a black matrix. The minerals are almost entirely olivine, near Mg₂SiO₄ in composition, with a few iron-rich grains. A small amount of pyroxene may be present. The meteorite is a C2 chondrite.

Sample No.: Location: EET92006 Elephant Moraine 1.3 x 0.7 x 0.6

Dimensions (cm): Weight (g):

0.8

Meteorite Type:

C2 chondrite

Macroscopic Description: Carol Schwarz

This small meteorite fragment is covered with frothy black fusion crust. The interior is black with a few very small inclusions visible.

Thin Section (.2) Description: Brian Mason

The section shows a few small chondrules up to 0.5 mm across, irregular aggregates, and small mineral grains in a black matrix. Most of the mineral grains were originally olivine, but have been largely converted to serpentine. Some grains are calcite or ferroan dolomite (FeO up to 5%). The meteorite is tentatively classified as a C2 chondrite.

Sample No.:

EET92011; 92042:

92048; 92052; 92062; 92065; 92070; 92092;

92094

Location:

Weight (g):

Elephant Moraine 3 x 2.5 x 2; 5 x 4 x 2.5;

Dimensions (cm): 3 x 2.5 x 2; 5 x 4 x 2.5; 3.5 x 2.8 x 3.1; 5.3 x 3.0 x 3.4; 4.0 x 4.1 x 2.4; 4.0 x 2.8 x 2.2; 3.5 x 2.1 x 1.9; 2

x 1.5 x 0.7; 3.5 x 2.2 x 1.3 17.5; 103.7; 58.5; 89.6;

73.5; 46.7; 17.8; 3.5;

16.7

Meteorite Type:

CR2 chondrite

Macroscopic Description: Cecilia Satterwhite. Robbie Marlow and Carol Schwarz

At least 50% of each of these nine specimens are covered with weathered fusion crust. The fusion crust on EET92042 is frothy and black, where it is dull and brown on the other eight specimens. Fractures penetrate the interior of all specimens and they are all moderately to heavily oxidized. All of the interiors are rusty brown to black in color and contain numerous chondrules/inclusions that range from 1 mm to 4 mm in size. Small amounts of white evaporite deposit were noted on 92062 and 92092. The evaporite deposit on 92042 has a bluish color.

Thin Section (EET92011.2: 92042.4: 92048.2: 92052.2: 92062.2: 92065.2: 92070.2: 92095.2: 92094.2) Description: Brian Mason

The sections are so similar that the meteorites can confidently be paired, and paired with the EET87711 group (Antarctic Meteorite Newsletter 12(3), 1989). They show a close-packed aggregate of chondrules and chondrule fragments, up to 2.8 mm across, in an opaque matrix which contains 10-20% nickel-iron as small globules and rimming chondrules. Fine-grained disseminated troilite may be present in small amounts. Weathering is extensive, with limonitic staining throughout the sections. Most chondrules consist of granular olivine or olivinepyroxene; some have intergranular pale brown glass. Most of the mineral grains are close to Mg₂SiO₄ and MgSiO₃ in composition: olivine, Fa₁₋₆ (Fa₁₋₃₂ in 92042,4); pyroxene, Fs₂₋₁₀. The meteorite is a C2 chondrite of the Renazzo subgroup.

Sample No.:

EET92012; 92013;

92016

Location:

Elephant Moraine

Dimensions (cm):

 $1.1 \times 0.9 \times 0.8$; $2.0 \times 1.5 \times$

1.4; 2.1 x 1.5 x 1.5

Weight (g): Meteorite Type: 2.0; 9.9; 10.1 LL7 chondrite

Macroscopic Description: Cecilia Satterwhite

The exterior surfaces of these specimens are greenish-gray in color. Sulfide grains are visible on the exterior. The medium grained, interior matrices are light to medium gray with numerous light and dark colored mineral grains scattered throughout.

Thin Section (EET92012.2: 92013.2: 92016.2) Description: Brian Mason

These sections are so similar that a single description suffices; the meteorites are certainly paired. They show an aggregate of small anhedral olivine and pyroxene grains (grain size 0.05-0.1 mm), with a few coarser aggregates which appear to be vestigial chondrules. Minor amounts of nickel-iron and troilite are present. Microprobe analyses show olivine and pyroxene of uniform composition: olivine, Fa₃₀; orthopyroxene, Wo₂Fs₂₄. One grain of diopside, Wo₄₀Fs₉, was analyzed. A little plagioclase, An₁₀, is present. The meteorite is classified as an LL7 chondrite.

Sample No.:

EET92014; 92015 Elephant Moraine

Location: Dimensions (cm):

1.6 x 1.0 x 0.5; 1.7 x 1.0 x

1.1

Weight (g): Meteorite Type: 2.1; 4.1 Howardite

Macroscopic Description: Cecilia Satterwhite

At least half of the exterior surfaces are covered with shiny fusion crust. Areas without fusion crust are light to medium gray in color with light and dark clasts visible. One black, glassy clast visible on the exterior of 92014 is 0.7 in length and penetrates the interior. The interior matrices are light gray with abundant small white, yellow, and black clasts. Minor oxidation was noted.

Thin Section (EET92014.4 and .5: 92015.2) Description: Brian Mason

The major part of both sections of EET92014 consists of a breccia of pyroxene and plagioclase clasts up to 3 mm across, in a comminuted groundmass of these minerals. Section 92014,5 contains an enclave of dark glass with skeletal pyroxene crystals, 5 mm in greatest dimension; a similar but smaller enclave is present in 92014,4. The section of 92015 is essentially identical with those of EET92014, except for the absence of dark glassy enclaves; the meteorites are probably paired. Microprobe analyses show pyroxene compositions ranging from Wo2Fs20 to Wo26Fs44 in both the typical and dark glassy areas; the largest clasts are the most Mg-rich. Plagioclase compositions range from Ang2 to Ang2. The dark glass has somewhat variable composition, but approximates to the overall bulk composition of the meteorite; the enclaves are therefore interpreted as probably shock-melted areas. The meteorite is a howardite.

Sample No.:

EET92022

Location: Dimensions (cm): Elephant Moraine $2.0 \times 2.0 \times 0.7$

Weight (g):

9.7

Meteorite Type:

Howardite

Macroscopic Description: Carol Schwarz

The exterior of this tabular-shaped meteorite has shiny black fusion crust which has been weathered away in areas. The interior matrix is light gray. Very small gray, white and yellowish inclusions are abundant. This meteorite has only minor oxidation.

Thin Section (.2) Description: Brian Mason

The section shows a brecciated structure, with clasts of orthopyroxene, pigeonite, and plagioclase up to 1.2 mm across in a comminuted groundmass of these minerals; two gabbroic clasts, 3.2 and 1.8 mm across, were noted. Microprobe analyses show a wide range in pyroxene compositions: Wo₁₋₂₂, Fs₂₀₋₅₃, En₃₅₋ 79; orthopyroxene compositions cluster around Wo₃Fs₂₄. Plagioclase composition is An₉₀₋₉₅. The meteorite is a Howardite; mineral compositions and texture are similar to the EET87503 group of howardites, and the possibility of pairing should be considered.

Sample No.: Location:

EET92023 Elephant Moraine

Dimensions (cm):

 $3.0 \times 2.5 \times 2.0$

Weight (g):

Eucrite (unbrecciated) Meteorite Type:

Macroscopic Description: Carol Schwarz

About sixty percent of this unbrecciated eucrite is covered with thin black fusion crust which has worn away in areas. The interior is coarse-grained consisting of about 50% white (plagioclase) and 50% yellow-gray minerals. There is only minor weathering apparent.

Thin Section (.2) Description: Brian Mason

The section shows a gabbroic texture, an equigranular intergrowth of subhedral to anhedral pyroxene and plagioclase (mean grain size is about 1 mm), with a small amount of opaque material. The pyroxene is a pigeonite of fairly uniform composition, averaging Wo₁₀Fs₄₅; plagioclase composition is Angg-91. The meteorite is an unbrecciated eucrite; in texture and mineral compositions it resembles Moore County, but the pyroxene does not show the complex exsolution pattern of Moore County pyroxene.

Sample No.: Location: EET92025; 92026 Elephant Moraine

Dimensions (cm):

4.0 x 2.5 x 1.5; 3.5 x 2.5 x

1.5

Weight (g):

18.4; 17.0

Meteorite Type:

Eucrite (brecciated)

Macroscopic Description: Carol Schwarz

Both fragments are similar in appearance with fusion crust covering 40-50% of their exterior surfaces. The fusion crust is black and very shiny in places. The interiors of both are a similar tannish-gray color and medium-grained. 92026 contains several 1-2 mm sized white plagioclase inclusions.

Thin Section (EET92025.2: 92026.2) Description: Brian Mason

The sections are so similar a single description will suffice; the meteorites are probably paired. They show a brecciated texture, with gabbroic clasts up to 3 mm across and pyroxene and plagioclase grains up to 0.6 mm in a comminuted groundmass of these minerals. The pyroxene is pigeonite with a moderate range in composition: Wo₁₀₋₁₇, Fs₄₂₋₅₅, En₂₈₋₄₇, and clustered around Wo₁₃Fs₄₉; plagioclase composition is An₈₈₋₉₄; a silica polymorph, probably tridymite, is present in small amounts. The meteorite is a monomict eucrite (brecciated).

Sample No.: Location: Dimensions (cm): EET92027 Elephant Moraine 3.0 x 2.0 x 1.5

Weight (g):

16.3

Meteorite Type:

Eucrite (brecciated)

Macroscopic Description: Carol Schwarz

About 30% of the exterior of EET92027 is covered with shiny black fusion crust. The interior appears grayish in color and fine-grained. No inclusions are obvious. Weathering is minor.

Thin Section (.2) Description: Brian Mason

The section shows a brecciated texture, with clasts up to 3 mm and pyroxene and plagioclase grains up to 0.5 mm in a comminuted groundmass of these minerals. Most of the clasts are fine-grained (average grain size 0.02 mm) aggregates of pyroxene and plagioclase. The pyroxene is pigeonite of fairly uniform composition, Wo₁₁Fs₄₄; plagioclase is An₈₄₋₉₂; a silica polymorph, probably tridymite, is present in small amounts. The meteorite is a monomict eucrite (brecciated).

Sample No.: EET92029
Location: Elephant Moraine
Dimensions (cm): 18.5 x 9.0 x 6.0

Weight (g): 2434.2

Meteorite Type: Medium octahedrite,

IIIAB?

Macroscopic Description: Roy S. Clarke, Jr.

The specimen has a shape suggestive of a giant arrowhead, with cm-sized regmaglypts. Its dark brown color is due to a coating of terrestrial iron oxides. Small patches of fusion crust remain in surface depressions, and delicate streamers of late-stage, ablation-formed layered melt-crust are preserved at edges of adjoining surfaces. Occasional cm-long, narrow incisions several mm deep are present, possibly formed by ablation melting of schreibersite inclusions. A 52 g slice was removed 6.5 cm from the "point" of the specimen and perpendicular to the long axis. Butts of 357 g and 1954 g resulted. Suggestions of a Widmanstätten pattern (WP) were apparent on the cut surface.

Polished Section Description: Roy S. Clarke, Jr.

The 52 g slice was polished to a metallographic surface and a distinct WP appeared without etching. Microscopic examination revealed that the pattern was outlined by holes in the section, possibly due to the absence of schreibersite. A piece weighing 7 g was removed from the slice, and it was split parallel to its large surface area with an Isomet diamond saw to avoid plucking. Both pieces were polished and etched, and they produced a similar result to the earlier section. At this writing the cause of the voids is still an open question.

Exterior edges have a heat altered zone approximately 1.5 mm deep. About 20% of the length of these edges is covered with remnant layered melt crust under a thin terrestrial oxide coating. One melt crust area was 0.3 mm thick and 2.5 mm long. The kamacite band width is ~0.9 mm, and schreibersites frequently occupy centers of bands. These schreibersites are typically 0.1-0.5 mm wide, and range from small squares to elongated inclusions over a mm. Kamacite lamellae also contain occasional rhabdites in the 20-50 µm range, and a smaller generation of more numerous rhabdites in the µm and sub-um range. Taenite lamellae appear to have been absorbed and are now represented by rows of associated small schreibersites, schreibersite-globular taenite associations, globular taenite, and larger voids where elongated schreibersites may have resided. Net plessite areas are comprised of this same general

association. This specimen may be a IIIAB meteorite with an unusual ratio of bulk Ni to bulk

Sample No.:

EET92063

Location: Dimensions (cm): Elephant Moraine

Weight (g):

4.6 x 3.6 x 2.0

Meteorite Type:

74.6 E6 chondrite

Macroscopic Description: Robbie Marlow

EET92063 has dull, dark brown fusion crust that covers over 90% of its exterior. The interior matrix is a deep red-brown color and coarse-grained. Heavy oxidation has masked any features that might be present.

Thin Section (.2) Description: Brian Mason

Only vague traces of chondritic structure are visible in the thin section which shows the meteorite to consist largely of granular to prismatic enstatite (grain size 0.1-0.2 mm), a considerable amount of nickel-iron (~20%) and minor amounts of sulfides. Remnants of fusion crust rim the section. Considerable weathering is indicated by brown limonitic staining throughout the section. The enstatite is almost pure MgSiO₃ (CaO 0.7%; FeO 0.2-0.4%); the metal contains 1.2% Si. The meteorite is an E6 chondrite.

Sample No.: Location:

EET92093 Elephant Moraine

Dimensions (cm):

 $0.8 \times 0.7 \times 0.3$

Weight (g):

0.4

Meteorite Type:

E6 chondrite

Macroscopic Description: Cecilia Satterwhite

Exterior of this small sample is dull brown and retains one small patch of black fusion crust. Chipping this meteorite revealed a dark brown interior with visible metal. EET92093 is friable and crumbles easily.

Thin Section (.2) Description: Brian Mason

The section is very small (3 mm square) and is heavily stained with brown limonite. Only vague traces of chondritic structure are visible; the meteorite consists largely of granular enstatite with ~20% nickel-iron and minor amounts of sulfides. The enstatite is almost pure MgSiO₃ (CaO 0.1-0.2%; FeO 0.2-0.5%). Six metal grains were analyzed; three contained 2.8% Si, three 0.3% Si. Minor amounts of SiO₂ polymorph are present, probably tridymite. The meteorite is classified as an E6 meteorite.

Sample No.: Location:

MCY92502 **MacKay Glacier**

Dimensions (cm): Weight (g):

 $1.1 \times 0.8 \times 0.4$ 0.7

Meteorite Type:

C2 chondrite

Macroscopic Description: Carol Schwarz

Forty percent of this small fragment is covered with frothy fusion crust. The interior matrix is black and contains some small whitish inclusions. Evaporite deposit is abundant.

Thin Section (.2) Description: Brian Mason

The section shows sparse chondrules up to 0.9 mm across, irregular aggregates, and small mineral grains in a black matrix. The minerals are mainly olivine, with minor pyroxene. Olivine compositions are mostly near Mg2SiO4, but occasional iron-rich grains were analyzed, up to En35. Pyroxene compositions range from Fs2 to Fs₄. The matrix appears to be largely iron-rich serpentine. The meteorite is a C2 chondrite, and is probably paired with MCY92500.

Sample No.: Location:

PAT91516 Patuxent Range

Dimensions (cm):

See below

Weight (g): Meteorite Type:

1.6 Iron/troilite nodule

Macroscopic Description: Roy S. Clarke, Jr.

Weathered fragments were received and separated as follows: 0.7136, 0.5735, 0.2098, and 0.0562 g for a total of 1.553 g. Fragments were covered with a thin to scaly weathering crust, were nodular, and appeared to have been broken out of a larger mass along grain boundaries. The 0.57 g and 0.21 g specimens were single pieces, and the 0.06 g lot is comprised of very small grains with a few larger fragments.

Polished Section Description: Roy S. Clarke, Jr.

The 0.71 g piece approximated a slightly bent cylinder, 10 x 4 mm. An attempt was made to divide the piece along its long axis using a diamond wire saw. A single piece of 0.325 g and fragments of 0.273 g resulted. The piece was prepared as a metallographic surface of 8.6 x 4 mm. It has ~12 metal regions separated mainly by sinuous troilite, and occasional metal/metal grain Troilite is not twinned, and is occasionally bordered by schreibersite. Metal near contacts with troilite or with other metal grains is relatively free of inclusions and surrounds centers with martensite structure. precipitates of mainly schreibersite, but also some troilite and occasional kamacite, are more

abundant in the interior grains. An electron microprobe traverse was made across one grain and into the martensite of a second. Ni in the clear metal was in the 23 to 30 wt% range and 23 to 18 wt% in the martensite areas. Is it possible that this nodule came from the same parent meteorite as PAT91528?

Sample No.: Location: PAT91528 Patuxent Range 1.5 x 1.3 x 0.6

Dimensions (cm): Weight (g):

3.3

Meteorite Type:

Iron nodule with minor

silicates?

Macroscopic Description: Roy S. Clarke, Jr.

The specimen is mildly weathered with no obvious fusion crust remaining. Looking down on it sitting on its comparatively large flat surface, its shape is reminiscent of a fluffed out bird sitting on a nest. The thickest point is its "head", and on the bottom surface at the opposite end from the "head" is a small protrusion pointing down, a "tail".

Polished Section Description: Roy S. Clarke, Jr. A median slice was removed perpendicular to the flat surface and through the "head and tail." Butts of 1.9 g and 0.7 g resulted. A metallographic section of 35 mm² resulted. The section contains one large untwinned troilite (2 mm²), the "tail" of the bird. The remainder of the section, essentially a right triangle in outline, is rimmed with ~500µm of reasonably clear metal containing few small inclusions. This rim borders another ~500μm zone that is richer in tiny inclusions. Interior to this is a uniform martensite structure. Diagonally across from the large sulfide, at the "head" of the bird, are two silicate areas of ~0.5 mm², partially bordered by schreibersite. A small number of microprobe analyses average Fa26 and Fs23. Fa values vary from Fa22 to Fa29, and Fs values from Fs22 to Fs25. An electron microprobe traverse into the metal reveals a Ni gradient in the first 1 mm from the outside edge from 40 wt% down to ~ 20 wt%. The interior of the grain has irregular Ni values averaging around 15 wt%. During this part of the traverse occasional small schreibersites gave very high Ni values and occasional small kamacites gave values around 5 wt%. This specimen is a metal nodule from a more complex meteorite. The Fa and Fs values suggest the possibility of an L chondrite association, but the P content of the metal argues against it. Although no silicate has been seen in PAT91516, there are many metallographic similarities. Could these be from the same parent?

Sample No.: RKP92401; 92402 Location: Reckling Peak

Dimensions (cm): 2.5 x 1.8 x 1.5; 2.5 x 2.5 x

1.0

Weight (g): 7.0; 8.0
Meteorite Type: C2 chondrite

Macroscopic Description: Carol Schwarz

Both of these specimens are very weathered. RKP92401 retains no fusion crust and its exterior has a greenish color, and numerous large fractures. The little remaining fusion crust on 92402 is thick and frothy. The interior of both of these samples is black with numerous small rusty white inclusions.

Thin Section (RPK92401.2: 92402.2) Description: Brian Mason

The sections are so similar that these meteorites are probably paired, and paired with RKP92400. The sections show a few chondrules, up to 1.2 mm across, irregular aggregates, and small mineral grains in a black matrix. The minerals are mostly olivine, with minor pyroxene. Olivine compositions are mostly near Mg2SiO4, with a few iron-rich grains. Pyroxene compositions range from Fs2 to Fs5. The meteorite is a C2 chondrite.

Sample No.: RKP92403 Location: Reckling Peak

Dimensions (cm):

2.2 x 1.8 x 1.0

Weight (g): 4.1
Meteorite Type: Euc

Eucrite (brecciated)

Macroscopic Description: Cecilia Satterwhite

The exterior of this achondrite is covered with black fusion crust that is shiny in some areas. Evaporite deposit is present on the exterior. The interior matrix of this meteorite is fine-grained, light to medium gray, and has a few small white and black inclusions. Minor oxidation was noted.

Thin Section (.2) Description: Brian Mason

The section shows a few coarse-grained gabbroic areas, up to 5 mm across, in a fine-grained groundmass of comminuted plagioclase and pyroxene. Microprobe analyses show pyroxene of fairly uniform composition, ranging from Wo₂Fs₄₉ to Wo₅Fs₅₅; plagioclase composition ranges from An₇₈ to An₈₉. The meteorite is classified as a monomict eucrite (brecciated).

Sample No.:

Location:

Dimensions (cm):

WIS91614 Wisconsin Range $6.0 \times 5.0 \times 3.0$

Weight (g): 299.7

Meteorite Type:

Medium octahedrite,

IIIAB?

Macroscopic Description: Roy S. Clarke, Jr.

This is a generally blocky shaped specimen with rounded edges due to ablation working. It has a roughly convex surface that appears to have been the anterior surface during flight and a concave posterior surface. The specimen is covered with a thin secondary oxide coating, with possibly a few small patches of fusion crust remaining in deeper surface depressions. A 19 g slice was removed perpendicular to the anterior and posterior surfaces, resulting in butts of 90 g and 165 g. Approximately half of the slice (4 cm²) was metallographically polished and etched.

Polished Section Description: Roy S. Clarke, Jr.

The exterior edge of the section has a 1.5 mm heat altered zone, and a patch of layered melt crust 70µm thick is present. The kamacite band width is ~1.0 mm. Kamacite/kamacite grain boundaries have been penetrated by terrestrial weathering into the interior of the specimen, and some have been widened in the process and filled with oxides. Subgrain boundaries are present in the less shocked kamacites, as are submicron inclusions, probably rhabdites. A number of the kamacites have a well developed a structure resulting from shock. Taenite lamellae are present, frequently enclosing plessite areas. Many plessite areas have martensitic centers. Troilite is abundant, with one inclusion of 0.5 cm diameter. It is cracked into small domains that are essentially untwinned, and perhaps 10% of this inclusion is daubreelite. Smaller troilite globules are present close to this large inclusion. A separate troilite is 5 mm long and 0.5 mm wide. This troilite is twinned on a very fine scale and has a central spine of daubreelite. A few small troilitedaubreelite inclusions are distributed throughout. Occasional small schreibersites schreibersite/daubreelite inclusions are present. This is a medium octahedrite, probably a IIIAB.

Classification and Pairing Changes

Table 4 lists meteorites for which changes in classification or pairing were originally presented in *Meteoriticial Bulletin* 76 in *Meteoritics* 29(1). Explanations for the changes are printed on page 139 of that report. Subclassifications of type 3 ordinary chondrites have been added to the database but are not listed here.

	Achond	rites
ALHA77081 ALHA81187 ALHA81261 ALHA81315 ALH 84190	ACHON. (ACAPULCO-LIKE) ACHON. (ACAPULCO-LIKE) ACHON. (ACAPULCO-LIKE) ACHON. (ACAPULCO-LIKE) ACHON. (ACAPULCO-LIKE)	ALHA77081 ALHA81187 ALHA77081 ALHA77081 ALHA81187
EET 84302 LEW 86220	ACHON. (ACAPUL-LODRAN) ACHON. (ACAPUL-LODRAN)	
EET 87542 EET 90024 EET 92003 HOW 88401 PCA 91006 PCA 91007 PCA 91179 PCA 91179 PCA 91179 PCA 91193 TIL 82403	EUCRITE (BRECCIATED)	PCA 91079 PCA 91079 PCA 91079
ALH 85001 EET 87520 EET 87548 LEW 87002	EUCRITE (MG-RICH) EUCRITE (MG-RICH) EUCRITE (MG-RICH) EUCRITE (MG-RICH)	
ALHA81001 ALHA81011 ALHA81313 EETA79006 EET 82600 EET 83236 EET 87532 LEW 85300 LEW 85302 LEW 85303 LEW 86001	EUCRITE (POLYMICT) EUCRITE (POLYMICT) EUCRITE (POLYMICT) ECURITE (POLYMICT) EUCRITE (POLYMICT)	EETA79005 EETA79005 LEW 85300 LEW 85300 LEW 85300
LEW 87004 LEW 87010 LEW 87026 LEW 87295 LEW 88005 LEW 88007 EET 90020 EET 90029 EET 92004	EUCRITE (POLYMICT) EUCRITE (POLYMICT) EUCRITE (POLYMICT) EUCRITE (POLYMICT) EUCRITE (POLYMICT) EUCRITE (POLYMICT) EUCRITE (UNBRECCIATED) EUCRITE (UNBRECCIATED)	LEW 85300
LEW 85305	EUCRITE (UNBRECCIATED) EUCRITE (UNBRECCIATED)	

LEW 85353 PCA 91078 PCA 91081 PCA 91083 PCA 91245 RKPA80204	EUCRITE (UNBRECCIATED) EUCRITE (UNBRECCIATED) EUCRITE (UNBRECCIATED) EUCRITE (UNBRECCIATED) EUCRITE (UNBRECCIATED) EUCRITE (UNBRECCIATED)	PCA 91078 PCA 82502 PCA 82502 PCA 91078
LEW 88774	UREILITE (ANOMALOUS)	
ALH 82106 ALH 82130 ALH 84136 EET 87511 EET 87523 EET 87717 LEW 85440 LEW 88012 LEW 88201 LEW 88281 META78008	UREILITE (AUG-BEARING)	ALH 82106 ALH 82106 ALH 82106 EET 87511 EET 87511 EET 87511 LEW 85440 LEW 85440 LEW 85440 LEW 85440
EET 87720 EET 83309	UREILITE (POLYMICT?) UREILITE (POLYMICT)	
	Stony I	rons
ALHA81208	MESOSIDERITE	
	Carbonaceous	Chondrites
ALH 85085 PAT 91546 PCA 91328 PCA 91452 PCA 91467	C CHON (ALH85085-LIKE) C CHON (ALH85085-LIKE) C CHON (ALH85085-LIKE) C CHON (ALH85085-LIKE) C CHON (ALH85085-LIKE)	PCA 91328 PCA 91328 PCA 91328
EET 83226 EET 83355 MAC 87300 MAC 87301 MAC 88107	C2 (UNGROUP) CHONDRITE C2 (UNGROUP) CHONDRITE C2 (UNGROUP) CHONDRITE C2 (UNGROUP) CHONDRITE C2 (UNGROUP) CHONDRITE	EET 83226 EET 83226 MAC 87300 MAC 87300
EET 83334	CM1-2 CHONDRITE	
ALHA77306 ALHA78261 ALHA81002 ALHA81004 ALH 82100 ALH 82131 ALH 83016 ALH 83100 ALH 83102 ALH 83106 ALH 84029 ALH 84030 ALH 84031 ALH 84031	CM2 CHONDRITE	ALHA81002 ALHA81002 ALHA81002 ALHA81002 ALHA81002 ALH 83100 ALH 83100 ALH 83100 ALH 83100 ALH 83100 ALH 83100 ALH 83100 ALH 83100
PCA 91452 PCA 91467 EET 83226 EET 83355 MAC 87300 MAC 87301	C CHON (ALH85085-LIKE) C CHON (ALH85085-LIKE) C2 (UNGROUP) CHONDRITE	PCA 91 PCA 91 EET 83 EET 83 MAC 87

ALH 84033	CM2 CHONDRITE	A! HAR1002
		ALI 1001002
ALH 84034	CM2 CHONDRITE	ALH 83100
ALH 84035	CM2 CHONDRITE	ALH 83100
ALH 84036	CM2 CHONDRITE	ALHA81002
ALH 84039	CM2 CHONDRITE	AL MARIONS
	ONE OF IONDRITE	ALTIAOTOUZ
ALH 84040	CM2 CHONDRITE	ALH 83100
ALH 84041	CM2 CHONDRITE	ALH 83100
ALH 84042	CM2 CHONDRITE	ALH 83100
ALH 84043	CM2 CHONDRITE	ALL BOTO
		ALI 03100
ALH 84044	CM2 CHONDRITE	ALH 83100
ALH 84045	CM2 CHONDRITE	ALH 83100
ALH 84046	CM2 CHONDRITE	ALHA81002
ALH 84047	CM2 CHONDRITE	AL H 93100
		ALI 1 00100
ALH 84048	CM2 CHONDRITE	ALM 83100
ALH 84049	CM2 CHONDRITE	ALH 83100
ALH 84050	CM2 CHONDRITE	ALHA81002
ALH 84051	CM2 CHONDRITE	ALH 83100
	CMC CHONDRITE	ALLIAGIOO
ALH 84053	CM2 CHONDRITE	ALMAS 1002
ALH 84054	CM2 CHONDRITE	ALHA81002
ALH 84191	CM2 CHONDRITE	ALHA81002
ALH 85004	CM2 CHONDRITE	ALH 83100
EET 87522	CM2 CHONDRITE	ALIT OUTOU
	CM2 CHONDRITE	ALHA81002 ALH 83100 ALH 83100 ALHA81002 ALHA81002 ALH 83100 ALH 83100 ALH 83100 ALH 83100 ALH 83100 ALH 83100 ALHA81002 ALH 83100 ALHA81002 ALHA81002 ALHA81002 ALHA81002 ALHA81002 ALHA81002 ALHA81002 ALHA81002 ALHA81002
LEW 87001	CM2 CHONDRITE	LEW 87001
LEW 87003	CM2 CHONDRITE	LEW 87001
LEW 87008	CM2 CHONDRITE	LEW 87001
LEW 87022	CM2 CHONDRITE	1 EW 97004
		LEW OTOO!
LEW 87025	CM2 CHONDRITE	LEW 8/001
LEW 87027	CM2 CHONDRITE	LEW 87001
LEW 87028	CM2 CHONDRITE	LEW 87001
LEW 87167	CM2 CHONDRITE	FW 87001
	OMO OLIONIDOTE	1514 07001
LEW 87249	CM2 CHONDRITE	LEW 87001
MAC 88100	CM2 CHONDRITE CM2 CHONDRITE	LEW 87001
	CM2 CHONDRITE	LEW 87001 LEW 87001 LEW 87001 LEW 87001 LEW 87001 LEW 87001 LEW 87001 LEW 87001
	CM2 CHONDRITE CM2 CHONDRITE C3 (UNGROUP) CHONDRITE	LEW 87001
MAC 88100	CM2 CHONDRITE CM2 CHONDRITE C3 (UNGROUP) CHONDRITE	LEW 87001
MAC 88100 LEW 85332	C3 (UNGROUP) CHONDRITE	LEW 87001
MAC 88100	CM2 CHONDRITE CM2 CHONDRITE C3 (UNGROUP) CHONDRITE C03 (?) CHONDRITE	LEW 87001
MAC 88100 LEW 85332 ALHA77307	C3 (UNGROUP) CHONDRITE	
MAC 88100 LEW 85332	C3 (UNGROUP) CHONDRITE	
MAC 88100 LEW 85332 ALHA77307 ALHA81003	C3 (UNGROUP) CHONDRITE C03 (?) CHONDRITE CV3 (ANOMALOUS) CHON.	ALHA81003
MAC 88100 LEW 85332 ALHA77307	C3 (UNGROUP) CHONDRITE	
MAC 88100 LEW 85332 ALHA77307 ALHA81003 ALH 82135	C3 (UNGROUP) CHONDRITE C03 (?) CHONDRITE CV3 (ANOMALOUS) CHON. CK4 CHONDRITE	ALHA81003 ALH 82135
MAC 88100 LEW 85332 ALHA77307 ALHA81003 ALH 82135 ALH 84038	C3 (UNGROUP) CHONDRITE CO3 (?) CHONDRITE CV3 (ANOMALOUS) CHON. CK4 CHONDRITE CK4 CHONDRITE	ALHA81003 ALH 82135 ALH 82135
MAC 88100 LEW 85332 ALHA77307 ALHA81003 ALH 82135 ALH 84038 ALH 85002	C3 (UNGROUP) CHONDRITE C03 (?) CHONDRITE CV3 (ANOMALOUS) CHON. CK4 CHONDRITE CK4 CHONDRITE CK4 CHONDRITE CK4 CHONDRITE	ALHA81003 ALH 82135
MAC 88100 LEW 85332 ALHA77307 ALHA81003 ALH 82135 ALH 84038 ALH 85002 LEW 86258	C3 (UNGROUP) CHONDRITE CO3 (?) CHONDRITE CV3 (ANOMALOUS) CHON. CK4 CHONDRITE CK4 CHONDRITE CK4 CHONDRITE CK4 CHONDRITE CK4 CHONDRITE CK4 CHONDRITE	ALHA81003 ALH 82135 ALH 82135 ALH 82135
MAC 88100 LEW 85332 ALHA77307 ALHA81003 ALH 82135 ALH 84038 ALH 85002	C3 (UNGROUP) CHONDRITE C03 (?) CHONDRITE CV3 (ANOMALOUS) CHON. CK4 CHONDRITE CK4 CHONDRITE CK4 CHONDRITE CK4 CHONDRITE	ALHA81003 ALH 82135 ALH 82135
MAC 88100 LEW 85332 ALHA77307 ALHA81003 ALH 82135 ALH 84038 ALH 85002 LEW 86258	C3 (UNGROUP) CHONDRITE CO3 (?) CHONDRITE CV3 (ANOMALOUS) CHON. CK4 CHONDRITE CK4 CHONDRITE CK4 CHONDRITE CK4 CHONDRITE CK4 CHONDRITE CK4 CHONDRITE	ALHA81003 ALH 82135 ALH 82135 ALH 82135
MAC 88100 LEW 85332 ALHA77307 ALHA81003 ALH 82135 ALH 84038 ALH 85002 LEW 86258	C3 (UNGROUP) CHONDRITE CO3 (?) CHONDRITE CV3 (ANOMALOUS) CHON. CK4 CHONDRITE CK4 CHONDRITE CK4 CHONDRITE CK4 CHONDRITE CK4 CHONDRITE CK4 CHONDRITE	ALHA81003 ALH 82135 ALH 82135 ALH 82135
MAC 88100 LEW 85332 ALHA77307 ALHA81003 ALH 82135 ALH 84038 ALH 85002 LEW 86258 LEW 87214	C3 (UNGROUP) CHONDRITE C03 (?) CHONDRITE CV3 (ANOMALOUS) CHON. CK4 CHONDRITE	ALHA81003 ALH 82135 ALH 82135 ALH 82135
MAC 88100 LEW 85332 ALHA77307 ALHA81003 ALH 82135 ALH 84038 ALH 85002 LEW 86258 LEW 87214 PCA 82500	C3 (UNGROUP) CHONDRITE CO3 (?) CHONDRITE CV3 (ANOMALOUS) CHON. CK4 CHONDRITE	ALHA81003 ALH 82135 ALH 82135 ALH 82135
MAC 88100 LEW 85332 ALHA77307 ALHA81003 ALH 82135 ALH 84038 ALH 85002 LEW 86258 LEW 87214 PCA 82500 EET 83311	C3 (UNGROUP) CHONDRITE CO3 (?) CHONDRITE CV3 (ANOMALOUS) CHON. CK4 CHONDRITE CK4-5 CHONDRITE	ALHA81003 ALH 82135 ALH 82135 ALH 82135 LEW 87214
MAC 88100 LEW 85332 ALHA77307 ALHA81003 ALH 82135 ALH 84038 ALH 85002 LEW 86258 LEW 87214 PCA 82500 EET 83311 EET 87507	C3 (UNGROUP) CHONDRITE CO3 (?) CHONDRITE CV3 (ANOMALOUS) CHON. CK4 CHONDRITE CK5 CHONDRITE	ALHA81003 ALH 82135 ALH 82135 ALH 82135 LEW 87214
MAC 88100 LEW 85332 ALHA77307 ALHA81003 ALH 82135 ALH 84038 ALH 85002 LEW 86258 LEW 87214 PCA 82500 EET 83311 EET 87507 EET 87508	C3 (UNGROUP) CHONDRITE CO3 (?) CHONDRITE CV3 (ANOMALOUS) CHON. CK4 CHONDRITE CK5 CHONDRITE CK5 CHONDRITE CK5 CHONDRITE	ALHA81003 ALH 82135 ALH 82135 ALH 82135 LEW 87214 EET 87507 EET 87507
MAC 88100 LEW 85332 ALHA77307 ALHA81003 ALH 82135 ALH 84038 ALH 85002 LEW 86258 LEW 87214 PCA 82500 EET 83311 EET 87507 EET 87508 EET 87508	C3 (UNGROUP) CHONDRITE CO3 (?) CHONDRITE CV3 (ANOMALOUS) CHON. CK4 CHONDRITE CK4 CHONDRITE CK4 CHONDRITE CK4 CHONDRITE CK4 CHONDRITE CK4 CHONDRITE CK5 CHONDRITE CK5 CHONDRITE CK5 CHONDRITE CK5 CHONDRITE CK5 CHONDRITE CK5 CHONDRITE	ALHA81003 ALH 82135 ALH 82135 ALH 82135 LEW 87214
MAC 88100 LEW 85332 ALHA77307 ALHA81003 ALH 82135 ALH 84038 ALH 85002 LEW 86258 LEW 87214 PCA 82500 EET 83311 EET 87507 EET 87508 EET 87508	C3 (UNGROUP) CHONDRITE CO3 (?) CHONDRITE CV3 (ANOMALOUS) CHON. CK4 CHONDRITE CK5 CHONDRITE CK5 CHONDRITE CK5 CHONDRITE	ALHA81003 ALH 82135 ALH 82135 ALH 82135 LEW 87214 EET 87507 EET 87507 EET 87507
MAC 88100 LEW 85332 ALHA77307 ALHA81003 ALH 82135 ALH 84038 ALH 85002 LEW 86258 LEW 87214 PCA 82500 EET 83311 EET 87507 EET 87507 EET 87508 EET 87514 EET 87519	C3 (UNGROUP) CHONDRITE CO3 (?) CHONDRITE CV3 (ANOMALOUS) CHON. CK4 CHONDRITE CK4 CHONDRITE CK4 CHONDRITE CK4 CHONDRITE CK4 CHONDRITE CK4 CHONDRITE CK5 CHONDRITE	ALHA81003 ALH 82135 ALH 82135 ALH 82135 LEW 87214 EET 87507 EET 87507 EET 87507 EET 87507
MAC 88100 LEW 85332 ALHA77307 ALHA81003 ALH 82135 ALH 84038 ALH 85002 LEW 86258 LEW 87214 PCA 82500 EET 83311 EET 87507 EET 87508 EET 87514 EET 87519 EET 87525	C3 (UNGROUP) CHONDRITE CO3 (?) CHONDRITE CV3 (ANOMALOUS) CHON. CK4 CHONDRITE CK4 CHONDRITE CK4 CHONDRITE CK4 CHONDRITE CK4 CHONDRITE CK4 CHONDRITE CK5 CHONDRITE	ALHA81003 ALH 82135 ALH 82135 ALH 82135 LEW 87214 EET 87507 EET 87507 EET 87507 EET 87507 EET 87507
MAC 88100 LEW 85332 ALHA77307 ALHA81003 ALH 82135 ALH 84038 ALH 85002 LEW 86258 LEW 87214 PCA 82500 EET 83311 EET 87507 EET 87508 EET 87514 EET 87519 EET 87525 EET 87526	C3 (UNGROUP) CHONDRITE CO3 (?) CHONDRITE CV3 (ANOMALOUS) CHON. CK4 CHONDRITE CK4 CHONDRITE CK4 CHONDRITE CK4 CHONDRITE CK4 CHONDRITE CK4 CHONDRITE CK5 CHONDRITE	ALHA81003 ALH 82135 ALH 82135 ALH 82135 LEW 87214 EET 87507 EET 87507 EET 87507 EET 87507 EET 87507 EET 87507
MAC 88100 LEW 85332 ALHA77307 ALHA81003 ALH 82135 ALH 84038 ALH 85002 LEW 86258 LEW 87214 PCA 82500 EET 83311 EET 87507 EET 87508 EET 87514 EET 87514 EET 87525 EET 87526 EET 87526	C3 (UNGROUP) CHONDRITE CO3 (?) CHONDRITE CV3 (ANOMALOUS) CHON. CK4 CHONDRITE CK4 CHONDRITE CK4 CHONDRITE CK4 CHONDRITE CK4 CHONDRITE CK5 CHONDRITE	ALHA81003 ALH 82135 ALH 82135 ALH 82135 LEW 87214 EET 87507
MAC 88100 LEW 85332 ALHA77307 ALHA81003 ALH 82135 ALH 84038 ALH 85002 LEW 86258 LEW 87214 PCA 82500 EET 83311 EET 87507 EET 87508 EET 87514 EET 87519 EET 87525 EET 87526	C3 (UNGROUP) CHONDRITE CO3 (?) CHONDRITE CV3 (ANOMALOUS) CHON. CK4 CHONDRITE CK4 CHONDRITE CK4 CHONDRITE CK4 CHONDRITE CK4 CHONDRITE CK4 CHONDRITE CK5 CHONDRITE	ALHA81003 ALH 82135 ALH 82135 ALH 82135 LEW 87214 EET 87507 EET 87507 EET 87507 EET 87507 EET 87507 EET 87507
MAC 88100 LEW 85332 ALHA77307 ALHA81003 ALH 82135 ALH 84038 ALH 85002 LEW 86258 LEW 87214 PCA 82500 EET 83311 EET 87507 EET 87508 EET 87514 EET 87519 EET 87525 EET 87526 EET 87527 EET 87529	C3 (UNGROUP) CHONDRITE CO3 (?) CHONDRITE CV3 (ANOMALOUS) CHON. CK4 CHONDRITE CK4 CHONDRITE CK4 CHONDRITE CK4 CHONDRITE CK4 CHONDRITE CK5 CHONDRITE	ALHA81003 ALH 82135 ALH 82135 ALH 82135 LEW 87214 EET 87507
MAC 88100 LEW 85332 ALHA77307 ALHA81003 ALH 82135 ALH 84038 ALH 85002 LEW 86258 LEW 87214 PCA 82500 EET 83311 EET 87507 EET 87508 EET 87514 EET 87519 EET 87525 EET 87526 EET 87527 EET 87529 EET 90001	C3 (UNGROUP) CHONDRITE CO3 (?) CHONDRITE CV3 (ANOMALOUS) CHON. CK4 CHONDRITE CK4 CHONDRITE CK4 CHONDRITE CK4 CHONDRITE CK4 CHONDRITE CK5 CHONDRITE	ALHA81003 ALH 82135 ALH 82135 ALH 82135 LEW 87214 EET 87507
MAC 88100 LEW 85332 ALHA77307 ALHA81003 ALH 82135 ALH 84038 ALH 85002 LEW 86258 LEW 87214 PCA 82500 EET 83311 EET 87507 EET 87508 EET 87514 EET 87519 EET 87525 EET 87526 EET 87527 EET 87529	C3 (UNGROUP) CHONDRITE CO3 (?) CHONDRITE CV3 (ANOMALOUS) CHON. CK4 CHONDRITE CK4 CHONDRITE CK4 CHONDRITE CK4 CHONDRITE CK4 CHONDRITE CK5 CHONDRITE	ALHA81003 ALH 82135 ALH 82135 ALH 82135 LEW 87214 EET 87507

EET 90003 EET 90004 EET 90005 EET 90006 EET 90007 EET 90008 EET 90010 EET 90013 EET 90015 EET 90016 EET 90016 EET 90017 EET 90018 EET 90022 EET 90023 EET 90023 EET 90025 EET 90025 EET 90026 EET 90027 EET 90036 EET 90036 EET 90040	CK5 CHONDRITE	EET 87507
EET 87860	CK5-6 CHONDRITE	
LEW 87009	CK6 CHONDRITE	
	Unusual	Chondrites
ALH 85151 PCA 91002 PCA 91241	CHON. (CARLISLE LAKES) CHON. (CARLISLE LAKES) CHON. (CARLISLE LAKES)	PCA 91002 PCA 91002
LEW 87232	CHON. (KAKANGARI-LIKE)	
	Enstatite	Chondrites
LEW 87057 LEW 87220 LEW 87223 LEW 87234 LEW 87237 LEW 87285	E3 (ANOMALOUS) CHON.	LEW 87057 LEW 87057 LEW 87057 LEW 87057 LEW 87057 LEW 87057

	EH3 CHONDRITE	ALHA77156 ALHA77156 ALHA81189 ALHA81189 EET 83307
PCA 82518	EH3 CHONDRITE	PCA 82518
ALH 85119 EET 90299 MAC 88136 MAC 88180 MAC 88184 PCA 91020	EL3 CHONDRITE EL3 CHONDRITE EL3 CHONDRITE EL3 CHONDRITE EL3 CHONDRITE EL3 CHONDRITE	MAC 88136 MAC 88136 MAC 88136
ALH 82132	E4 CHONDRITE	
LEW 88180	EH6 CHONDRITE	
ALHA81021 ALHA81260 ALH 83018	EL6 CHONDRITE EL6 CHONDRITE EL6 CHONDRITE EL6 CHONDRITE	ALHA81021 ALHA81021 ALHA81021
	EL6 CHONDRITE EL6 CHONDRITE	LEW 88135 LEW 88135
LEW 87119	EL6 (7?) CHONDRITE	
	Ordinary	Chondrites
LEW 88663 ALH 84096 EET 90247	L7 CHONDRITE LL6 CHONDRITE LL6 CHONDRITE	
	Iro	ons
RKPA80226	IRON-IA (ANOMALOUS)	
PCA 91003 TIL 91725	IRON-IAB IRON-IAB	
EET 83245	IRON-IIAB (ANOMALOUS)	
EET 83390	IRON-IIE (ANOMALOUS)	
HOW 88403 LEW 86211 LEW 86498 LEW 87109 LEW 88023 LEW 88055	IRON-UNGROUPED IRON-UNGROUPED IRON-UNGROUPED IRON-UNGROUPED IRON-UNGROUPED	LEW 86211 LEW 86211
LEW 88631	IRON-UNGROUPED IRON-UNGROUPED	

Natural Thermoluminescence (NTL) Data for Antarctic Meteorites

Paul Benoit, Joyce Roth, Hazel Sears, and Derek Sears Cosmochemistry Group, Dept. of Chemistry and Biochemistry University of Arkansas, Fayetteville, AR 72701

The measurement and data reduction methods were described by Hasan et al. (1987, Proc. 17th LPSC E703-E709; 1989, LPSC XX, 383-384). For meteorites whose TL lies between 5 and 100 krad, the natural TL is related primarily to terrestrial age and orbital history. Samples with NTL <5 krad have TL below that which can reasonably be ascribed to long terrestrial ages. Such meteorites have had their TL lowered by heating within the past million years or so (by close solar passage, shock heating, or atmospheric entry), exacerbated, in the case of certain achondrite classes, by "anomalous fading". We suggest that meteorites with NTL > 100 krad are candidates for an unusual history involving high radiation doses and/or low temperatures.

		NTL [krad at			NTL [krad at
Sample	Class	250 deg. C]	Sample	Class	250 deg. C]
WIS91600	C2	0	PAT91522 PAT91537	L5 L5	11.8 +- 0.1 12.5 +- 0.1
PCA91238	E4	4.6 + 0.7	PCA91032 PCA91033	L5 L5	2.7 +- 0.2 2.0 +- 0.1
ALHA77112	H5	24.5 + 0.2	PCA91036	L5	7.3 +- 0.9
ALHA78047 ALHA79054	H5 H5	1.2 + 0.1 164.7 + 0.4	PCA91044 PCA91046	L5 L5	8 +- 1 7 +- 1
PCA91043	H5	25.0 + 0.1	PCA91050	L5	1.6 +- 0.2
PCA91051 PCA91239	H5 H5	72.7 + 0.1 73.4 + 0.6	PCA91056 PCA91211 WIS91602	L5 L5 L5	1.2 +- 0.1 1.8 +- 0.2 16.2 +- 0.1
ALHA77111	H6	5.0 + 0.1			
ALHA77271 ALHA79002	H6 H6	46.3 +- 0.3 60 +- 1	EET90738 PCA91057	L6 L6	30.0 +- 0.2 1.0 +- 0.1
ALHA80126 ALHA81037	H6 H6	3.9 +- 0.1 65.7 +- 0.6	PCA91106 PCA91107	L6 L6	6.2 + 0.1 67.3 + 0.1
ALHA81093	H6	15.2 + 0.1	PCA91117	L6	40 +- 6
PCA91134 PCA91267	H6 H6	103.0 + 0.6 18.3 + 0.1	PCA91132 PCA91212 PCA91271	L6 L6 L6	38.2 +- 0.3 10.3 +- 0.1 7.9 +- 0.1

The quoted uncertainties are the standard deviations shown by replicate measurements of a single aliquot.

COMMENTS: The following comments are based on natural TL data, TL sensitivity, the shape of the induced TL glow curve, classifications, and JSC and Arkansas group sample descriptions.

PCA91117 may be shocked.

Pairings suggested by TL data:

H5: ALHA79054 with ALH88027 group (LPSC XXIV, 93-94)

H5: PCA91239 with PCA91040

H6: PCA91267 with PCA91026

L5: PCA91032 with PCA91030

L5: PCA91033, PCA91050 and PCA91056 with PCA91027

L5: PCA91036, PCA91044 and PCA91046 with PCA91028 group

L5: PCA91211 possibly with PCA91067

M. Lindstrom/SN2 NASA Johnson Space Center Houston, Texas 77058