Cosmic Dust Catalog

Volume 11, Number 1

Particles from Collection Flag L2005

Space and Life Sciences Directorate
Solar System Exploration Division
Planetary Materials Branch Publication #83

Compiled by:

Cosmic Dust Preliminary Examination Team (CDPET)

June 1990



Lyndon B. Johnson Space Center Houston, Texas

COSMIC DUST CATALOG

Volume 11/Number 1

Particles from Collection Flag L2005

Compiled by

Cosmic Dust Preliminary Examination Team (CDPET)*

NASA/Johnson Space Center Houston, Texas 77028 U.S.A.

June 1990

*M.E. Zolensky¹

R.A. Barrett²

A.L. Dodson²

K.L. Thomas²

J.L. Warren²

L.A. Watts²

CONTENTS

Introductionii	i
Processing of Particlesii	i
Preliminary Examination of Particlesiv	Į,
Catalog Formatv	I
Analyses of Reference Materialsxiii	i
Sample Requestsix	(
Acknowledgementsx	(
Particle Table of Contentsx	i
Particle Descriptions1	
C and C? Type2	2
TCN Type118	3
TCA Type	1

INTRODUCTION

Since May 1981, the National Aeronautics and Space Administration (NASA) has used aircraft to collect cosmic dust (CD) particles from Earth's stratosphere. Specially designed dust collectors are prepared for flight and processed after flight in an ultraclean (Class-100) laboratory constructed for this purpose at the Lyndon B. Johnson Space Center (JSC) in Houston, Texas. Particles are individually retrieved from the collectors, examined and cataloged, and then made available to the scientific community for research. Cosmic dust thereby joins lunar samples and meteorites as an additional source of extraterrestrial materials for scientific study.

This catalog summarizes preliminary observations on 166 particles retrieved from collection surface L2005. This surface was a flat plate Large Area Collector (with a 300 cm² surface area) which was coated with silicone oil (dimethyl

siloxane) and then flown aboard a NASA ER-2 aircraft during a series of flights that were made within west-central North America during the fall of 1989. This flag was installed in a specially constructed wing pylon which ensured that the necessary level of cleanliness was maintained between periods of active sampling. During successive periods of high altitude (20 km) cruise, the flag was exposed in the stratosphere by pilot command and then retracted into sealed storage containers prior to descent. In this manner, a total of 40 hours of stratospheric exposure was accumulated for flag L2005.

PROCESSING OF PARTICLES

Particle mounts designed for the JEOL 100CX scanning transmission electron microscope (STEM) are currently the standard receptacles for CD particles in the JSC laboratory. Each mount consists of a graphite frame (size ~3x6x24)

mm) onto which a Nucleopore filter (0.4 µm pore size) is attached. A conductive coat of carbon is vacuum evaporated onto the mount and then a microscopic reference pattern is "stenciled" onto the carboncoated filter by vacuum evaporation of aluminum through an appropriately sized template. CD particles are individually removed from collection flags using glass-needle micromanipulators under a binocular stereo-microscope. Each particle is positioned on an aluminum-free area of a Freoncleaned (Freon 113), carboncoated filter and washed in place with hexane to remove silicone oil. Each mount is normally limited to 16 particles. All processing and storage of each particle is performed in a Class-100 clean room.

This catalog is the first to be produced from the new Large Area Cosmic Dust Collectors (LACs). These collectors have approximately one order of magnitude more collection surface area than the conventional collectors used for Cosmic Dust Catalogs 1-10. Accordingly, we wished to determine the particle type distri-

bution being collected on these new large plates. We therefore embarked upon a survey of LAC L2005, with the following results. There were a total of 5560 particles larger than 12 microns on the entire collection surface. There were 45 large, black cluster particles. We picked a sample of all cluster particles, and a "random" sampling of the other large (>12 micron) particles for preliminary characterization.

PRELIMINARY EXAMINATION OF PARTICLES

Each rinsed particle is examined, before leaving the Class-100 clean room processing area, with a petrographic research microscope equipped with transmitted, reflected and oblique light illuminators. At a magnification of 500X, size, shape, transparency, color, and luster are determined and recorded for each particle.

After optical description, each mount (with uncoated particles is examined by scanning electron microscopy (SEM) and X-ray energy-dispersive spectrometry (EDS). Secondaryelectron imaging of each particle is performed with a JEOL-35CF SEM at an accelerating voltage of 20 kV. Images are therefore of relatively low contrast and resolution due to deliberate avoidance of conventionally applied conductive coats (carbon or gold palladium) which might interfere with later elemental analyses of particles. EDS data are collected with the same JEOL-35CF SEM equipped with a Si(Li) detector and PGT 4000T analyzer. Using an accelerating voltage of 20 kV, each particle is raster scanned and its X-ray spectrum recorded over the 0-10 keV range by counting for 100 sec. No system (artifact) peaks of significance appear in the spectra.

It should be pointed out that the SEM/EDS procedure used in preparing this catalog is different than that used in preparing *Cosmic Dust Catalogs, Volumes 1-3* and 8. In these catalogs, EDS analysis was performed using the JEOL lOOCX STEM operated at 40 kV. Only the EDS spectra ex-

hibit differences that are likely to be noticed. These differences are a slightly higher background and more efficient excitation of high atomic number elements for EDS spectra collected at 40kV relative to those collected at 20kV.

However, each catalog includes spectra of the same selected comparison standards, which allows comparison of spectra from one catalog to the next to be made. Please refer to Section 5 for a more complete discussion.

To aid in our survey of this initial LAC collection, we analyzed more particles that could reasonably be included in this catalog. This catalog therefore describes all particles we found to resemble previously described interplanetary dust, and a selection of all other particle types encountered. The only exception to this rule concerns aluminum oxide spheres, of which none are described in this catalog (although many were encountered during the preliminary characterization study). Although this catalog does not present data on all of the particles from L2005 that

were characterized, all of this data, as well as the particles, are available for allocation.

Contact the Curator for further information.

Following SEM/EDS examination, each particle mount is stored in a dry nitrogen gas atmosphere in a sealed cabinet.

CATALOG FORMAT

Each page in the main body of the catalog is devoted to one particle and consists of an SEM image, an EDS spectrum, and a brief summary of preliminary examination data obtained by optical microscopy. The unique identification number assigned to the particle appears at the top of the page. Sources of the descriptive data are as follows:

SIZE (μ m) is measured using the original SEM image and its known magnification factor. For an irregularly shaped particle, the minimum dimension in the plane of the field of view is located and

determined; then a second (maximum) dimension is measured at a right angle to the first. For a spherical or equidimensional particle, only a single size is recorded.

SHAPE is generalized to be spherical (S), equidimensional (E), or irregular (I). Particles having shape intermediate between S and E, or E and I, are not uncommon and may be denoted as S/E or E/I, etc.

TRANSPARENCY
(abbreviated <u>TRANS</u>.) is determined by optical microscopy to be transparent (T), translucent (TL), or opaque (0).
Significant variations in transparency within a particle are annotated on the SEM image.

color is determined by optical microscopy using oblique (fiber optic, quartz halogen) illumination supplemented with normal reflected (tungsten-lamp) illumination. The distinction of dark (Dk.) from light (Lt.) particles is unambiguous, although the distinction of colorless (CL) from pale-colored conditions is sometimes problematical. Complex colorations of individual particles may be

noted in the "COMMENTS" column and annotated on the SEM image.

LUSTER is determined by optical microscopy using reflected normal (tungsten-lamp) illumination and supplemented with oblique (fiber optic, quartz halogen) illumination. Commonly applied descriptions, adopted from mineralogical usage, include dull (D), metallic (M), submetallic (SM), subvitreous (SV), vitreous (V), and resinous (R). Lusters transitional between categories or difficult to identify are indicated accordingly (D/SM, SV/V, etc.).

TYPE indicates a provisional first order identification of each particle based on its morphology (from SEM image), elemental composition (from EDS spectrum), and optical properties. We emphasize that. for catalog purposes. types are defined for their descriptive and curatorial utility. not as scientific classifications. These tentative categorizations, which reflect judgements based on the collective experience of the CDPET, should not be construed to be firm identifications and should not dissuade any

investigator from requesting any given particle for detailed study and more complete identification. The precise identification of each particle in our inventory is beyond the scope and intent of our collection and curation program. Indeed, the reliable identification and scientific classification of cosmic dust is one of many important research tasks that we hope this catalog will stimulate. We indicate particle "TYPE" only to aid the users of this catalog (especially those new to small particle analysis) in distinguishing possible cosmic dust particles from other particles which are invariably collected during stratospheric dust sampling.

In this catalog, particles are organized according to their type. Categories used in this catalog are defined as follows:

C: Cosmic dust (variety unspecified) or other extraterrestrial material. In the strict sense, "cosmic dust" refers only to those particles which have not been modified during passage from interplanetary space to Earth's stratosphere. In this catalog, though, particle type "C" is

used to conveniently group together all particles which are judged to be of extraterrestrial origin, including those that have apparently experienced strong ablational heating or melting. Type "C" particles are provisionally identified as those having one of the three following sets of attributes:

- (a) irregular to spherical, opaque, dark-colored particles composed mostly of Fe with minor S and/or Ni.
- (b) irregular to spherical, translucent to opaque, darkcolored particles containing various proportions of Mg, Si, and Fe with traces of S and/or Ni.
- (c) irregular to faceted or blocky, transparent to translucent particles containing mostly Mg, Si, and Fe but with traces S and/or Ni.

Category (a) and (b) particles commonly display either complex, porous aggregate type morphologies or distinctively spherical shapes and dull to metallic lusters which distinguish them from terrestrial minerals. Their EDS spectra

are reminiscent of those exhibited by meteoritic Fe-Ni or FeS minerals, or combinations of Fe-Ni-S phases with olivine and/or pyroxene. Category (c) particles display morphologies and EDS spectra which suggest that they are fragments of olivine or pyroxene crystals, neither of which are significant components of stratospheric volcanic ash. Particles which do not fall easily into categories (a), (b), or (c) but which possess some of the same attributes may be classified here as "C?".

TCA: Terrestrial contamination (artificial or man-made). Particles included in the "TCA" category are commonly irregular in shape (though a few may be spherical) and may be transparent, translucent, or opaque. Their EDS spectra commonly show Al, Fe, or Si as the principal peaks but with a variety of minor peaks including those of Ti, V, Cr, Mn, Ni, Cu, or Zn and at abundances which are frequently much greater than those expected in common minerals. However, such compositions are similar to those expected for certain metal alloys. In some cases, a high intensity (relative to intensities of characteristic X-ray peaks) of continuum radiation occurs in the EDS spectrum, suggesting that low atomic number elements not detectable by the EDS (e.g., H, C, N, O) are abundant in the particle. Such "TCA" particles are tacitly inferred to by synthetic carbon based materials. (This category probably includes particles produced by or derived from aircraft operation or collector hardware, or possibly spacecraft debris. However, some of these particles are worthy of additional research and may represent true extraterrestrial "low Z" material).

tamination (natural).
"TCN" particles may be
transparent to opaque and may
exhibit a variety of colors.
However, they are commonly
irregular in shape and distinctively rich in Si and Al with minor abundances of Na, K, Ca,
or Fe. Morphologies and EDS
spectra of most "TCN" particles
compare favorably with respective properties of silica polymorphs, feldspar, or silicic vol-

canic glass, three materials which are principal components of stratospheric volcanic ash. In addition, platy or porous aggregate-type particles of light color and Si, Al rich composition may be silicic clay minerals, common phases in Earth's surface soils. Irregular, reddish Fe rich particles may also be products of terrestrial rock weathering. Recognition of these and other phases as "TCN" particles is based mostly on CDPET's collective mineralogical experience and comparison with reference samples. Less commonly, the "TCN" category may include distinctive particles with apparently non-random shapes which are rich in low atomic number elements (as inferred from their EDS spectra having high levels of continuum x radiation and relatively small peaks for characteristic X-rays). Those rare particles are distinguished from "TCA" particles by their unusual, organized morphologies and probably represent biological contaminants.

AOS: Aluminum oxide sphere. An AOS is transparent, subvitreous to

vitreous in luster, colorless to pale yellow and at least approximately spherical. However, shape may range from nearly perfect sphericity to pronounced ellipticity and surface texture may range from very smooth to rough. Other spheres or irregularly shaped material may be attached to its surface. Al is the distinctively dominant (or only) peak in its EDS spectrum. A sphere displaying the attributes of an AOS except with major elements in addition to Al may be listed as "AOS?" or "?". Transparent Al rich particles of irregular shape would probably be listed as "TCA?". (AOS particles are products of solid fuel rocket exhausts.) This particular catalog contains, by fiat, no AOS type particles. Such particles were encountered during the preliminary characterization study, and are available from the Curator.

?: Identification uncertain. This category includes particles which do not unequivocally resemble those grouped together as AOS, C, TCA, or TCN. In addition, the "?" symbol is liberally used to

reiterate the tentative identifications of other types of particles.

Again, this system for provisional classification of particles is presented only as a first order attempt to distinguish particles which are probably extraterrestrial in origin from those which are probably contaminants. Many particles, especially those cataloged as type "?", will require careful research examination before they can be satisfactorily identified.

COMMENTS are

included for particles with special features or histories. All of the larger, cluster particles have related material residing still on the LAC plate, and the comments reflect this. Users are free to request this material as well as the grains actually pictured in the catalog.

ANALYSES OF REFERENCE MATERIALS

The usefulness of the SEM images and EDS spectra provided for particles in this catalog is enhanced by comparison with similar data products obtained for mineral standards of known composition. Accordingly, a typical EDS spectrum is presented for each of three standard minerals prepared as polished grain mounts (San Carlos olivine, USNM 111312/444; diopside JLC 99 63; Kakanui hornblende, USNM 143965; Allende Meteorite Bulk Powder, NMNH 3529). Analyses of these optically flat surfaces eliminate inter-sample geometrical variations so that effects of detection limits and compositional variations, in general, on relative peak heights in the raw spectra can be more readily assessed. Even so, the polished grain spectra should not be over interpreted because no corrections have been attempted for atomic number, absorption, or fluorescence effects. The spectra are presented simply as additional aids to the meaningful use of the sample particle EDS spectra. Investigators who might wish to compare performance characteristics of their EDS analytical systems with those of the system used by CDPET in preparing these catalog data should contact Curator/Cosmic Dust at the address given in Section 6. A short-term loan of a polished grain mineral standard can then be arranged.

As pointed out in Section 3, the EDS spectra included in this catalog were obtained using a primary electron energy of 20 kV whereas spectra in *Catalogs* 1-3 and 8 were obtained with a different instrument operated at 40 kV. Although the effects on EDS spectra to be expected from such a change are well known from X-ray spectrometric analysis, they are worth pointing out to avoid confusion among the readers of this catalog. The major effects of concern to Cosmic Dust Catalog users can be seen by comparing the two "Allende (C3) Meteorite Bulk Powder" spectra, one of which was obtained at 20 kV and the other at

40 kV, as presented in Cosmic Dust Catalogs 1-3 and 8 (only spectra collected at 20kV are presented in this catalog). In the 20 kV spectrum, the Si peak is more intense than the principal peak of Fe whereas the opposite is true for the 40 kV spectrum. In general, the 20 kV spectra in this catalog will show peaks of light elements enhanced relative to peaks of heavy elements when compared with 40 kV spectra published in Catalogs 1-3 and 8. The explanation is based both on geometrical differences between X-ray paths in the two EDS systems (the JEOL35CF system is actually more favorable for light element analysis) and on electron and X-ray physics (X-ray emission by heavy elements is more intense at 40 kV than at 20 kV). Thus, readers are cautioned against attempting to quantitatively intercompare 40 kV spectra with 20 kV spectra. Still, the spectra in each catalog should continue to serve as originally intended. Namely, the sample and standard spectra in any given catalog will represent a self consistent data set.

SAMPLE REQUESTS

Scientists desiring to perform detailed research on particles described in this catalog should apply in writing to:

Curator/Cosmic Dust Code SN2 NASA/Johnson Space Center Houston, Texas 77058 U.S.A.

Telephone:

(713) 483-5128

FTS: 525-5128

Sample requests should refer to specific particle identification numbers and should describe the research being proposed as well as the qualifications and facilities of the investigator making the request. Additionally, requests for particles not yet passed through preliminary examination will be considered if the requester can demonstrate a strong need for them. NASA will arrange for a review of the scientific merits of each request and will inform the requester of the results.

Approval of a sample request does not imply or include funding for the proposed research. Questions about NASA funding should be directed to:

Dr. Donald D. Bogard
Discipline Scientist
Planetary Materials and
Geochemistry Program
Code SN21
NASA/Johnson Space Center
Houston, TX 77058

Although foreign scientists are welcome to request samples, NASA cannot provide funds to be spent outside the U.S.A. by citizens of other countries.

ACKNOWLEDGEMENTS

Norm La Fleur and coworkers (NASA/Ames Research Center, Moffett Field, California) performed the loading and unloading of the cosmic dust collectors on the ER-2 aircraft and provided flight log data.

Eugene Jarosewich (Smithsonian Institution, Washington, D.C.) kindly provided mineral standards and the Allende chondrite powder.

PARTICLE TABLE OF CONTENTS

Since particles are arranged in this catalog by type, rather than sequentially by mount and number as in previous catalogs, we include a sequential listing of particles and the page on which they may be found, for the user's reading pleasure.

Particle	Page	Particle	Page	Particle	Page	Particle	Page
A1	118	F3	40	J19	62	O4	89
A4	119	F4	41	J20	135	O5	141
A5	2	F31	42	J21	162	O6	90
A6	3	F32	155	J22	62a	O7	91
В7	154	F33		J23		O8	
В9	4	F34		J24		O9	
B10		F36		J25		O10	
B11		G1		J26		P1	
B12	CONTRACTOR OF COMME	G2		J27		P2	
B13		G3		K1		P3	
B14		G38		K2		P4	
B15		G42		K3		P5	
B16		H1		K4		P6	
C1		H43		K5		P7	
C2		H44		K6		P8	
C3		H45		K7		P9	
C4		H46		K8		P10	
C5		H48		K9		P11	
C13		I4		K10		P12	
C14		I6		L1		P13	
C14		I7		L2			
C15		I13		L3		P14 P15	
C17		I15		L4			
C17		I19		L5		P16	
D1		I24				P17	
D1				L6		Q1	104
		J1		L7		Q2	105
D3		J2		L8		Q3	
D19		J3		L9		Q4	
D20		J4		M1		Q5	
D21		J5		M2		Q6	
D24		J6		M3		Q7	
E1		J7		M4	10 - 10 - 10 - 10 - 10 - 10 - 10 - 10 -	Q8	
E2		J8		N1		R1	
E3		J9		N2		R2	
E4		J10		N3		R3	
E5		J11		N4		R4	
E25		J12		N5		R5	
E26	John C. C. Lewiser	J13		N6		R6	
E28		J15		N7		R7	
E30		J16		O1		S8	152
F1		J17		O2			
F2	39	J18	61	O3	88		

Particle Descriptions C and C? Type

L2005 A 5



SIZE: 4x5

SHAPE: I

TRANS.: O/TL


COLOR: Black

LUSTER: D


TYPE: C

COMMENTS:

Related grains up to 14 microns remain on collector



L2005 A 6



SHAPE: I

SIZE:

TRANS.: O/TL

4x6

COLOR: Black


LUSTER: D


TYPE: C?

COMMENTS:

Related grains up to 10 microns remain on collector







S-90-38132


SIZE: 5
SHAPE: I
TRANS.: O
COLOR: Black
LUSTER: D


COMMENTS:

TYPE:

Related grains up to 6 microns remain on collector

C?





SIZE: 6x3

SHAPE:

TRANS.: O/TL

I

COLOR: Black


LUSTER: D


TYPE: C

COMMENTS:

Related grains up to 10 microns remain on collector







SIZE: 10

SHAPE: S

TRANS.: TL


COLOR: Brown


LUSTER: V

TYPE: C

COMMENTS:

Related grains up to 12 microns remain on collector





SIZE: 10

SHAPE: I

TRANS.: O

COLOR: Black


LUSTER: D


TYPE: C?

COMMENTS:

Related to L2005B13, B14, B15 and B16. Related grains up to 20 microns remain on collector







SIZE:

SHAPE: I

TRANS.: O

COLOR: Black

LUSTER: D


TYPE: C?


COMMENTS:

Related to

L2005B12, B14, B15







SIZE: 7 **SHAPE:** I

TRANS.: O

COLOR: Black


LUSTER: D


TYPE: C?

COMMENTS:

Related to

L2005B12, B13, B15





SIZE: 5

SHAPE: I

TRANS.: O

COLOR: Black

LUSTER: D


TYPE: C?


COMMENTS:

Related to

L2005B12, B13, B14

S-90-38136





SIZE: 5 SHAPE: I

TRANS.: O

COLOR: Black

LUSTER: D


TYPE: C?


COMMENTS:

Related to

L2005B12, B13, B14







SIZE: 8

SHAPE: I

TRANS.: O/TL

COLOR: Black


LUSTER: D


TYPE: C

COMMENTS:

Related to L2005C13. Related grains up to 40 microns remain on collector

S-90-38124





SIZE: 8

SHAPE:

TRANS.: O/TL

COLOR: Black

LUSTER: D


TYPE: C


COMMENTS:

Related to L2005C3

and C14







S-90-38139

SIZE: 3
SHAPE: I
TRANS.: O/TL
COLOR: Black


LUSTER: D

TYPE: C

COMMENTS:

Related to L2005C2

and C14





SIZE: 6 SHAPE: I

TRANS.: O/TL


COLOR: Black


LUSTER: D

TYPE: C

COMMENTS:

Related to L2005C15. Related grains up to 30 microns remain on collector





SIZE: 6

SHAPE: I

TRANS.: O/TL


COLOR: Black


LUSTER: D

TYPE: C

COMMENTS:

Related to L2005C18





SIZE: 8 SHAPE: I


TRANS.: O/TL


COLOR: Black LUSTER: D

TYPE: C

COMMENTS:
Related to L2005C1

S-90-38124





SIZE:

SHAPE: I

TRANS.: O/TL

10x6


COLOR: Black


LUSTER: D

TYPE: C

COMMENTS:

Field of particles. Related to L2005C2 and C3. Related grains up to 15 microns remain on collector





SIZE: 5x8

SHAPE: I

TRANS.: O/TL

COLOR: Black


LUSTER: D

TYPE: C

COMMENTS:

Related to L2005C4








SIZE: 4x6SHAPE: I TRANS.: O/TL


COLOR: Black

LUSTER: D TYPE: C

COMMENTS:

Related grains up to 9 microns remain on collector





SIZE: 6x9

SHAPE: I

TRANS.: O/TL

COLOR: Black


LUSTER: D


TYPE: C

COMMENTS:

Related grains up to 24 microns remain on collector







SIZE: 5x10

SHAPE:

TRANS.: O/TL

COLOR: Black

LUSTER: D


TYPE: C

COMMENTS:


Related grains up to 24 microns remain on collector.

Related to L2005C5

S-90-38144




L2005 D 1




SIZE: 4x8
SHAPE: I
TRANS.: O
COLOR: Black
LUSTER: D
TYPE: C

COMMENTS:

Related grains up to 16 microns remain on collector. Related to L2005D19




L2005 D 2




SIZE: 4 SHAPE: I TRANS.: O/TL COLOR: Black LUSTER: D

TYPE: C?

COMMENTS: Related to L2005D3 and D20





SIZE: 3x5

SHAPE: I

TRANS.: O/TL

COLOR: Black

LUSTER: D


TYPE: C?


COMMENTS:

Related to L2005D2

and D20







SIZE: 5x10

SHAPE: I

TRANS.: O


COLOR: Black


LUSTER: D

TYPE: C

COMMENTS:

Related to L2005D1





SIZE: 8x10

SHAPE: I

TRANS.: O/TL


COLOR: Black


LUSTER: D

TYPE: C?

COMMENTS:

Related grains up to 24 microns remain on collector. Related to L2005D2 and D3





SIZE: 3

SHAPE: I

TRANS.: O

COLOR: Brown


LUSTER: D/SM


TYPE: C?

COMMENTS:

Related grains up to 25 microns remain on collector







SIZE: 3x4
SHAPE: I

TRANS.: O/TL

COLOR: Black

LUSTER: D

TYPE: C


COMMENTS:


Related to

L2005E25, E2 and

E3

S-90-38162






SHAPE: I
TRANS.: O/TL
COLOR: Black
LUSTER: D


SIZE:

TYPE: C

COMMENTS:
Related to
L2005E25, E1 and
E3

8





SIZE: 7x9

SHAPE: I

TRANS.: O/TL

COLOR: Black

LUSTER: D

TYPE: C


COMMENTS:


Related to

L2005E25, E1 and

E2







SIZE: 7x10

SHAPE: I

TRANS.: O/TL

COLOR: Black


LUSTER: D


TYPE: C

COMMENTS:

Related to

L2005E26 and E5





SIZE: 8x10

SHAPE: I

TRANS.: O/TL

COLOR: Black


LUSTER: D


TYPE: C

COMMENTS:

Related to

L2005E26 and E4







SIZE: 8
SHAPE: I
TRANS.: O/TL
COLOR: Black
LUSTER: D
TYPE: C

COMMENTS:

Related grains up to 28 microns remain on collector. Related to L2005E1, E2 and E3

S-90-38167





SIZE: 9x12

SHAPE: I

TRANS.: O/TL

COLOR: Black


LUSTER: D


TYPE: C

COMMENTS:

Related grains up to 15 microns remain on collector. Related to L2005E4 and E5







SIZE: 11 SHAPE: I

TRANS.: O

COLOR: Black


LUSTER: D

TYPE: C

COMMENTS:

Related grains up to 12 microns remain on collector









SIZE: 5x9
SHAPE: I
TRANS.: O
COLOR: Black
LUSTER: D

TYPE: C

COMMENTS:

Related grains up to 4 microns have been removed from collector





SIZE: 8x10

SHAPE: I

TRANS.: O

COLOR: Black

LUSTER: D/SM

TYPE: C


COMMENTS:

Related to

L2005F30, F2 and

F3


S-90-38171






SIZE: 8
SHAPE: I
TRANS.: O
COLOR: Black
LUSTER: D/SM
TYPE: C

COMMENTS:
Related to
L2005F30, F1 and
F3





SIZE: 10 **SHAPE:** I

TRANS.: O

COLOR: Black LUSTER: D/SM

TYPE: C


COMMENTS:


Related to

L2005F30, F1 and

F2

S-90-38173





SIZE: 4

SHAPE: I

TRANS.: O

COLOR: Black


LUSTER: D


TYPE: C

COMMENTS:

Related to L2005F33

S-90-38174





SIZE: 8x10

SHAPE: I

TRANS.: O

COLOR: Black


LUSTER: D/SM


TYPE: C

COMMENTS:

Related grains up to 20 microns remain on collector. Related to L2005F1, F2 and F3

S-90-38175





SIZE: 8
SHAPE: I
TRANS.: O

COLOR: Black


LUSTER: D


TYPE: C

COMMENTS:

Related to L2005F4. Only fines remain on collector







SIZE: 5 **SHAPE:** I **TRANS.:** O

COLOR: Black to Brown


LUSTER: D/SM


TYPE: C

COMMENTS:

Related to L2005G38

S-90-38180





SIZE: 4
SHAPE: I
TRANS.: O

COLOR: Black


LUSTER: D
TYPE: C


COMMENTS:

Related to L2005G3

and G42







SIZE:

4 I

SHAPE:

TRANS.: O

COLOR: Black

LUSTER: D


TYPE: C


COMMENTS:

Related to L2005G2

and G42







S-90-38183

SIZE: 8
SHAPE: I
TRANS.: O


COLOR: Black to Brown


LUSTER: D/SM

TYPE: C

COMMENTS:

Related grains up to 20 microns remain on collector. Related to L2005G1





SIZE: 8

SHAPE: I

TRANS.: O

COLOR: Black


LUSTER: D


TYPE: C

COMMENTS:

Related to L2005G2 and G3. Only fines remain on collector

S-90-38184





SIZE: 3x4

SHAPE: I

TRANS.: O

COLOR: Black


LUSTER: D


TYPE: C

COMMENTS:

Related to L2005H44







SIZE: 5x6

SHAPE: I

TRANS.: O

COLOR: Black


LUSTER: D/SV


TYPE: C

COMMENTS:

Related grains up to 12 microns remain on collector







SIZE: 3x4

SHAPE: I

TRANS.: O

COLOR: Black


LUSTER: D


TYPE: C

COMMENTS:

Related to L2005H1







SIZE: 8

SHAPE: I

TRANS.: O

COLOR: Black


LUSTER: D

TYPE: C


COMMENTS:

Related grains up to 12 microns remain on collector





L2005 I 15



SIZE: 8

SHAPE: I


TRANS.: O


COLOR: Black

LUSTER: D

TYPE: C

S-90-38192





SIZE: 8


SHAPE: S


TRANS.: O

COLOR: Brown

LUSTER: SM

TYPE: C?





SIZE: 5 SHAPE: S


TRANS.: O

COLOR: Brown

LUSTER: SM

TYPE: C?

S-90-38203





SIZE: 10

SHAPE: S


TRANS.: O


COLOR: Brown

LUSTER: SM

TYPE: C?







SIZE: 10

SHAPE: S


TRANS.: O

COLOR: Brown

LUSTER: SM

TYPE: C?







SIZE:

SHAPE: S


TRANS.: O


COLOR: Brown

LUSTER: SM

TYPE: C?







SIZE: 10

SHAPE: S


TRANS.: O


COLOR: Brown

LUSTER: SM

TYPE: C?







SIZE: 12


SHAPE: S


TRANS.: O

COLOR: Brown

LUSTER: SM

TYPE: C?





SIZE: 8

SHAPE: I


TRANS.: O


COLOR: Brown

LUSTER: D

TYPE: C?

S-90-38210





SIZE: 10

SHAPE: I


TRANS.: O


COLOR: Black

LUSTER: D

TYPE: TCN

S-90-38211






SIZE: 8
SHAPE: S
TRANS.: O


COLOR: Brown

LUSTER: SM

TYPE: C?

S-90-38214





SIZE: 10

SHAPE: S


TRANS.: O


COLOR: Brown

LUSTER: SM

 $\mathbf{TYPE:} \qquad \mathbf{C?}$

S-90-38215





SIZE: 40

SHAPE: I


TRANS.: O


COLOR: Black

LUSTER: D

TYPE: C?

S-90-38216





SIZE: 19

SHAPE: I


TRANS.: O


COLOR: Black

LUSTER: D

TYPE: C







SIZE: 30

SHAPE: I


TRANS.: O

COLOR: Black

LUSTER: D

TYPE: C

S-90-38219






SIZE: 21x30 **SHAPE:** I


TRANS.: O

COLOR: Black

LUSTER: D

TYPE: C





SIZE: 25x35

SHAPE: I


TRANS.: O


COLOR: Black

LUSTER: D

TYPE: C

S-90-38154





SIZE: 17

SHAPE: I


TRANS.: O


COLOR: Black

LUSTER: D/V

TYPE: C

S-90-38156





SIZE: 25x32

SHAPE: I


TRANS.: O


COLOR: Black

LUSTER: D

TYPE: C







SIZE: 32

SHAPE: I


TRANS.: O


COLOR: Black

LUSTER: D

TYPE: C







SIZE: 21x25


SHAPE: I


TRANS.: O

COLOR: Black

LUSTER: D

TYPE: C





SIZE: 21x30

SHAPE: I


TRANS.: O


COLOR: Black

LUSTER: D

TYPE: C







SIZE: 18x20

SHAPE: I


TRANS.: O


COLOR: Black

LUSTER: D

TYPE: C

S-90-38161





SIZE: 22x30

SHAPE: I


TRANS.: O


COLOR: Black

LUSTER: D

TYPE: C







SIZE: 27x28

SHAPE: I


TRANS.: O


COLOR: Black

LUSTER: D

TYPE: C

S-90-38223





SIZE: 20x30

SHAPE: I


TRANS.: O


COLOR: Black

LUSTER: D

TYPE: C







SIZE: 21x35

SHAPE: I


TRANS.: O


COLOR: Black

LUSTER: D

TYPE: C

S-90-38225





SIZE: 30

SHAPE: I


TRANS.: O


COLOR: Black

LUSTER: D

TYPE: C

S-90-38226





SIZE: 18x27


SHAPE: I


TRANS.: O

COLOR: Black

LUSTER: D

TYPE: C





SIZE: 25x34


SHAPE: I

TRANS.: O


COLOR: Black

LUSTER: D

TYPE: C



L2005 M 2



SIZE: 26x32

SHAPE: I


TRANS.: O

COLOR: Black


LUSTER: D

TYPE: C





L2005 M 3



SIZE: 23x32

SHAPE: I


TRANS.: O

COLOR: Black


LUSTER: D

TYPE: C?





L2005 N 2



SIZE: 13x18

SHAPE: I


TRANS.: O

COLOR: Black


LUSTER: D

TYPE: C

S-90-38234



L2005 N 3



SIZE: 18x20

SHAPE: S


TRANS.: O/TL

COLOR: Black


LUSTER: D/V

TYPE: C?





L2005 N 5



SIZE: 16x18

SHAPE: I


TRANS.: O


COLOR: Black

LUSTER: D

TYPE: C?







SIZE: 15x19

SHAPE: I


TRANS.: O

COLOR: Black

LUSTER: D

TYPE: C

S-90-38240





SIZE: 20x30

SHAPE: I


TRANS.: O


COLOR: Black

LUSTER: D

TYPE: C









SIZE: 13x17
SHAPE: I
TRANS.: O
COLOR: Black

COLOR: Black LUSTER: D

TYPE: C

S-90-38243





SIZE: 11x22

SHAPE: I


TRANS.: O


COLOR: Black to Brown

LUSTER: D/SM

TYPE: C?

S-90-38245





SIZE: 12

SHAPE: I


TRANS.: O


COLOR: Black

LUSTER: D

TYPE: C

S-90-38246





SIZE: 15x17

SHAPE: I


TRANS.: O


COLOR: Black

LUSTER: D

TYPE: C







SIZE: 14x20

I

SHAPE:


TRANS.: O


COLOR: Black

LUSTER: D

TYPE: C

S-90-38251





SIZE: 12 SHAPE: I


TRANS.: O


COLOR: Black to Brown

LUSTER: D/SM

TYPE: C?







SIZE: 22x25

SHAPE: I


TRANS.: O


COLOR: Black

LUSTER: D

TYPE: C







SIZE: 17x26


SHAPE: I


TRANS.: O

COLOR: Black

LUSTER: D

TYPE: C





SIZE: 20x30

SHAPE:


TRANS.: O/TL


COLOR: Black

LUSTER: D/SM

TYPE: C?

S-90-38256





SIZE: 11x14


SHAPE: I


TRANS.: O

COLOR: Black

LUSTER: D

TYPE: C





SIZE: 7 **SHAPE:** S


TRANS.: O


COLOR: Black to Brown

LUSTER: D/SM

TYPE: C?







SIZE: 10x11

SHAPE: I


TRANS.: O/TL


COLOR: Black to Brown

LUSTER: D/V

TYPE: C?

S-90-38261





SIZE: 14x20

SHAPE: I


TRANS.: O


COLOR: Black

LUSTER: D

TYPE: C







SIZE: 14x16

SHAPE: I


TRANS.: O


COLOR: Black

LUSTER: D

TYPE: C

S-90-38265





SIZE: 15x22


SHAPE: I


TRANS.: O

COLOR: Black

LUSTER: D

TYPE: C





SIZE: 10x15

SHAPE: I


TRANS.: O


COLOR: Black

LUSTER: D

TYPE: C

S-90-38267





SIZE: 20

SHAPE: I


TRANS.: O


COLOR: Black

LUSTER: D

TYPE: C

S-90-38268





SIZE: 7x8

SHAPE: I


TRANS.: O


COLOR: Black

LUSTER: D

TYPE: C

S-90-38270





SIZE: 15x20

SHAPE: I


TRANS.: O


COLOR: Black

LUSTER: D

TYPE: C

S-90-38272





SIZE:

. .

10

SHAPE: I


TRANS.: O


COLOR: Black

LUSTER: D

TYPE: C

S-90-38273







SIZE: 12

SHAPE: I

S-90-38274





SIZE: 15

SHAPE: I


TRANS.: O


COLOR: Black

LUSTER: D

TYPE: C

S-90-38275





SIZE: 6

SHAPE: E


TRANS.: O


COLOR: Black

LUSTER: D

TYPE: C

S-90-38277





SIZE: 5

SHAPE: S


TRANS.: O


COLOR: Black

LUSTER: SM

TYPE: C?

S-90-38278





SIZE: 20x30

SHAPE: I


TRANS.: O


COLOR: Black

LUSTER: D

TYPE: C

S-90-38279





SIZE: 15x25

SHAPE: I


TRANS.: O


COLOR: Black to Brown

LUSTER: SM

TYPE: C?







SIZE: 13x15

SHAPE: E


TRANS.: O/TL

COLOR: Black

LUSTER: D


TYPE: C

S-90-38281



Particle Descriptions
TCN Type

L2005 A 1



SIZE: 4.5

SHAPE: I


TRANS.: TL

COLOR: Brown


LUSTER: V

TYPE: TCN





L2005 A 4



SIZE: 6
SHAPE: I


TRANS.: TL

COLOR: Brown


LUSTER: V

TYPE: TCN





L2005 D 21



SIZE: 4

SHAPE: I


TRANS.: O/TL

COLOR: Brown


LUSTER: D

TYPE: TCN

S-90-38150



L2005 H 46



SIZE: 5x8

SHAPE: I


TRANS.: O

COLOR: Brown


LUSTER: D/SV

TYPE: TCN

S-90-38189



L2005 H 48



SIZE: 5x10

SHAPE:

TRANS.: O


COLOR: Brown


I

LUSTER: D/SV

TYPE: TCN

S-90-38190





SIZE:

6 S

SHAPE:

TRANS.: TL

COLOR: Brown

LUSTER: V

TYPE:


TCN


COMMENTS:

May be attached to

AOS particle







SIZE: 10 SHAPE: S


TRANS.: TL


COLOR: Brown LUSTER: V

TYPE: TCN

COMMENTS:

No photo due to specimen charging





SIZE: 9

SHAPE: S


TRANS.: TL


COLOR: Brown

LUSTER: V

TYPE: TCN

S-90-38126





SIZE: 10

SHAPE: S TRANS.: TL


COLOR: Brown


LUSTER: V

TYPE: TCN

COMMENTS:

No photo due to specimen charging





SIZE: 7

SHAPE: S


TRANS.: TL


COLOR: Brown

LUSTER: V

TYPE: TCN

S-90-38193





SIZE: 10

SHAPE: S


TRANS.: TL


COLOR: Brown

LUSTER: V

TYPE: TCN

S-90-38194





SIZE:

SHAPE: S


TRANS.: TL


COLOR: White

LUSTER: V

TYPE: TCN

S-90-38195





SIZE: 8

SHAPE: S


TRANS.: O


COLOR: Brown

LUSTER: M

TYPE: TCN

S-90-38197





SIZE:

10

SHAPE: S

TRANS.: TL


COLOR: Brown


LUSTER: V

TYPE:

TCN








SIZE: 15 SHAPE: S


TRANS.: TL COLOR: White

LUSTER: V

TYPE: TCN

S-90-38199





SIZE: 10

SHAPE: S


TRANS.: TL

COLOR: White

LUSTER: V

TYPE: TCN







TYPE: TCN

LUSTER: D

SIZE: 11


TRANS.: O


COLOR: Black

SHAPE:

I

S-90-38212





SIZE: 7x8

SHAPE: S


TRANS.: O/TL

COLOR: Brown


LUSTER: D/V

TYPE: TCN

S-90-38217



L2005 K 4



SIZE: 11x14

SHAPE:


TRANS.: O

COLOR: Brown


LUSTER: SM

TYPE: TCN

S-90-38155



L2005 L 3



SIZE: 21x23


SHAPE: I

TRANS.: TL


COLOR: White

LUSTER: D

TYPE: TCN



L2005 M 1



SIZE: 55x65

SHAPE: I


TRANS.: O/TL

COLOR: White


LUSTER: V

TYPE: TCN

S-90-38229



L2005 M 4



SIZE: 36x42

SHAPE: I


TRANS.: TC


COLOR: Brown

LUSTER: V

TYPE: TCN

S-90-38232





SIZE: 11

SHAPE: S


TRANS.: O


COLOR: Brown

LUSTER: D/SM

TYPE: TCN

S-90-38244





SIZE: 8 SHAPE: S


TRANS.: O/TL


COLOR: Black to Brown

LUSTER: D

TYPE: TCN







SIZE:

18x33

I

SHAPE:


TRANS.: TL


COLOR: WHITE

LUSTER: V

TYPE: TCN







SIZE: 8 SHAPE: S


TRANS.: O


COLOR: Brown

LUSTER: SM

TYPE: TCN

S-90-38249





SIZE: 12x16


SHAPE: I


TRANS.: TL

COLOR: White


LUSTER: V


TYPE: TCN





SIZE: 10
SHAPE: I
TRANS.: TL
COLOR: White
LUSTER: V
TYPE: TCN





SIZE: 10x13

SHAPE: I


TRANS.: T/TL


COLOR: White

LUSTER: V

TYPE: TCN

S-90-38260





SIZE: 22x23

SHAPE: I


TRANS.: O

COLOR: Black to Brown

LUSTER: D/V

TYPE: TCN

S-90-38263





SIZE: 17x27

SHAPE: I


TRANS.: O/TL

COLOR: Brown


LUSTER: V

TYPE: TCN





L2005 Q 5




SIZE: 20 SHAPE: I TRANS.: O

COLOR: Black

LUSTER: SM

TYPE: TCN

S-90-38271



L2005 R 2



SIZE: 15x30

SHAPE: I


TRANS.: O

COLOR: Black


LUSTER: SM

TYPE: TCN

S-90-38276



L2005 S 8



SIZE: 8x10

SHAPE: E

TRANS.: TL


COLOR: White

LUSTER: V

TYPE: TCN


COMMENTS:

Related grains up to 8 microns remain on collector



Particle Descriptions
TCA Type

L2005 B 7



SIZE: 7

SHAPE: I

TRANS.: TL

COLOR: Brown


LUSTER: V

TYPE: TCA


COMMENTS:

Related grains up to 7 microns remain on collector





L2005 F 32



SIZE: 10 SHAPE: I

TRANS.: O


COLOR: Black

LUSTER: D/SM


TYPE: TCA

COMMENTS:

Largest grain.
Related grains up
to 16 microns
remain on and off
collector



L2005 F 34



SIZE:

6

SHAPE:

PE: S

TRANS.: O

COLOR: Black

LUSTER: D


TYPE: TCA

COMMENTS:


Related grains up to 24 microns remain on and off

collector





L2005 F 36



0.0

SIZE: 34

SHAPE: I TRANS.: O

COLOR: Black to Brown


LUSTER: D

TYPE: TCA

COMMENTS:


Related grains up to 120 microns remain on collector

10.0



ENERGY (KEV)

L2005 I 13



SIZE:

18 S

SHAPE:

TRANS.: TL


COLOR: Brown


LUSTER: V

TYPE: TCA

COMMENTS:

No photo due to specimen charging





SIZE: 8

SHAPE: S


TRANS.: O


COLOR: Brown

LUSTER: SM

TYPE: TCA

S-90-38196





SIZE: 15

SHAPE: S


TRANS.: O


COLOR: Brown

LUSTER: SM

TYPE: TCA

S-90-38200





SIZE: 8


SHAPE: S


TRANS.: O

COLOR: Brown LUSTER: SM

TYPE: TCA

S-90-38201





SIZE: 7

SHAPE: S

TRANS.: O

COLOR: Brown


LUSTER: D/V

TYPE: TCA


COMMENTS:

Attached to 10 microns Al sphere





L2005 K 1



SIZE: 15x21

SHAPE: I

TRANS.: O

COLOR: Black


LUSTER: SM/D

TYPE:


COMMENTS:

TCA

S-90-38152



L2005 L 1



SIZE: 21x35

SHAPE: I


TRANS.: O


COLOR: Brown

LUSTER: D/V

TYPE: TCA







SIZE: 32x38

SHAPE: I


TRANS.: O

COLOR: Brown

LUSTER: SM

TYPE: TCA

S-90-38233





SIZE: 8x10

SHAPE: S


TRANS.: O


COLOR: Black

LUSTER: D/SM

TYPE: TCA

S-90-38236





SIZE: 30x38

SHAPE: I


TRANS.: O


COLOR: Black

LUSTER: SM

TYPE: TCA







SIZE: 17

SHAPE: I


TRANS.: O


COLOR: Black

LUSTER: SM

TYPE: TCA







SIZE: 10x13

SHAPE: I


TRANS.: O

COLOR: Black


LUSTER: D/SM

TYPE: TCA

S-90-38241



L2005 Q 3



SIZE: 15 SHAPE: S

TRANS.: O

COLOR: Black

LUSTER: SM

TYPE: TCA

S-90-38269

