14003 – 947.9 grams

Soil

Contingency Sample



Figure 1: An agglutinate particle from 14003 (sometimes referred to as a "glazed aggregate"). This SEM picture is lifted from McKay et al. (1972).



Figure 2: Map of Apollo 14 traverse to the rim of Cone Crater, which they missed by only a few feet.

Introduction

The Apollo 14 contingency sample was collected in a smooth area about 25 meters in front of the Lunar Module (figure 2). It is a mature lunar soil with about 60 % agglutinates (figure 1).

The contingency sample was originally numbered 14005 (weigh bag 1039) and subdivided by sieving as:

14001	31.8 g	2-4 mm
14002	42.1 g	1-2 mm
14003	948 g	< 1 mm
14004	33 g	4-10 mm
14006 – 12		particles > 10 mm

Petrography

The maturity index for 14003 is I_s/FeO = 66 (Morris 1978).

The grain size distribution was determined by McKay et al. (1972), King et al. (1972) and vonEngelhardt et al. (1972). The average grain size is 125 microns (figure 3).

McKay et al. (1972) and vonEngelhardt et al. (1976) determined the modal mineralogy as function of grain size. Finkelman (1973) carefully studied the 14002 and 14003. Taylor et al. (1972) and Carr and Meyer (1972) also studied the 1-2 mm coarse-fines (14002) and Kramer and Twedell (1977) cataloged the larger particles (14004).

Goldstein et al. (1976) studied the carbide and other phases in metal particles from 14003 and other soils.

Warner et al. (1980) reported the mineralogy and chemistry of an apparent mare basalt fragment in 14004 (table 1b). Snyder et al. (1992) analyzed two "felsites" particles.

Chemistry

Rose et al. (1972), Taylor et al (1972) and others analyzed 14003 (table 1 and figure 6). It is over 60 KREEP and has high meteoritic siderophiles.

DesMarais et al. (1973) and Moore et al. (1972) determined the carbon content (125 and 140 ppm respectively) while Muller (1972) studied the nitrogen (92 ppm) as function of grain size (it's surface correlated).

Snyder et al. (1992) found two granite particles in 14004 (figure 7).

Mineralogical Mode for 14003 (McKay et al. 1972)

	150-250 u	90-150 u	60-75 u	20-30 u
Agglutinates	54.2 %	60.3	56.5	43.5
Basalt	0.8	1.3		
Anorthosite	0.2			
Breccia				
Recrystalized	19.2	20.5	16.5	7
Vitric	4.4	3	1	0.5
Glass	11.8	8.9	13.5	17
Olivine	1			
Pyroxene	4.2	3.6	10	23
Plagioclase	3.6	2.3	1.5	7
Opaques				1.5

Other Studies

Bogard and Nyquist (1972) and Heymann et al. (1972) reported the isotopic composition of rare gasses. Merlivat et al. (1972) determined the hydrogen isotopes.

Based on the determination of the maximum density of fossil nuclear tracks, Bhandari et al. (1972) calculate a "suntan" exposure age of 80 m.y.



Figure 3: Grain size distribution for 14003 (Graf 1993, from data by Engelhardt et al. 1972)



Figure 4: Composition of 14003 compared with that of other Apollo soil samples.



Figure 5: Carbon content and maturity index for 14003 compared with other Apollo soils.





Figure 6: Normalized rare-earth-element pattern for 14003 and basalt from 14004, compared with KREEP.



Figure 7: Normalized trace element pattern for two small granite particles form 14004 (Snyder et al. 1992).

Processing

14005 was partially spilled as it was collected (exact situation uncertain).

Table 1a. Chemical composition of 14003.

reference	Rose72		Laul72				Taylor72		Philpotts72		Baedecker72		Morgan72		Tatsumoto72		Murthy72	
weight																		
SiO2 %	48.08	(a)					48.1	(d)	48.2	(f)								
TiO2	1.77	(a)	1.8	(b)			1.83	(d)	1.75	(f)								
Al2O3	17.59	(a)	18.3	(b)			17.6	(d)	17.69	(f)								
FeO	10.45	(a)	11	(b)			10.3	(d)	10.53	(f)								
MnO	0.14	(a)					0.14	(d)	0.13	(f)								
MgO	9.27	(a)					9.78	(d)	9.52	(f)								
CaO	11.12	(a)	11	(b)			10.4	(d)	10.32	(f)								
Na2O	0.65	(a)	0.69	(b)			0.57	(d)	0.69	(f)								
K2O	0.54	(a)	0.57	(b)	0.6	(c)	0.52	(d)	0.55	(f)					0.33	(e)	0.45	(e)
P2O5	0.58	(a)							0.49	(f)								
S %																		
sum																		
Sc ppm	27	(a)	23	(b)			24	(d)										
V	58	(a)	53	(b)			48	(d)										
Cr	1779	(a)	1464	(b)	1348	(c)	1400	(d)	1231	(e)								
Co	38	(a)	39	(b)			34	(d)										
Ni	430	(a)					370	(d)			380	(c)						
Cu	16	(a)					10	(d)										
Zn	28	(a)									29	(c)	25	(c)				
Ga	5	(a)					4.6	(d)			7.6	(c)						
Ge ppb											790	(c)						
As																		
Se													310	(c)				
Rb	13	(a)			13	(c)	14	(d)	14.6	(e)			13.5	(c)	11.59	(e)	14.6	(e)
Sr	135	(a)					180	(d)	176.5	(e)					142.7	(e)	174	(e)
Y	300	(a)			192	(c)	193	(d)										
Zr	790	(a)	780	(b)			800	(d)	877	(e)								
Nb	70	(a)					45	(d)										
Mo																		
Ru																		
Rh																		
Pd ppb																		
Ag ppb													11.5	(c)				
Cd ppb											170	(c)	94	(c)				
In ppb											41	(c)						
Sn ppb																		
Sb ppb													2.4	(c)				
Te ppb													25	(c)				
Cs ppm					0.5	(c)							0.58	(c)				
Ba	1000	(a)	810	(b)			760	(d)	823	(e)							767	(e)
La	75	(a)	68	(b)	66	(c)	81	(d)										
Ce			200	(b)	193	(c)	228	(d)	170	(e)								
Pr					20.5	(c)	29	(d)										
Nd					103	(c)	121	(d)	107	(e)								
Sm			30	(b)	31.2	(c)	36	(d)	30.2	(e)								
Eu			2.6	(b)	2.56	(c)	2.38	(d)	2.63	(e)								
Gd					36	(c)	33	(d)	35.5	(e)								
Tb					6.1	(c)	4.9	(d)										
Dy					41	(c)	33	(d)	38.9	(e)								
Ho					9.7	(c)	8.3	(d)										
Er					23.9	(c)	23	(d)	22.9	(e)								
Tm					4	(c)	3.7	(d)										
Yb	27	(a)	23	(b)	22	(c)	19.3	(d)	21.6	(e)								
Lu			3.2	(b)	3.3	(c)												
Hf			20	(b)			23	(d)	20.7	(e)								
Ta																		
W ppb							0.9	(d)										
Re ppb													0.97	(c)				
Os ppb																		
Ir ppb											12	(c)	11	(c)				
Pt ppb																		
Au ppb													4.4	(c)				
Th ppm			14	(b)			12	(d)							11.7	(e)		
U ppm							3.1	(d)							2.52	(e)		

technique: (a) "microchemical" (b) INAA, (c) RNAA, (d) SSMS, (e) IDMS, (f) AA, (g) XRF

Table 1b. Chemical composition of 14003 (cont.).

								14004		14004		14004	
reference	Brown72			Muller75	Ehman75			Warner80		Snyder92			
weight								basalt					
SiO2 %					49.65	(b)				69		69	
TiO2					2	(b)		5.4	(b)	1.35		1.14	(b)
Al2O3					17.4	(b)		12	(b)	12.3		13.2	(b)
FeO					10.8	(b)		18.4	(b)	7.7		6.3	(b)
MnO					0.13	(b)		0.24	(b)	0.106		0.081	(b)
MgO				9.13	7.63	(b)		6.9	(b)				
CaO				11.1	9.8	(b)		10.4	(b)	5.1		5.1	(b)
Na2O				0.72	0.63	(b)		0.412	(b)	1.56		1.54	(b)
K2O				0.52				0.06	(b)	3.1		3.2	(b)
P2O5													
S %													
sum													
Sc ppm								56	(b)	15.8		13.6	
V								109	(b)				
Cr	5065	2135	(g)					1587	(b)	92		139	(b)
Co								25	(b)	2.4		2.7	(b)
Ni	350	349	(g)										
Cu	9	12	(g)										
Zn	32	37	(g)										
Ga													
Ge ppb													
As													
Se													
Rb	15	13	(g)	14.6						87		92	(b)
Sr	209	179	(g)	188						150		110	(b)
Y	246	209	(g)										
Zr	1089	914	(g)					170	(b)				
Nb	56	43	(g)										
Mo													
Ru													
Rh													
Pd ppb													
Ag ppb													
Cd ppb													
In ppb													
Sn ppb													
Sb ppb													
Te ppb													
Cs ppm				0.63						2		2.9	(b)
Ba	602	393	(g)	825				90	(b)	2610		2810	(b)
La				69				9	(b)	91		87	(b)
Ce								25	(b)	218		237	(b)
Pr									(b)				
Nd								20	(b)	111		113	(b)
Sm								6.7	(b)	32.5		32.5	(b)
Eu								1.49	(b)	2.53		2.82	(b)
Gd													
Tb								1.6	(b)	8.1		8.4	(b)
Dy								11	(b)	55		49	(b)
Ho													
Er													
Tm													
Yb								5.9	(b)	38		33	(b)
Lu								0.86	(b)	4.9		4.3	(b)
Hf								4.7	(b)				
Ta								0.9	(b)				
W ppb													
Re ppb													
Os ppb													
Ir ppb													
Pt ppb													
Au ppb													
Th ppm								0.4	(b)				
U ppm				3.3									

technique: (b) INAA, (c) RNAA, (d) SSMS, (e) IDMS, (f) AA, (g) XRF

References for A14

Baedecker P.A., Chou C-L. and Wasson J.T. (1972) The extralunar component in lunar soils and breccias. *Proc. 3rd Lunar Sci. Conf.* 1343-1359.

Bhandari N., Goswami J.N., Gupta S.K., Lal D., Tamhane A.S. and Venkatavaradan V.S. (1972) Collision controlled radiation history of the lunar regolith. *Proc. 3rd Lunar Sci. Conf.* 2811-2829.

Bogard D.D. and Nyquist L.E. (1972) Noble gas studies on regolith materials from Apollo 14 and 15. *Proc. 3rd Lunar Sci. Conf.* 1797-1819.

Brown G.M., Emeleus C.H., Holland G.J., Peckett A. and Phillips R. (1972) Mineral-chemical variations in Apollo 14 and Apollo 15 basalts and granitic fractions. *Proc. 3rd Lunar Sci. Conf.* 141-157.

Carlson I.C. and Walton W.J.A. (1978) **Apollo 14 Rock Samples**. Curators Office. JSC 14240

Carr M.H. and Meyer C.E. (1972) Chemical and petrographic characterization of Fra Mauro soils. *Proc. 3rd Lunar Sci. Conf.* 1015-1027.

Des Marais D.J., Hayes J.M. and Meinschein W.G. (1973a) The distribution in lunar soils of carbon released by pyrolysis. *Proc. 4th Lunar Sci. Conf.* 1543-1558.

Des Marais D.J., Hayes J.M. and Meinschein W.G. (1973b) Accumulation of carbon in lunar soils. *Nature* **246**, 65-68.

Ehmann W.D., Chyi L.L., Garg A.N., Hawke B.R., Ma M.-S., Miller M.D., James W.D. and Pacer R.A. (1975a) Chemical studies of the lunar regolith with emphasis on zirconium and hafnium. *Proc. 6th Lunar Sci. Conf.* 1351-1361.

von Engelhardt W., Arndt J., Stoffler D. and Schneider H. (1972) Apollo 14 regolith and fragmental rocks, their compositions and origins by impacts. *Proc. 3rd Lunar Sci. Conf.* 753-770.

von Engelhardt W., Hurrle H. and Luft E. (1976) Microimpact-induced changes of textural parameters and modal composition of the lunar regolith. *Proc. 7th Lunar Sci. Conf.* 373-392.

Finkelman R.B. (1973) Analysis of the ultrafine fraction of the Apollo 14 regolith. *Proc. 4th Lunar Sci. Conf. 179*-189.

Goldstein J.I., Hewins R.H. and Romig A.D. (1976a) Carbides in lunar soils and rocks. *Proc. 7th Lunar Sci. Conf.* 807-818.

Heymann D., Yaniv A. and Lakatos S. (1972a) Inert gases from Apollo 12, 14 and 15 fines. *Astrophys. J.* 1857-1863.

Heymann D., Yaniv A. and Lakatos S. (1972b) Inert gas studies in (only) twelve particles. *Earth Planet. Sci. Lett.* **13**, 400-406.

Heymann D., Yaniv A. and Lakatos S. (1972c) Inert gases from Apollo 12, 14 and 15 fines. *Proc. 3rd Lunar Sci. Conf.* 1857-1863.

King E.A., Butler J.C. and Carman M.F. (1972) Chondrules in Apollo 14 samples and size analyses of Apollo 14 and 15 fines. *Proc. 3rd Lunar Sci. Conf.* 673-686.

Kramer F.E. and Twedell D.B. (1977) Apollo 14 coarse fines (4-10 mm) sample location and classification. JSC 12922

Laul J.C., Wakita H., Showalter D.L., Boynton W.V. and Schmitt R.A. (1972a) Bulk, rare earth, and other trace elements in Apollo 14 and 15 and Luna 16 samples. *Proc. 3rd Lunar Sci. Conf.* 1181-1200.

LSPET (1971a) Preliminary examination of lunar samples from Apollo 14. *Science* **173**, 681-693.

LSPET (1971b) Preliminary examination of lunar samples from Apollo 14. *In* Apollo 14 Preliminary Sci. Rpt. NASA SP-272

Merlivat L., Nief G. and Roth E. (1972) Deuterium content of lunar material. *Proc. 3rd Lunar Sci. Conf.* 1473-1477.

McKay D.S., Heiken G.H., Taylor R.M., Clanton U.S., Morrison D.A. and Ladle G.H. (1972) Apollo 14 soils: Size distribution and particle types. *Proc. 3rd Lunar Sci. Conf.* 983-995.

Mitchell J.K., Bromwell L.G., Carrier W.D., Costes N.C. and Scott R.F. (1971) Soil Mechanics Experiment. *In* Apollo 14: Preliminary Science Report NASA **SP-272**.

Moore C.B., Lewis C.F., Cripe J., Delles F.M., Kelly W.R. and Gibson E.K. (1972) Total carbon, nitrogen and sulfur in Apollo 14 lunar samples. *Proc. 3rd Lunar Sci. Conf.* 2051-2058.

Morgan J.W., Laul J.C., Krahenbuhl U., Ganapathy R. and Anders E. (1972b) Major impacts on the moon: Characterization from trace elements in Apollo 12 and 14 samples. *Proc. 3rd Lunar Sci. Conf.* 1377-1395.

Morris R.V. (1978) The surface exposure (maturity) of lunar soils: Some concepts and Is/FeO compilation. *Proc. 9th Lunar Sci. Conf.* 2287-2297.

Müller O. (1972) Chemically bond nitrogen abundances in lunar samples, and active gases released by heating at lower temperatures. *Proc. 3rd Lunar Sci. Conf.* 2059-2068.

Müller O. (1975) Lithophile trace and major elements in Apollo 16 and 17 lunar samples. *Proc. 6th Lunar Sci. Conf. 1303*-1312.

Murthy V.R., Evensen N.M., Jahn B.-M. and Coscio M.R. (1972) Apollo 14 and 15 samples: Rb-Sr ages, trace elements, and lunar evolution. *Proc. 3rd Lunar Sci. Conf.* 1503-1514.

Philpotts J.A., Schnetzler C.C ., Nava D.F., Bottino M.L., Fullagar P.D., Thomas H.H., Schumann S. and Kouns C.W. (1972) Apollo 14: Some geochemical aspects. *Proc. 3rd Lunar Sci. Conf.* 1293-1305.

Rose H.J., Cuttitta F., Annell C.S., Carron M.K., Christian R.P., Dwornik E.J., Greenland L.P. and Ligon D.T. (1972) Compositional data for twenty-one Fra Mauro lunar materials. *Proc. 3rd Lunar Sci. Conf.* 1215-1229.

Snyder G.A., Taylor L.A., Liu Y.-G. and Schmit R.A. (1992a) Petrogenesis of the western highlands of the Moon: Evidence from a diverse group of whitlockite-rich rocks from the Fra Mauro formation. *Proc. 22nd Lunar Planet. Sci.* 399-416. Lunar Planetary Institute, Houston.

Swann G.A., Trask N.J., Hait M.H. and Sutton R.L. (1971a) Geologic setting of the Apollo 14 samples. *Science* **173**, 716-719.

Swann G.A., Bailey N.G., Batson R.M., Eggleton R.E., Hait M.H., Holt H.E., Larson K.B., Reed V.S., Schaber G.G., Sutton R.L., Trask N.J., Ulrich G.E. and Wilshire H.G. (1977) Geology of the Apollo 14 landing site in the Fra Mauro Highlands. U.S.G.S. Prof. Paper 880.

Swann G.A., Bailey N.G., Batson R.M., Eggleton R.E., Hait M.H., Holt H.E., Larson K.B., McEwen M.C., Mitchell E.D., Schaber G.G., Schafer J.P., Shepard A.B., Sutton R.L., Trask N.J., Ulrich G.E., Wilshire H.G. and Wolfe E.W. (1972) 3. Preliminary Geologic Investigation of the Apollo 14 landing site. *In* Apollo 14 Preliminary Science Rpt. NASA SP-272. pages 39-85.

Tatsumoto M., Hedge C.E., Doe B.R. and Unruh D.M. (1972a) U-Th-Pb and Rb-Sr measurements on some Apollo 14 lunar samples. *Proc. 3rd Lunar Sci. Conf.* 1531-1555.

Taylor G.J., Marvin U.B., Ried J.B. and Wood J.A. (1972) Noritic fragments in the Apollo 14 and 12 soils and the origin of Oceanus Procellarum. *Proc. 3rd Lunar Sci. Conf.* 995-1014.

Taylor S.R., Muir P. and Kaye M. (1971a) Trace element chemistry of Apollo 14 lunar soils from Fra Mauro. *Geochim. Cosmochim. Acta* **35**, 975-981.

Taylor S.R., Kaye M., Muir P., Nance W., Rudowski R. and Ware N. (1972a) Composition of the lunar uplands: Chemistry of Apollo 14 samples from Fra Mauro. *Proc. 3rd Lunar Sci. Conf.* 1231-1249.

Warner J.L. and Duke M.B. (1971) Apollo 14 lunar sample information catalog. NASA TM X-58062.

Warner R.D., Taylor G.J., Keil K., Ma M.-S. and Schmitt R. (1980a) Aluminous mare basalts: New data from Apollo 14 coarse-fines. *Proc. 11th Lunar Planet. Sci. Conf.* 87-104.

Wilshire H.G. and Jackson E.D. (1972b) Petrology and stratigraphy of the Fra Mauro Formation at the Apollo 14 site. US Geol. Survey Prof. Paper 785