15501, 15511 and 15531

Soils

140, 275.8 and 291.7grams



Figure 1: Tele-photo of edge of Hadley Rille where 15531 was taken. 15501 and 15511 were from the foreground. AS15-82-11126.

Modal content of soil 15501 and 15531.
From Basu et al. 1981.

	15501	**15531**
Agglutinates	35.1%	23.7
Mare Basalt	7.7	15.8
KREEP basalt	1.3	0.8
Breccia	13.1	3.9
Anorthosite	0.4	0.1
Norite		
Gabbro	0.3	0.6
Plagioclase	6.6	7.2
Pyroxene	18.6	30.1
Olivine	2.7	5.3
Ilmenite	0.3	0.9
Glass other	11.3	7.1

From Carr and Meyer 1974

Agglutinates	56.9%	25.6
Basalt	6.9	22.4
Breccia	1.6	0.6
Plagioclase	6	8
Pyroxene	16	34.9
Olivine	2.6	1.2
Ilmenite	0.2	0.6
Glass other	9.8	6.7



Figure 2: Chemical composition of 15501 and 15531 compared with that of other Apollo soils.



Figure 3: Maturity index and carbon content of 15501.

Introduction

15501 and 15511 were collected from the rim of a small crater at station 9, while 15531 was collected at station 9a (near Hadley Rille). 15501 is the < 1 mm soil that came with 15505 (a large breccia), 15511 is the soil that came with the rake sample (15515 etc.), and double drive tube 15011/10 was collected near 15531 and 15600 (rake).

Petrography

The maturity index (I_s/FeO) of 15501 is 51 (submature) and that of 15531 is 27 (immature) (Morris 1978). Carr and Meyer (1974) and Basu et al. (1981) determined the mineralogic mode for 15501 and 15531. There were ~57% agglutinates in 15501 while 15531, from near the Rille, only had about 25% agglutinates.

Powell (1972) and Ryder and Sherman (1989) cataloged the coarse-fines.

Chemistry

The chemical composition is plotted in figures 2 and 4.

The carbon content of 15501 is 110 or 130 ppm (Cadogen 1972 or Moore et al. 1973)(figure 3).

Walker and Papike (1981) calcultated that 15501 – 15511 was composed of about 60 % mare basalt, 20 % KREEP and 5 % grenn glass.

Radiogenic age dating

Alexander et al. (1976) produced an isochron (figure 6), but it has no real meaning.

Cosmogenic isotopes and exposure ages

Rancitelli et al. (1972) determined the cosmic-ray-induced activity of ^{22}Na = 62 dpm/kg, ^{26}Al = 74 dpm/kg and ^{46}Sc = 7 dpm/kg.



Figure 4: Normalized rare-earth-element diagrams for 15501 and 15531 (Korotev 1987).

Processing

15500, 15510 and 15530 were returned in a sample collection bag (#7) placed in ALSRC#2 (which did not seal).



Average grain size = 69 microns



Figure 5a: Grain size distribution of 15500 (Graf 1993).



Average grain size = 102 microns



Figure 5b: Grain size distribution of 15530 (Graf 1993).

Table 1. Chemical composition of 15501.

reference	LSPET72		Laul72		Morgan72		Rancitelli72		Chou74		Duncan75		Korotev87	
weight					Ganapathy73		46.6 g							
SiO2 %	46.21	(a)									46.46	(a)		
TiO2	1.81	(a)	1.6	(b)							1.78	(a)	1.78	(b)
Al2O3	12.2	(a)	12.7	(b)					13.2	(b)	12.54	(a)	12.5	(b)
FeO	16.72	(a)	16.5	(b)					16.7	(b)	16.61	(a)	16.8	(b)
MnO	0.22	(a)	0.207	(b)					0.22	(b)	0.212	(a)	0.21	(b)
MgO	10.8	(a)									10.98	(a)	11	(b)
CaO	10.25	(a)	10	(b)					10.4	(b)	10.31	(a)	9.8	(b)
Na2O	0.37	(a)	0.377	(b)					0.38	(b)	0.36	(a)	0.37	(b)
K2O	0.16	(a)	0.17	(b)			0.15	(d)			0.158	(a)		
P2O5	0.17	(a)							0.17	(b)	0.184	(a)		
S %	0.07	(a)									0.08	(a)		
sum														
Sc ppm			31	(b)					34	(b)			32.9	(b)
V			139	(b)					220	(b)	129	(a)		
Cr	3353	(a)	2942	(b)							3134	(a)	3000	(b)
Co					43.6	(c)			50	(b)	50	(a)	48.5	(b)
Ni			43	(b)	150	(c)			238	(c)	224	(a)	201	(b)
Cu											3	(a)		
Zn					14	(c)			13.7	(c)	13	(a)		
Ga									4.46	(c)				
Ge ppb					317	(c)			303	(c)				
As														
Se														
Rb	4.7	(a)			4.18	(c)					4.8	(a)		
Sr	122	(a)									115	(a)	120	(b)
Y	72	(a)									67.9	(a)		
Zr	317	(a)	370	(b)							312	(a)	330	(b)
Nb											19.5	(a)		
Mo														
Ru														
Rh														
Pd ppb														
Ag ppb					30.7	(c)								
Cd ppb					36	(c)			45	(c)				
In ppb					7.4	(c)			35	(c)				
Sn ppb														
Sb ppb					1.51	(c)								
Te ppb					6.2	(c)								
Cs ppm					0.175	(c)							0.24	(b)
Ba			120	(b)					230	(b)	220	(a)	195	(b)
La			20	(b)					20	(b)			19.9	(b)
Ce			53	(b)					55	(b)			50	(b)
Pr														
Nd													30	(b)
Sm			9.7	(b)					9.35	(b)			9.56	(b)
Eu			0.77	(b)					1.1	(b)			1.17	(b)
Gd														
Tb			1.8	(b)					1.7	(b)			1.93	(b)
Dy									10	(b)				
Ho														
Er														
Tm														
Yb			6.2	(b)					6.4	(b)			6.7	(b)
Lu			1.1	(b)					0.91	(b)			0.99	(b)
Hf			7.1	(b)					6.4	(b)			8.1	(b)
Ta			0.83	(b)									0.98	(b)
W ppb														
Re ppb					0.64	(c)								
Os ppb														
Ir ppb					6.3	(c)			6.3	(c)			5.7	(b)
Pt ppb														
Au ppb					2.09	(c)			2.4	(c)			1.3	(b)
Th ppm	3.1	(a)	3.4	(b)			4.15	(d)	2.9	(b)			3.4	(b)
U ppm			1	(b)			1.03	(d)					0.89	(b)

technique: (a) XRF, (b) INAA, (c) RNAA, (d) radiation count.

Table 2. Chemical composition of 15511

reference	Laul 73		Chou74		Duncan75		Korotev87	
weight								
SiO2 %					46.04	(c)		
TiO2	1.9	(a)			1.8	(c)	1.8	(a)
Al2O3	12.4	(a)	12.5	(a)	12.14	(c)	12.3	(a)
FeO	17.4	(a)	15.8	(a)	16.79	(c)	16.9	(a)
MnO	0.216	(a)	0.23	(a)	0.215	(c)	0.22	(a)
MgO	12	(a)			10.89	(c)	10.9	(a)
CaO	10	(a)	9.4	(a)	10.2	(c)	10.3	(a)
Na2O	0.369	(a)	0.38	(a)	0.35	(c)	0.39	(a)
K2O	0.14	(a)	0.17	(a)	0.153	(c)		
P2O5					0.193	(c)		
S %					0.08	(c)		
sum								
Sc ppm	32	(a)	32	(a)			33.1	(a)
V	149	(a)	130	(a)	131	(c)	130	(a)
Cr	3106	(a)	3200	(a)	3168	(c)	3220	(a)
Co	48	(a)	47	(a)	47	(c)	48.1	(a)
Ni			213	(b)	197	(c)	215	(a)
Cu					10	(c)		
Zn			14.5	(b)	16	(c)		
Ga			4.65	(b)				
Ge ppb			325	(a)				
As								
Se								
Rb					4.9	(c)		
Sr					115	(c)	105	(a)
Y					68.7	(c)		
Zr	?				319	(c)	300	(a)
Nb					19.9	(c)		
Mo								
Ru								
Rh								
Pd ppb								
Ag ppb								
Cd ppb			43	(b)				
In ppb			44	(b)				
Sn ppb								
Sb ppb								
Te ppb								
Cs ppm							0.2	(a)
Ba	220	(a)	190	(a)	210	(c)	211	(a)
La	20	(a)	20	(a)			21.6	(a)
Ce	52	(a)	59	(a)			57	(a)
Pr								
Nd							35	(a)
Sm	9.1	(a)	9.35	(a)			10.4	(a)
Eu	1.3	(a)	1.15	(a)			1.23	(a)
Gd								
Tb	1.9	(a)	1.7	(a)			1.95	(a)
Dy	11	(a)	11	(a)				
Ho								
Er								
Tm								
Yb	6.9	(a)	6.5	(a)			7.2	(a)
Lu	0.98	(a)	0.9	(a)			0.98	(a)
Hf	6.4	(a)	6.5	(a)			8.1	(a)
Ta	1.2	(a)					1.05	(a)
W ppb								
Re ppb								
Os ppb								
Ir ppb			5.8	(b)			6.4	(a)
Pt ppb								
Au ppb			2	(b)				(a)
Th ppm	3	(a)	3	(a)			3.1	(a)
U ppm	0.7	(a)					0.81	(a)

technique: (a) INAA, (b) RNAA, (c) XRF



Figure 6: Rare gas in 15531 (Alexander et al. 1976).

References for 15500, 15510 and 15530.

Alexander E.C., Bates A., Coscio M.R., Dragon J.C., Mutthy V.R., Pepin R.O. and Venkatesan T.R. (1977) K/Ar dating of lunar soils II. *Proc. 7th Lunar Sci. Conf.* 625-648.

Baedecker P.A., Chou C.-L. and Wasson J.T. (1972) The extralunar component in lunar soils and breccias. *Proc. 3rd Lunar Sci. Conf.* 1343-1361.

Baedecker P.A., Chou C.-L., Grunewicz E.B. and Wasson J.T. (1973) Volatile and siderophile trace elements in Apollo 15 samples – geochemical implications. *Proc. 4th Lunar Sci. Conf.* 1177-1196.

Basford J.R., Dragon J.C., Pepin R.O., Coscio M.R. and Murthy V.R. (1973) Krypton and Xenon in lunar fines. *Proc. 4th Lunar Sci. Conf.* 1915-1955.

Basu A. and McKay D.S. (1979) Petrography and provenance of Apollo 15 soils. *Proc. 10th Lunar Sci. Conf.* 1413-1424.

Basu A., McKay D.S., Griffiths S.A. and Nace G. (1981) Regolith maturation on the Earth and the Moon with an example from Apollo 15. *Proc. 12th Lunar Planet. Sci. Conf.* 433-449.

Best J.B. and Minkin J.A. (1972) Apollo 15 glasses of impact origin. *In* **The Apollo 15 Lunar Samples**, 34-39. Lunar Planetary Institute, Houston.

Butler P. (1971) Lunar Sample Catalog, Apollo 15. Curators' Office, MSC 03209

Carr M.H. and Meyer C.E. (1974) The regolith at the Apollo 15 site and its stratigraphic implications. *Geochem. Cosmochem, Acta* **38**, 1183-1197.

Table 3. Chemical composition of 15531.

reference	Laul 72		Schnetzler72		Baedecker73		Korotov87		Fruchter73		Wanke73		Murthy72	
weight														
SiO2 %											46.4			
TiO2	2.1	(a)					2.2	(a)	2.2	(a)	2.17	(a)		
Al2O3	10	(a)					9.9	(a)	10	(a)	9.9	(a)		
FeO	19.5	(a)					20.9	(a)	20.7	(a)	20.7	(a)		
MnO	0.248	(a)					0.22	(a)			0.25	(a)		
MgO							11.3	(a)			11.49	(a)		
CaO	10.5	(a)					8	(a)			9.4	(a)		
Na2O	0.301	(a)					0.27	(a)	0.29	(a)	0.3	(a)		
K2O	0.09	(a)	0.091	(c)					0.09	(a)	0.086	(a)	0.109	(c)
P2O5														
S %														
sum														
Sc ppm	36	(a)					40.7	(a)	41	(a)	39.9	(a)		
V	182	(a)												
Cr	3353	(a)					3840	(a)	3750	(a)	3810	(a)		
Co	50	(a)					55.1	(a)	53	(a)	55	(a)		
Ni					145	(b)	183	(a)						
Cu														
Zn					8	(b)								
Ga					3.9	(b)								
Ge ppb					141	(b)								
As														
Se														
Rb			2.24	(c)									2.618	(c)
Sr			103	(c)			100	(a)					104.3	(c)
Y														
Zr	130	(a)	173	(c)			200	(a)						
Nb														
Mo														
Ru														
Rh														
Pd ppb														
Ag ppb														
Cd ppb					21	(b)								
In ppb					*400*	(b)								
Sn ppb														
Sb ppb														
Te ppb														
Cs ppm							0.13	(a)						
Ba	110	(a)	117	(c)			149	(a)					118	(c)
La	10.9	(a)	28.4	(c)			13.6	(a)	12	(a)	11.6	(a)		
Ce	35	(a)	19.6	(c)			37	(a)						
Pr														
Nd			5.81	(c)			21	(a)			24	(a)		
Sm	5.7	(a)	1	(c)			6.82	(a)	5.7	(a)	5.9	(a)		
Eu	1	(a)					1.095	(a)	1	(a)	1.04	(a)		
Gd		(a)	7.44	(c)										
Tb	1	(a)					1.05	(a)	1.2	(a)				
Dy			8.06	(c)							8	(a)		
Ho											2	(a)		
Er			4.67	(c)										
Tm														
Yb	4.8	(a)	4.14	(c)			3.61	(a)	4.2	(a)	3.9	(a)		
Lu	0.66	(a)	0.61	(c)			0.534	(a)	0.67	(a)	0.67	(a)		
Hf	4.4	(a)					4.1	(a)	4.2	(a)	3.9	(a)		
Ta	0.6	(a)					0.57	(a)			0.52	(a)		
W ppb														
Re ppb														
Os ppb														
Ir ppb					3.4	(b)	2	(a)						
Pt ppb														
Au ppb					1.8	(b)	1	(a)						
Th ppm	1.8	(a)					1.19	(a)						
U ppm							0.29	(a)						

technique: (a) INAA, (b) RNAA, (c) IDMS



Chou C.-L., Boynton W.V., Sundberg L.L. and Wasson J.T. (1975) Volatiles on the surface of Apollo 15 green glass and trace-element distributions among Apollo 15 soils. *Proc. 6th Lunar Sci. Conf.* 1701-1727.

Compston W., de Laeter J.R. and Vernon M.J. (1972) Strontium isotope geochemistry of Apollo 15 basalts. *In* **The Apollo 15 Lunar Samples** (Chamberlain and Watkins , eds.), 347-351. Lunar Science Institute, Houston.

Duncan A.R., Sher M.K., Abraham Y.C., Erlank A.J., Willis J.P. and Ahrens L. (1975) Interpretation of compositional variability of Apollo 15 soils. *Proc. 6th Lunar Sci. Conf.* 2309-2320.

Fruchter J.S., Stoeser J.W., Lindstrom M.M. and Goles G.G. (1973) Apollo 15 clastic materials and their relationship to local geologic features. *Proc. 4th Lunar Sci. Conf.* 1227-1237.

Ganapathy R., Morgan J.W., Krahenbuhl U. and Anders E. (1973) Ancient meteoritic components in lunar highland rocks: Clues from trace elements in Apollo 15 and 16 samples. *Proc. 4th Lunar Sci. Conf.* 1239-1261.

Graf J.C. (1993) Lunar Soils Grain Size Catalog. NASA Reference Pub. 1265, March 1993

Griffiths S.A., Basu A., McKay D.S. and Nace G-A. (1981) Petrology of Apollo 15 station 9A surface and drive tube soils. *Proc. 12th Lunar Sci. Conf.* 475-484.

Heiken G.H. (1974) A catalog of lunar soils. JSC Curator

Heiken G.H. (1975) Petrology of lunar soils. *Rev. Geophys. Space Phys.* **13**, 567-587.

Helmke P.A., Blanchard D.P., Haskin L.A., Telander K., Weiss C. and Jacobs J.W. (1973) Major and trace elements in igneous rocks from Apollo 15. *The Moon* **8**, 129-148.

Kaplan I.R., Kerridge J.F. and Petrowski C. (1976) Light element geochemistry of the Apollo 15 site. *Proc. 7th Lunar Sci. Conf.* 481-492.

Korotev R.L. (1987) Mixing levels, the Apennine Front soil component, and compositional trends in the Apollo 15 soils. *Proc. 17th Lunar Planet. Sci. Conf.* E411-431.

Laul J.C., Wakita H., Showalter D.L., Boynton W.V. and Schmitt R.A. (1972) Bulk, rare earth, and other trace elements in Apollo 14 and 15 and Luna 16 samples. *Proc. 3rd Lunar Sci. Conf.* 1181-1201.

Laul J.C. and Schmitt R.A. (1973b) Chemical composition of Apollo 15, 16, and 17 samples. *Proc. 4th Lunar Sci. Conf.* 1349-1367.

LSPET (1972a) The Apollo 15 lunar samples: A preliminary description. *Science* **175**, 363-375.

LSPET (1972b) Preliminary examination of lunar samples. Apollo 15 Preliminary Science Report. NASA SP-289, 6-1—6-28.

Moore C.B., Lewis C.F. and Gibson E.K. (1973) Total carbon contents of Apollo 15 and 16 lunar samples. *Proc. 4th Lunar Sci. Conf.* 1613-1923.

Morgan J.W., Krahenbuhl U., Ganapathy R. and Anders E. (1972a) Trace elements in Apollo 15 samples: Implications for meteorite influx and volatile depletion on the moon. *Proc. 3rd Lunar Sci. Conf.* 1361-1376.

Morris R.V. (1978) The surface exposure (maturity) of lunar soils: Some concepts and Is/FeO compilation. *Proc. 9th Lunar Planet . Sci. Conf.* 2287-2298.

Morris R.V., Score R., Dardano C. and Heiken G. (1983) Handbook of Lunar Soils. JSC 19069

Murthy V.R., Evensen N.M., Jahn B.-M. and Coscio M.R. (1972) Apollo 14 and 15 samples: Rb-Sr ages, trace elements, and lunar evolution. *Proc. 3rd Lunar Sci. Conf.* 1503-1514.

Phakey P.P., Hutcheon I.D., Rajan R.S. and Price B. (1972) Radiation effects in soils from five lunar missions. *Proc. 3rd Lunar Sci. Conf.* 2905-2915.

Powell B.N. (1972) Apollo 15 Coarse Fines (4-10mm): Sample classification, description and inventory. MSC 03228 Curator's Office JSC

Powell B.N., Aitken F.K. and Weiblen P.W. (1973) Classification, distribution and origin of lithic fragments from the Hadley-Apennine region. *Proc. 4th Lunar Sci. Conf.* 445-460.

Rancitelli L.A., Perkins R.W., Felix W.D. and Wogman N.A. (1972) Lunar surface processes and cosmic ray characterization from Apollo 12-15 lunar samples analyses. *Proc. 3rd Lunar Sci. Conf.* 1681-1691.

Ryder G. and Sherman S.B. (1989) The Apollo 15 Coarse Fines. Curators Office #81, JSC#24035

Schnetzler C.C., Philpotts J.A., Nava D.F., Schuhmann S. and Thomas H.H. (1972) Geochemistry of Apollo 15 basalt 15555 and soil 15531. *Science* **175**, 426-428.

Swann G.A., Hait M.H., Schaber G.C., Freeman V.L., Ulrich G.E., Wolfe E.W., Reed V.S. and Sutton R.L. (1971b) Preliminary description of Apollo 15 sample environments. U.S.G.S. Interagency report: 36. pp219 with maps

Swann G.A., Bailey N.G., Batson R.M., Freeman V.L., Hait M.H., Head J.W., Holt H.E., Howard K.A., Irwin J.B., Larson K.B., Muehlberger W.R., Reed V.S., Rennilson J.J., Schaber G.G., Scott D.R., Silver L.T., Sutton R.L., Ulrich G.E., Wilshire H.G. and Wolfe E.W. (1972) 5. Preliminary Geologic Investigation of the Apollo 15 landing site. In Apollo 15 Preliminary Science Rpt. NASA SP-289. pages 5-1-112.

Walker R.J. and Papike J.J. (1981) The Apollo 15 regolith: Chemical modeling and mare/highland mixing. *Proc. 12th Lunar Planet. Sci. Conf.* 509-517.

Wanke H., Baddenhausen H., Balacescu A., Teschke F., Spettle B., Dreibus G., Palme H., Quijano-Rico M., Kruse H., Wlotzka F. and Begemann F. (1972) Multielement analyses of Lunar Samples and some implications of the results. *Proc. 3rd Lunar Sci. Conf.* 1251-1268.