

67746

Noritic Anorthosite

3.5 grams



Figure 1: Photo of mm scale, aluminium foil and 67746 (a metamorphic rock). S72-49567



Figure 2: Photomicrograph of thin section 67746, 1. 2 mm across. (from Ryder and Norman 1980)

Introduction

67746 is a rake sample collected from the rim of North Ray Crater – see section on 67701. It has both an unusual granoblastic texture and an unusual REE pattern. Particles like this were pictured by John Wood from the coarse fines of Apollo 11 – causing him to speculate on an anorthositic crust for the moon !.

Petrography

67746 has > 75 % plagioclase with a granulitic-poikilitic texture (figure 2). Large pyroxene grains completely surround rounded olivine and plagioclase. Ilmenite and metallic Ni-Fe grains are found between pyroxene oikocrysts. Hansen et al. (1979) gave some mineral analyses (figure 3).

Chemistry

Stoffler et al. (1985) reported analyses for major elements (table) and REE (figure 4). The REE pattern indicates zircon is present.

Radiogenic age dating

Not

Processing

There are 3 thin sections of 67746.

Mineralogical Mode 67746

Stoffler et al. 1985

Plagioclase	75 – 76 %
Pyroxene	13 - 25
Olivine	10
Opaque	0.5





Figure 3: Pyroxene and olivine in 67746.



References for 67746

Butler P. (1972a) Lunar Sample Information Catalog Apollo 16. Lunar Receiving Laboratory. MSC 03210 Curator's Catalog. pp. 370.

Hansen E.C., Steele I.M. and Smith J.V. (1979a) Lunar highland rocks: Element partitioning among minerals 1: Electron microprobe analyses of Na, K, and Fe in plagioclase; mg partitioning with orthopyroxene. *Proc. 10th Lunar Planet. Sci. Conf.* 627-638.

Jessberger E.K. (1983) ^{40}Ar - ^{39}Ar dating of North Ray Crater ejecta (abs). *Lunar Planet. Sci. XIV*, 349-350. Lunar Planetary Institute, Houston.

LSPET (1973b) The Apollo 16 lunar samples: Petrographic and chemical description. *Science* **179**, 23-34.

LSPET (1972c) Preliminary examination of lunar samples. In Apollo 16 Preliminary Science Report. NASA SP-315, 7-1—7-58.

Ryder G. and Norman M.D. (1980) Catalog of Apollo 16 rocks (3 vol.). Curator's Office pub. #52, JSC #16904

Table 1. Chemical composition of 67746

reference	Stoffler85	Stoffler85
weight	Borchardt	,8
SiO ₂ %	46.7	(a)
TiO ₂	0.21	(a) 0.19 (b)
Al ₂ O ₃	24.77	(a) 23.63 (b)
FeO	5.46	(a) 5.49 (b)
MnO	0.07	(a)
MgO	9.77	(a) 10.52 (b)
CaO	11.24	(a) 11.64 (b)
Na ₂ O	0.42	(a) 0.4 (b)
K ₂ O	0.05	(a) 0.05 (b)
P ₂ O ₅	0.01	(a)
S %		
sum		
Sc ppm	7.43	(b)
V		
Cr		
Co	20.4	(b)
Ni	226	(b)
Cu		
Zn		
Ga		
Ge ppb		
As		
Se		
Rb		
Sr		
Y		
Zr		
Nb		
Mo		
Ru		
Rh		
Pd ppb		
Ag ppb		
Cd ppb		
In ppb		
Sn ppb		
Sb ppb		
Te ppb		
Cs ppm		
Ba	62	(b)
La		
Ce		
Pr		
Nd		
Sm	1.06	(b)
Eu		
Gd		
Tb		
Dy		
Ho		
Er		
Tm		
Yb	1.75	(b)
Lu		
Hf		
Ta		
W ppb		
Re ppb		
Os ppb		
Ir ppb		
Pt ppb		
Au ppb		
Th ppm		
U ppm		
technique:	(a) DBA, (b) INAA	




Figure 4: Normalized rare-earth-element diagram for mostly “granulitic breccias” with 67746 shown crossways (from Stöffler et al. 1985)


Smith J.V. and Steele I.M. (1972c) Apollo 16 rake samples 67515 to 68537: Sample classification, description and inventory. Curator Catalog, JSC

Sutton R.L. (1981) Documentation of Apollo 16 samples. In Geology of the Apollo 16 area, central lunar highlands. (Ulrich et al.) U.S.G.S. Prof. Paper 1048.

Smith J.V., Hansen E.C. and Steele I.M. (1980) Lunar highland rocks: Element partitioning among minerals II: Electron microprobe analyses of Al, P, Ca, Ti, Cr, Mn and Fe in olivine. *Proc. 11th Lunar Planet. Sci. Conf.* 555-569.

Stöffler D., Bischoff A., Borchardt R., Burghelle A., Deutsch A., Jessberger E.K., Ostertag R., Palme H., Spettel B., Reimold W.U., Wacker K. and Wanke H. (1985) Composition and evolution of the lunar crust in the Descartes highlands. *Proc. 15th Lunar Planet. Sci. Conf.* in J. Geophys. Res. **90**, C449-C506.

Figure 5: Thin section photos of 67746,8. 2 mm across



*Figure 6: Thin section
photos of 67746,12. 2 mm
across*

