

71539
Ilmenite Basalt
10.9 grams




Figure 1: Photo of 71539 with mm scale. S73-33461

Introduction

71539 is a rake sample from the comprehensive sample taken near Steno Crater – see section on 71500. It is a high-Ti mare basalt with a measured age of 3.75 b.y., but is somewhat different from most Apollo 17 basalts.

Petrography

According to Warner et al. (1979), 71539 has a subophitic-granular texture with interlocking pyroxene and plagioclase (figure 3). It has a lower content of ilmenite than other Apollo 17 basalts.

71539 has some similarity to Apollo 11 basalts from a thousand miles away.




Figure 2: Map of station 1 where large rake sample 715XX was taken.



Figure 3: Thin section photos of texture of 71539.
Field of view 2.5 mm




Figure 4: Pyroxene and olivine composition for 71539 (Warner et al. 1978).

Mineralogical Mode

Olivine	tr.
Pyroxene	50.2
Plagioclase	32.2
Opaques	12.2
Silica	4.5
Meostasis	0.8

Chemistry

Murali et al. (1977) found that 71539 had lower Ti than other Apollo 17 basalts, but had a REE pattern similar to type A Apollo 17 basalt (figure 6). Paces et al. (1991) found high Rb.

Radiogenic age dating

Paces et al. (1991) dated 71539 at 3670 ± 98 m.y. by Rb/Sr internal isochron and 3750 ± 67 m.y. by the more reliable Sm/Nd method.

Processing

There is only one thin section of 71539.




Table 1. Chemical composition of 71539.

reference	Murali77	Paces91
weight		
SiO ₂ %		
TiO ₂	8.6	(a)
Al ₂ O ₃	9.8	(a)
FeO	19.1	(a)
MnO	0.26	(a)
MgO	5.4	(a)
CaO	12.1	(a)
Na ₂ O	0.47	(a)
K ₂ O	0.081	(a)
P ₂ O ₅		
S %		
sum		
Sc ppm	73	(a)
V	36	(a)
Cr	1273	(a)
Co	13.5	(a)
Ni		
Cu		
Zn		
Ga		
Ge ppb		
As		
Se		
Rb		0.787
Sr		229
Y		
Zr		
Nb		
Mo		
Ru		
Rh		
Pd ppb		
Ag ppb		
Cd ppb		
In ppb		
Sn ppb		
Sb ppb		
Te ppb		
Cs ppm		
Ba		
La	8	(a)
Ce	30	(a)
Pr		
Nd		32.5
Sm	12.1	(a)
Eu	2.44	(a)
Gd		
Tb	3.3	(a)
Dy	21	(a)
Ho		
Er		
Tm		
Yb	11.5	(a)
Lu	1.52	(a)
Hf	9.9	(a)
Ta	1.8	(a)
W ppb		
Re ppb		
Os ppb		
Ir ppb		
Pt ppb		
Au ppb		
Th ppm		
U ppm		
technique:	(a) INAA, (b) IDMS	




Figure 5: Composition of 71539 compared with that of other Apollo basalts.



Figure 6: Normalized rare-earth-element diagram for 71539 and type A and B Apollo 17 basalts.

References for 71539

- Butler P. (1973) **Lunar Sample Information Catalog Apollo 17.** Lunar Receiving Laboratory. MSC 03211 Curator's Catalog. pp. 447.
- LSPET (1973) Apollo 17 lunar samples: Chemical and petrographic description. *Science* **182**, 659-672.
- LSPET (1973) Preliminary Examination of lunar samples. Apollo 17 Preliminary Science Rpt. NASA SP-330. 7-1 – 7-46.
- Muehlberger et al. (1973) Documentation and environment of the Apollo 17 samples: A preliminary report. Astrogeology 71 322 pp superceeded by Astrogeology 73 (1975) and by Wolfe et al. (1981)
- Muehlberger W.R. and many others (1973) Preliminary Geological Investigation of the Apollo 17 Landing Site. In **Apollo 17 Preliminary Science Report.** NASA SP-330.
- Murali A.V., Ma M.-S., Schmitt R.A., Warner R.D., Keil K. and Taylor G.J. (1977b) Chemistry of 30 Apollo 17 rake basalts; 71597 a product of partial olivine accumulation (abs). *Lunar Sci. VIII*, 703-705. Lunar Planetary Institute, Houston.
- Neal C.R. and Taylor L.A. (1993) Catalog of Apollo 17 rocks. Vol. 3 Central Valley
- Papike J.J., Hodges F.N., Bence A.E., Cameron M. and Rhodes J.M. (1976) Mare basalts: Crystal chemistry, mineralogy and petrology. *Rev. Geophys. Space Phys.* **14**, 475-540.
- Paces J.B., Nakai S., Neal C.R., Taylor L.A., Halliday A.N. and Lee D.-C. (1991) A strontium and neodymium isotopic study of Apollo 17 high-Ti mare basalts: Resolution of ages, evolution of magmas, and origin of source heterogeneities. *Geochim. Cosmochim. Acta* **55**, 2025-2043.
- Warner R.D., Keil K., Nehru C.E. and Taylor G.J. (1978) Catalogue of Apollo 17 rake samples from Stations 1a, 2, 7, and 8. Spec. Publ. #18, UNM Institute of Meteoritics, Albuquerque. 88 pp.
- Warner R.D., Nehru C.E. and Keil K. (1978g) Opaque oxide mineral crystallization in lunar high-titanium basalts. *Am. Mineral.* **68**, 1209-1224.
- Warner R.D., Taylor G.J., Conrad G.H., Northrop H.R., Barker S., Keil K., Ma M.-S. and Schmitt R. (1979a) Apollo 17 high-Ti mare basalts: New bulk compositional data, magma types, and petrogenesis. *Proc. 10th Lunar Planet. Sci. Conf.* 225-247.
- Wolfe E.W., Lucchitta B.K., Reed V.S., Ulrich G.E. and Sanchez A.G. (1975) Geology of the tarus-Littrow valley floor. *Proc. 6th Lunar Sci. Conf.* 2463-2482.
- Wolfe E.W., Bailey N.G., Lucchitta B.K., Muehlberger W.R., Scott D.H., Sutton R.L and Wilshire H.G. (1981) The geologic investigation of the Taurus-Littrow Valley: Apollo 17 Landing Site. US Geol. Survey Prof. Paper, 1080, pp. 280.