

15012
Trench Soil (vacuum container)
312.2 grams



Figure 1: Trench at Apollo 15, station 6. AS15-86-11643. 15012 and 15260 were collected from the bottom of this trench (~25 cm?).

Introduction

15012 was collected from the bottom of a small trench at station 6 – along with sample 15260 (Swann et al. 1972, 1973). It was returned in a special environmental sample container (SESC). The trench is ~20-25 cm deep, but some slumping may have occurred (figure 1). The trench was dug in the rim of a 12 meter crater.

Samples of 15012 and 15260 have never been directly compared to see what difference there is with respect to the processing done at Berkeley and the LRL. 15012 was not sieved and should be drier.

Petrography

15012 is a mature soil based on $I_s/FeO = 66$. The maturity of 15261, from the same trench, was 77 (Morris 1978). The agglutinate content of 15261 was




Figure 2: SESC used to collect 15012 from bottom of trench (drawing from Allton 1989).




Figure 3: Composition diagram for all Apollo soil samples, with composition of 15012 indicated.





Figure 4: Carbon content and maturity of 15012 compared with that of other lunar soils. Data from Kaplan et al. (1976) and Morris (1977).



Average grain size = 53 microns




Figure 5: Grain size distribution for 15012 (Graf 1993).




Figure 6a: Sketch of particles found in 15012. The scratches are 1 mm apart (from Burlingame et al. 1972).




Figure 6b: Photo of particles found in 15012 (from Burlingame et al. 1972).




Figure 7: The largest particle 15012,B




Figure 8: Another large particle 15012,C




Figure 9a: Additional particles found in 15012 (from Burlingame 1972).




Figure 9b: Sketch of additional particles found in 15012 (mm scale). Also Burlingame et al. 1972.

~50%. The grain size analysis (figure 5) shows the average grain size is 53 microns.

Eleven small pebbles were encountered and separated from the SESC 15012 fines material (Burlingame 1972). These are illustrated here as figures 6 – 9 and were all placed in UCB #96. They do not seem to have been studied further.

Mineralogical Mode

Not determined –see 15261.

Chemistry

The only bulk chemical analysis of 15012 is by Christian et al. (1976), which seems to match that of 15260 collected from the bottom of the same trench

Table 1. Chemical composition of 15012.

reference weight	Christian76		Korotev87 15260 for comparison	
SiO ₂ %	46.77	(a)		
TiO ₂	1.46	(a)	1.5	(b)
Al ₂ O ₃	16.75	(a)	16.4	(b)
FeO	12.4	(a)	12.3	(b)
MnO	0.17	(a)	0.16	(b)
MgO	10.35	(a)	10.7	(b)
CaO	10.95	(a)	11	(b)
Na ₂ O	0.45	(a)	0.44	(b)
K ₂ O	0.21	(a)		
P ₂ O ₅	0.22	(a)		
S %				
sum				
Sc ppm			23.8	(b)
V				
Cr	2053	(a)	2260	(b)
Co			40.9	(b)
Ni			247	(b)
Cu				
Zn				
Ga				
Ge ppb				
As				
Se				
Rb				
Sr			150	(b)
Y				
Zr			330	(b)
Nb				
Mo				
Ru				
Rh				
Pd ppb				
Ag ppb				
Cd ppb				
In ppb				
Sn ppb				
Sb ppb				
Te ppb				
Cs ppm			0.29	(b)
Ba			251	(b)
La			25.4	(b)
Ce			66	(b)
Pr				
Nd			38	(b)
Sm			11.9	(b)
Eu			1.39	(b)
Gd				
Tb			2.33	(b)
Dy				
Ho				
Er				
Tm				
Yb			8.1	(b)
Lu			1.2	(b)
Hf			9.2	(b)
Ta			1.13	(b)
W ppb				
Re ppb				
Os ppb				
Ir ppb			7.5	(b)
Pt ppb				
Au ppb			107	(b)
Th ppm			4.2	(b)
U ppm			1.13	(b)

technique: (a) microchemical, (b) INAA


(table 1). Moore et al. (1972), Des Marais et al. (1974), Kothari and Goel (1973), Chang et al. (1994) and Kaplan et al. (1976) determined the C and N content (and isotopic ratios). These values are similar to those of 15261 and consistent with the maturity (figure 4). Moore et al. reported 140 ppm C while Des Marais et al. reported 74 ppm C. Muller (1973) and Kothari and Goel (1973) reported 106 ppm and 110 ppm nitrogen, respectively.

Other Studies

Fox et al. (1973) reported trace amounts of amino acids (?) in 15012.

Processing

SESC container 15012 was returned in ALSRC#2 – which leaked N₂. It was transferred directly to Burlingame and opened in He cabinet in Berkeley (Simoneit et al. 1971). Subsamples of 15012 were widely distributed to PIs directly from the Berkeley Lab (Burlingame et al. 1971).



References for 15012

- Allton J.H. (1989) Catalog of Apollo Lunar Surface Geological Sampling Tools and Containers. JSC 23454.
- Burlingame A.L., Holland P., McFadden W.H., Simoneit B.R., Wilder J.T. and Wzzolek P.C. (1971) UCB Space Science Laboratory organic clean room and lunar material transfer facilities. Univ. California, Space Sciences Lap Rpt. May 18
- Butler (1972) Lunar Sample Information Catalog: Apollo 15. MSC 03209
- Chang S., Smith J., Sakai H., Petrowski C., Kvenvolden K.A. and Kaplan I.R. (1972) Carbon nitrogen and sulfur released during pyrolysis of bulk Apollo 15 fines (abs). *In The Apollo 15 Samples*. 291-293. LPI.
- Chang S., Lawless J., Romiez M., Kaplan I.R., Petrowski C., Sakai H. and Smith J.W. (1974) Carbon, nitrogen and sulfur abundances in lunar fines 15012 and 15013 – abundances, distributions and isotopic compositions. *Geochim. Cosmochim. Acta* **38**, 853-872.
- Christian R.P., Berman S., Dwornik E.J., Rose H.J. and Schnepfe M.M. (1976) Composition of some Apollo 14, 15 and 16 lunar breccias and two Apollo 15 soils. (abs) LS VII, 138-140. LPI
- DesMarais D.J., Hayes J.M. and Meinshein W.G. (1973a) The distribution in lunar soil of carbon released by pyrolysis (abs). *Lunar Sci.* **IV**, 178-181. LPI.
- DesMarais D.J., Hayes J.M. and Meinshein W.G. (1973b) The distribution in lunar soil of carbon released by pyrolysis. *Proc. 4th Lunar Sci. Conf.* 1543-1558.
- DesMarais D.J., Hayes J.M. and Meinshein W.G. (1977) The distribution in lunar soil of hydrogen released by pyrolysis. *Proc. 5th Lunar Sci. Conf.* 1811-1822.
- DesMarais D.J., Basu A., Hayes J.M. and Meinshein W.G. (1975) Evolution of carbon isotopes, agglutinates and the lunar regolith. *Proc. 6th Lunar Sci. Conf.* 2353-2374.
- Fox S.W., Harada K. and Hare P.E. (1973) Accumulated analyses of amino acid precursors in returned lunar samples. *Proc. 4th Lunar Sci. Conf.* 2241-2248.
- Goel P.S., Shukla P.N., Kothari B.K. and Garg A.N. (1974) Solar wind as source of nitrogen in lunar fines (abs). LS V, 270-272. LPI.
- Goldberg R.H., Burnett D.S. and Trombrello T.A. (1975) Fluorine surface films on lunar samples: Evidence for both lunar and terrestrial origins. *Proc. 6th Lunar Sci. Conf.* 2189-2200.
- Kaplan I.R., Kerridge J.F. and Petrowski C. (1976) Light element geochemistry of the Apollo 15 site. *Proc. 7th Lunar Sci. Conf.* 481-492.
- Keihm S.J. and Langseth M.G. (1973) Surface brightness temperatures at the Apollo 17 heat flow site – thermal conductivity of the upper 15 cm of the regolith. *Proc. 4th Lunar Sci. Conf.* 2503-2514.
- Kothari B.K. and Goel P.S. (1972) Total nitrogen abundances in several lunar samples (abs). *Lunar Sci.* **IV**, 292- 293. LPI.
- Kothari B.K. and Goel P.S. (1973) Nitrogen in lunar samples. *Proc. 4th Lunar Sci. Conf.* 1587-1596.

- LSPET (1972) Apollo 15 Lunar samples – preliminary description. *Science* **175**, 363-375.
- Moore C.B. and Cripe J.D. (1974) Total sulfur contents of Apollo 15 and Apollo 16 lunar samples (abs). *Lunar Sci.* **V**, 523-525. LPI.
- Moore C.B., Lewis C.F. and Gibson E.K. (1972) Carbon and nitrogen in Apollo 15 lunar samples (abs). *In **The Apollo 15 Lunar Samples*** 316-318. LPI.
- Moore C.B., Lewis C.F. and Gibson E.K. (1973) Total carbon contents of Apollo 15 and 16 lunar samples. *Proc. 4th Lunar Sci. Conf.* 1613-1624.
- Morris R.V. (1978) The surface exposure (maturity) of lunar soils: Some concepts and Is/FeO compilation. *Proc. 9th Lunar Planet. Sci. Conf.* 2287-2298.
- Morris R.V. (1980) Origins and size distribution of metallic iron particles in the lunar regolith. *Proc. 11th Lunar Planet. Sci. Conf.* 1697-1712.
- Muller O. (1973) Chemically bound nitrogen contents of Apollo 16 and Apollo 15 lunar fines. *Proc. 4th Lunar Sci. Conf.* 1625-1634.
- Muller O. (1974) Solar wind nitrogen and indigenous nitrogen in Apollo 17 lunar samples. *Proc. 5th Lunar Sci. Conf.* 1907-1918.
- Muller O., Grallath E. and Tolg G. (1976) Nitrogen in lunar igneous rocks. *Proc. 7th Lunar Sci. Conf.* 1615-1622.
- Petrowski C., Kaplan I.R. and Kerridge J.F. (1976) Light element geochemistry of the Apollo 15 site (abs). *Lunar Sci.* **VII**, 685-687. LPI.
- Sakai H., Chang S., Petrowski C., Smith J. and Kaplan I.R. (1972) Distribution of carbon and sulfur in hydrolyzed Apollo 15 lunar fines (abs). *In **The Apollo 15 Lunar Samples***. 319-323. LPI.
- Simoneit B.R., Wilder J.T., Wszolek P.C. and Burlingame A.L. (1972) UCB Space Science Laboratory organic clean room and lunar material transfer facilities. The transfer of pristine lunar material from the Apollo 15 SESC 15012 and SESC 15013. Univ. California Space Sciences Lab Rpt. June 10. 1-154.
- Stoenner R.W., Lindstrom R.M., Lyman W. and Davis R. (1972) Argon, Radon and Tritium radioactivities in the sample return container and the lunar surface. *Proc. 3rd Lunar Sci. Conf.* 1703-1719.
- Swann G.A., Hait M.H., Schaber G.G., Freeman V.L., Ulrich G.E., Wolfe E.W., Reed V.S. and Sutton R.L. (1971) Preliminary description of Apollo 15 sample environments. U.S.G.S. Interagency report : 36.
- Swann G.A., Bailey N.G., Batson R.M., Freeman V.L., Hait M.H., Head J.W., Holt H.E., Howard K.A., Irwin J.B., Larson K.B., Muehlberger W.R., Reed V.S., Rennilson J.J., Schaber G.G., Scott D.R., Silver L.T., Sutton R.L., Ulrich G.E., Wilshire H.G. and Wolfe E.W. (1972) 5. Preliminary Geologic Investigation of the Apollo 15 landing site. *In Apollo 15 Preliminary Science Rpt.* NASA SP-289. pages 5-1-112.