

63549
Basaltic Impact Melt
26.57 grams



Figure 1: Photo of 63549. Scale is 1 cm. S73-55388.

Introduction

63549 is a rake sample with numerous micrometeorite craters. It is coherent and appears to be a homogeneous impact melt rock. It has been dated at 3.84 b.y. (Imbrium age?).

Petrography

63549 was studied by Warner et al. (1973), Gooley et al. (1973) and Vaniman and Papike (1980). It has a fine grained basaltic texture (figure 2). The pyroxenes are highly zoned (figure 3). Olivine has not been reported. Metal grains are unusually high in Ni and Co (figure 4).

Chemistry

63549 is aluminous, with flat rare earth element pattern (figure 5). There are significant amounts of meteoritic siderophiles (hence impact melt, rather than endogenous volcanic origin).

Radiogenic age dating

Norman et al. (2006) reported an age of 3840 ± 11 m.y. by Ar/Ar (figure 7). Reimhold et al. (1985) reported the Sr isotopic ratio.

Other Studies

Magnetic properties of 63549 were reported by Pearce and Simonds (1974).

Processing

Chipped, not sawn. Three thin section.

Summary of Age Data for 63549

Ar/Ar
Norman et al. 2006 3.840 ± 0.011 b.y.
Caution:




Figure 2: Photomicrograph of thin section 63549,8 by C Meyer @100x.




Figure 3: Pyroxene composition of 63549 (Warner et al. 1973).




Figure 4: Composition of metal in Apollo 16 samples with 63549 (Gooley et al. 1973).





Figure 5: Normalized rare-earth-element diagram for 63549 (from Ryder and Norman 1980).




Figure 6: Composition of 63549 (Vaniman and Papike 1980).




Figure 7: Ar/Ar plateau diagram for 63549 (Norman et al. 2006).

Table 1. Chemical composition of 63549.

reference weight	Boynton76	Hubbard74 Rhodes	Wiesmann75 Hubbard74	Wasson76
SiO2 %		45.68	(a)	
TiO2	0.43	(c) 0.3	(a) 0.3	(b) 0.37
Al2O3	26.5	(c) 28.59	(a)	29.8
FeO	4	(c) 4.27	(a)	4.5
MnO	0.05	(c) 0.05	(a)	0.06
MgO	4.64	(c) 4.33	(a)	4.3
CaO	15	(c) 15.2	(a)	16.9
Na2O	0.43	(c)		0.48
K2O	0.06	(c) 0.07	(a) 0.07	(b) 0.07
P2O5		0.07	(a)	
S %				
sum				
Sc ppm	6.8	(c)		7.8
V	13	(c)		22
Cr	580	(c)	625	(b) 640
Co	16.9	(c)		19.5
Ni	192	(c)		220
Cu				
Zn	1.12	(c)		4.1
Ga	2.54	(c)		2.6
Ge ppb	96	(c)		138
As				
Se				
Rb			1.764	(b)
Sr			170	(b)
Y				
Zr				
Nb				
Mo				
Ru				8
Rh				
Pd ppb				
Ag ppb				
Cd ppb	5.8	(c)		
In ppb	6.8	(c)		6.7
Sn ppb				
Sb ppb				
Te ppb				
Cs ppm				
Ba	80	(c)	74	(b) 83
La	6.3	(c)	6.39	(b) 6.8
Ce	16	(c)	16.6	(b) 16
Pr				
Nd			10.6	(b) 11
Sm	2.6	(c)	2.99	(b) 2.8
Eu	0.88	(c)	1.03	(b) 1.08
Gd			3.67	(b)
Tb	0.58	(c)		0.6
Dy	2.9	(c)	3.9	(b) 3.8
Ho				
Er			2.4	(b)
Tm				
Yb	1.96	(c)	2.23	(b) 2.2
Lu	0.26	(c)		0.31
Hf	1.8	(c)		2.2
Ta	0.3	(c)		0.24
W ppb				
Re ppb				
Os ppb				
Ir ppb	7.8	(c)		9
Pt ppb				
Au ppb	3.1	(c)		3.6
Th ppm	0.9	(c)		1.03
U ppm	0.39	(c)	0.33	(b) 0.37

technique: (a) XRF, (b) IDMS, (c) INAA

References for 63549

Boynton W.V., Chou C.-L., Robinson Karen Lee, Warren Pablo H. and Wasson J.T. (1976) Lithophiles, siderophiles and volatiles in Apollo 16 soils and rocks. *Proc. 7th Lunar Sci. Conf.* 727-742.

Butler P. (1972) Lunar Sample Information Catalog Apollo 16. Lunar Receiving Laboratory. MSC 03210 Curator's Catalog. pp. 370.

Gooley R.C., Brett R. and Warner J.L. (1973) Crystallization history of metal particles in Apollo 16 rake samples. *Proc. 4th Lunar Sci. Conf.* 799-810.

Hubbard N.J., Rhodes J.M., Wiesmann H., Shih C.Y. and Bansal B.M. (1974) The chemical definition and interpretation of rock types from the non-mare regions of the Moon. *Proc. 5th Lunar Sci. Conf.* 1227-1246.

Hunter R.H. and Taylor L.A. (1981) Rust and schreibersite in Apollo 16 highland rocks: Manifestations of volatile-element mobility. *Proc. 12th Lunar Planet. Sci. Conf.* 253-259.

Korotev R.L. (1996c) On the relationship between the Apollo 16 ancient regolith breccias and feldspathic fragmental breccias, and the composition of the prebasin crust in the Central Highlands of the Moon. *Meteor. & Planet. Sci.* **31**, 403-412.

LSPET (1973) The Apollo 16 lunar samples: Petrographic and chemical description. *Science* **179**, 23-34.

LSPET (1972) Preliminary examination of lunar samples. Apollo 16 Preliminary Science Report. NASA SP-315, 7-1—7-58.

Norman M.D., Duncan R.A. and Huard J.J. (2006) Identifying impact events within the lunar catalysm from ⁴⁰Ar-³⁹Ar ages and compositions of Apollo 16 impact melt rocks. *Geochim. Cosmochim. Acta* **70**, 6032-6049.

Pearce G.W. and Simonds C.H. (1974) Magnetic properties of Apollo 16 samples and implications for their mode of formation. *J. Geophys. Res.* **79**, 2953-2959.

Phinney W. and Lofgren G. (1973) Description, classification and inventory of Apollo 16 rake samples from stations 1, 4 and 13. Curators Office. JSC

Reimold W.U., Nyquist L.E., Bansal B.M., Wooden J.L., Shih C.-Y., Wiesmann H. and Mackinnon I.D.R. (1985) Isotope analysis of crystalline impact-melt rocks from Apollo 16 stations 11 and 13. North Ray Crater. *Proc. 15th Lunar Planet. Sci. Conf.* in *J. Geophys. Res.* **90**, C597-C612.

Ryder G. and Norman M.D. (1980) Catalog of Apollo 16 rocks (3 vol.). Curator's Office pub. #52, JSC #16904

Sutton R.L. (1981) Documentation of Apollo 16 samples. In Geology of the Apollo 16 area, central lunar highlands. (Ulrich et al.) U.S.G.S. Prof. Paper 1048.

Vaniman D.T. and Papike J.J. (1978) The lunar highland melt-rock suite. *Geophys. Res. Lett.* **5**, 429-432.

Vaniman D.T. and Papike J.J. (1980) Lunar highland melt rocks: Chemistry, petrology and silicate mineralogy. In Proc. **Conf. Lunar Highlands Crust** (Papike J.J. and Merrill R.B., eds.) 271-337. Pergamon. Lunar Planetary Institute, Houston.

Warner J.L., Simonds C.H. and Phinney W.C. (1973b) Apollo 16 rocks: Classification and petrogenetic model. *Proc. 4th Lunar Sci. Conf.* 481-504.

Wasson J.T., Warren P.H., Kallemeyn G.W., McEwing C.E., Mittlefehldt D.W. and Boynton W.V. (1977) SCCRIV, a major component of highlands rocks. *Proc. 8th Lunar Sci. Conf.* 2237-2252.