

67775
KREEP Breccia
 6.6 grams



Figure 1: Photo of 67775. Sample is 1 cm wide. S72-51259

Table 1. Chemical composition of 67775

reference weight	Stoffler85		Borchardt		Reimold85
SiO ₂ %	46.4	45.4	(a)	44.9	
TiO ₂	0.37	0.95	(a)	0.4	
Al ₂ O ₃	23.2	20.2	(a)	24.1	
FeO	5.2	8.3	(a)	5.1	
MnO	0.06	0.08	(a)	0.06	
MgO	8.8	12.7	(a)	8.1	
CaO	15.1	11.4	(a)	14.4	
Na ₂ O	0.48	0.5	(a)	0.5	
K ₂ O	0.32	0.2	(a)	0.3	
P ₂ O ₅	0.1	0.16	(a)	0.13	
S %					
Sc ppm	13.5		(b)		
Co	63.5		(b)		
Ni	900		(b)		
Rb				3.08	(c)
Sr				152	(c)
Ba	252		(b)		
Nd				39.46	(c)
Sm	13.8		(b)	11.14	(c)
Yb	8.24		(b)		

technique : (a) DBA, (b) INAA, (c) IDMS

Introduction

67766 is a rake sample collected from the rim of North Ray Crater – see section on 67701. It has a KREEP-like rare-earth-element pattern, so it must be from Imbrium. It has micrometeorite craters (figure 1).

Petrography

Reimold et al. (1985) noted that 67775 was rather unique among Apollo 16 samples in being the only sample with intergranular texture and containing a high amount of mafic mineral clasts (figure 2). Indeed it has fewer clasts of plagioclase-rich lithic fragments and a low Al₂O₃ content than other rake samples.

Mineralogical Mode 67775

	Reimold et al. 1985
Plagioclase	53.6 %
Pyroxene	42.3
Olivine	1.1
Opaque	~3
Mesostasis	-




Figure 2: Thin section photomicrograph of 67775.

Steele and Smith (1973) had earlier determined that the mafic minerals in 67775 were typical of KREEP materials (figure 3).

Chemistry

Stoffler et al. (1985) analyzed two thin sections for major elements finding high Mg/Fe ratio. They also determined the rare-earth-element content (figure 4).

Radiogenic age dating

Reimold et al. (1985) reported whole rock data, but no age.

Processing

There are two thin section, but not a lot of rock sample





Figure 3: Pyroxene and olivine composition in Apollo 16 rake samples from North Ray Crater (Steele and Smith 1973).



References for 67775

Butler P. (1972a) Lunar Sample Information Catalog Apollo 16. Lunar Receiving Laboratory. MSC 03210 Curator's Catalog. pp. 370.

LSPET (1973b) The Apollo 16 lunar samples: Petrographic and chemical description. *Science* **179**, 23-34.

LSPET (1972c) Preliminary examination of lunar samples. In Apollo 16 Preliminary Science Report. NASA SP-315, 7-1—7-58.

Reimold W.U., Nyquist L.E., Bansal B.M., Wooden J.L., Shih C.-Y., Wiesmann H. and Mackinnon I.D.R. (1985) Isotope analysis of crystalline impact-melt rocks from Apollo 16 stations 11 and 13. North Ray Crater. *Proc. 15th Lunar Planet. Sci. Conf.* in *J. Geophys. Res.* **90**, C431-C448.

Ryder G. and Norman M.D. (1980) Catalog of Apollo 16 rocks (3 vol.). Curator's Office pub. #52, JSC #16904

Smith J.V. and Steele I.M. (1972c) Apollo 16 rake samples 67515 to 68537: Sample classification, description and inventory. Curator Catalog, JSC




Figure 4: Normalized rare-earth-element diagram for 67775 (Stoffler et al. 1985).

Steele I.M. and Smith J.V. (1973) Mineralogy and petrology of some Apollo 16 rocks and fines: General petrologic model of the moon. *Proc. 4th Lunar Sci. Conf.* 519-536.

Stöffler D., Bischoff A., Borchardt R., Burgehele A., Deutsch A., Jessberger E.K., Ostertag R., Palme H., Spettel B., Reimold W.U., Wacker K. and Wanke H. (1985) Composition and evolution of the lunar crust in the Descartes highlands. *Proc. 15th Lunar Planet. Sci. Conf.* in *J. Geophys. Res.* **90**, C449-C506.

Sutton R.L. (1981) Documentation of Apollo 16 samples. In *Geology of the Apollo 16 area, central lunar highlands.* (Ulrich et al.) U.S.G.S. Prof. Paper 1048.