

72141
Soil
352 grams




Figure 1: Location of soil sample 72140 at LRV-2 on Apollo 17 map (Meyer 1973). S73-24071

CDR You can't see the contact as you cross it but we know we're coming into something lighter – you can obviously see it.
 LMP Yes. We ought to sample the rim of one of these craters when we get our LRV sample, because that's what's distinctly lighter. Can you get on the rim of that crater? Right to the right there. Right here – that light stuff.
 CDR Yes. I can get there. We are in the light mantle. It's not a contrasting light like you might expect, or like we're looking at on the scarp as the sun shines on it - -
 LMP Yes. The craters that penetrate into it are definitely different. However, the surface texture is unchanged. There may be fewer blocks.

Introduction

72140 – 72144 was collected when the astronauts first reached the “light mantle” (figure 1). It was from a rim of a small crater at LRV – 2 (see transcript).

Petrography

The maturity index of 72141 is $I_s/FeO = 81$ and the average grain size is 48 microns (Morris 1978, Graf 1993). The agglutinate count is 51% (Heiken and McKay 1974).




Figure 2: Chemical composition of 72141 compared with other lunar soils.

Modal content of soil 72141 (90-150 micron).
From Heiken and McKay 1974.

	72141
Agglutinates	50.6
Basalt	7.2
Breccia	9.6
Anorthosite	1.3
Norite	0.3
Gabbro	0.3
Plagioclase	9
Pyroxene	7
Olivine	
Ilmenite	0.6
Orange glass	1.3
Glass other	11.8




Figure 3: Carbon content and maturity index for 72141 compared with other lunar soils.




Figure 4: Normalized rare-earth-element diagram for 72141 - showing slight contribution of highland component.


Chemistry

The FeO content (13.5%) of 72141 is only slightly less than for 72131 (16.5%) from the previous stop, and is intermediate in composition between mare and highland material (figures 2 and 4).

Moore et al. (1974) determined 155 ppm carbon (figure 3).

Other Studies

Heymann et al. (1974) reported the rare gas content.



average grain size = 48 microns





Figure 5: Grain size distribution for 72140 (Graf 1993, data by McKay).

Table 1. Chemical composition of 72141.

reference weight	Rhodes74	Rhodes74 Wiesmann76	Philpotts74	Wanke74	Miller74
SiO ₂ %	43.11 (a)			43 (c)	44.3
TiO ₂	4.37 (a)			4.39 (c)	4.5
Al ₂ O ₃	16.1 (a)			15.8 (c)	16
FeO	13.45 (a)			13.35 (c)	13.4
MnO	0.19 (a)			0.177 (c)	0.17
MgO	10.25 (a)			9.88 (c)	9.9
CaO	11.83 (a)			11.75 (c)	11.76
Na ₂ O	0.4 (a)			0.4 (c)	0.4
K ₂ O	0.12 (a)	0.106	(b) 0.101	(b) 0.106 (c)	
P ₂ O ₅	0.1 (a)			0.096 (c)	
S %	0.09 (a)				
sum					
Sc ppm				35.8 (c)	
V					
Cr	2531 (a)			2370 (c)	
Co				38.2 (c)	
Ni	271 (a)			230 (c)	
Cu					
Zn	50 (a)				
Ga					
Ge ppb					
As					
Se					
Rb	2.2 (a)	2.263 (b)	2.19 (b)		
Sr	153 (a)	156 (b)	154 (b)	180 (c)	
Y	53 (a)				
Zr	197 (a)	175 (b)	191 (b)		
Nb	15 (a)				
Mo					
Ru					
Rh					
Pd ppb					
Ag ppb					
Cd ppb					
In ppb					
Sn ppb					
Sb ppb					
Te ppb					
Cs ppm					
Ba		119 (b)	120 (b)		
La		10.2 (b)		10.9 (c)	
Ce		28.2 (b)	27.7 (b)	28 (c)	
Pr				4.2 (c)	
Nd		20.7 (b)	20.7 (b)		
Sm		6.71 (b)	6.69 (b)	6.78 (c)	
Eu		1.35 (b)	1.41 (b)	1.39 (c)	
Gd		9 (b)	8.66 (b)	9.9 (c)	
Tb				1.5 (c)	
Dy		9.82 (b)	9.73 (b)	11 (c)	
Ho				2.5 (c)	
Er		5.72 (b)	5.68 (b)	6.3 (c)	
Tm					
Yb		5.28 (b)	5.29 (b)	5.62 (c)	
Lu			0.819 (b)	0.74 (c)	
Hf				5.64 (c)	
Ta				0.77 (c)	
W ppb					
Re ppb					
Os ppb					
Ir ppb				25 (c)	
Pt ppb					
Au ppb				10 (c)	
Th ppm					
U ppm		0.45 (b)		0.3 (c)	

technique: (a) XRF, (b) IDMS, (c) multiple,



References for 72141

Butler P. (1973) Lunar Sample Information Catalog Apollo 17. Lunar Receiving Laboratory. MSC 03211 Curator's Catalog. pp. 447.

Curtis D.B. and Wasserburg G.J. (1977) Transport and erosional processes in the Taurus-Littrow Valley – Inferences from neutron fluences in lunar soils. *Proc. 8th Lunar Sci. Conf.* 3045-3057.

Des Marais D.J., Basu A., Hayes J.M. and Meinschein W.G. (1975) Evolution of carbon isotopes, agglutinates, and the lunar regolith. *Proc. 6th Lunar Sci. Conf.* 2353-2373.

Ehmann W.D., Chyi L.L., Garg A.N., Hawke B.R., Ma M.-S., Miller M.D., James W.D. and Pacer R.A. (1975a) Chemical studies of the lunar regolith with emphasis on zirconium and hafnium. *Proc. 6th Lunar Sci. Conf.* 1351-1361.

Garg A.N. and Ehmann W.N. (1976a) Zr-Hf fractionation in chemically defined lunar rock groups. *Proc. 7th Lunar Sci. Conf.* 3397-3410.

Graf J.C. (1993) Lunar Soils Grain Size Catalog. NASA Reference Pub. 1265, March 1993

Heiken G.H. (1974) A catalog of lunar soils. JSC Curator

Heiken G.H. (1975) Petrology of lunar soils. *Rev. Geophys. Space Phys.* **13**, 567-587.

Heiken G.H. and McKay D.S. (1974) Petrology of Apollo 17 soils. *Proc. 5th Lunar Sci. Conf.* 843-860.

Housley R.M., Cirlin E.H., Paton N.E. and Goldberg I.B. (1974) Solar wind and micrometeorite alteration of the lunar regolith. *Proc. 5th Lunar Sci. Conf.* 2623-2642.

LSPET (1973a) Apollo 17 lunar samples : Chemical and petrographic description. *Science* **182**, 659-690.

LSPET (1973c) Preliminary examination of lunar samples. Apollo 17 Preliminary Science Report. NASA SP-330, 7-1—7-46.

McKay D.S., Fruland R.M. and Heiken G.H. (1974) Grain size and the evolution of lunar soils. *Proc. 5th Lunar Sci. Conf.* 887-906.

Meyer C. (1973) Apollo 17 Coarse Fines (4-10 mm) Sample Location, Classification and Photo Index. Curator Report. pp. 182.

Miller M.D., Pacer R.A., Ma M.-S., Hawke B.R., Lookhart G.L. and Ehmann W.D. (1974) Compositional studies of the lunar regolith at the Apollo 17 site. *Proc. 5th Lunar Sci. Conf.* 1079-1086.

Mitchell J.K., Carrier W.D., Costes N.C., Houston W.N., Scott R.F. and Hovland H.J. (1973) 8. Soil-Mechanics. In Apollo 17 Preliminary Science Rpt. NASA SP-330. pages 8-1-22.

Moore C.B., Lewis C.F. and Cripe J.D. (1974a) Total carbon and sulfur contents of Apollo 17 lunar samples. *Proc. 5th Lunar Sci. Conf.* 1897-1906.

Moore C.B., Lewis C.F., Cripe J.D. and Volk M. (1974b) Total carbon and sulfur contents of Apollo 17 lunar samples (abs). *Lunar Sci.* **V**, 520-522. Lunar Planetary Institute, Houston.

Morris R.V. (1976) Surface exposure indices of lunar soils: A comparative FMR study. *Proc. 7th Lunar Sci. Conf.* 315-335.

Morris R.V., Score R., Dardano C. and Heiken G. (1983) Handbook of Lunar Soils. Two Parts. JSC 19069. Curator's Office, Houston

Morris R.V. (1978) The surface exposure (maturity) of lunar soils: Some concepts and $^{137}\text{Cs}/\text{FeO}$ compilation. *Proc. 9th Lunar Sci. Conf.* 2287-2297.

Papike J.J., Simon S.B. and Laul J.C. (1982) The lunar regolith: Chemistry, Mineralogy and Petrology. *Rev. Geophys. Space Phys.* **20**, 761-826.

Philpotts J.A., Schuhmann S., Kouns C.W., Lum R.K.L. and Winzer S. (1974) Origin of Apollo 17 rocks and soils. *Proc. 5th Lunar Sci. Conf.* 1255-1267.

Pillinger C.T. and seven (1974) The association between carbide and finely divided metallic iron in lunar fines. *Proc. 5th Lunar Sci. Conf.* 1949-1961.

Rhodes J.M., Rodgers K.V., Shih C., Bansal B.M., Nyquist L.E., Wiesmann H. and Hubbard N.J. (1974) The relationships between geology and soil chemistry at the Apollo 17 landing site. *Proc. 5th Lunar Sci. Conf.* 1097-1117.

Schonfeld E. (1974) The contamination of lunar highland rocks by KREEP: Interpretations by mixing models. *Proc. 5th Lunar Sci. Conf.* 1269-1286.

Wiesmann H. and Hubbard N.J. (1975) A compilation of the Lunar Sample Data Generated by the Gast, Nyquist and Hubbard Lunar Sample PI-Ships. Unpublished. JSC

Wänke H., Palme H., Baddenhausen H., Dreibus G., Jagoutz E., Kruse H., Spettel B., Teschke F. and Thacker R. (1974) Chemistry of Apollo 16 and 17 samples: bulk composition, late-stage accumulation and early differentiation of the Moon. *Proc. 5th Lunar Sci. Conf.* 1307-1335.

Wolfe E.W., Bailey N.G., Lucchitta B.K., Muehlberger W.R., Scott D.H., Sutton R.L and Wilshire H.G. (1981) The geologic investigation of the Taurus-Littrow Valley: Apollo 17 Landing Site. US Geol. Survey Prof. Paper, 1080, pp. 280.