73001 – 809 grams **73002** – 430 grams Core, double drive tube, unopened




Figure 1: Photo of 73002/1. AS17-137-20981

Introduction

73001 is the bottom segment of a double drive tube, from below 22 cm depth. It was placed in a core sample vacuum container (CSVC), and as of 2011, it has not been opened. Since it was collected from below 22 cm, by simply pounding it in, it may have still been "frozen" at the time it was sealed (regolith below about 20 cm is about $250 \pm 2 \text{ deg K}$, (Keihm and Langseth 1973).

The upper segment, 73002, has also never been opened, but X-rays show that it contains several rocks (figure 4). 73220-80 is a nearby trench, and 73210 is a good soil for comparison. Note that in figure 1, the double drive tube appears to have been completely filled. However, it went in easy, and material fell out of the bottom of the top tube before it was capped (see transcript).




Figure 2: Special vacuum container (CSVC) used to hold short lunar drive tube (core). It has the same type of In seal used with the SESC (Allton 1989).




Figure 3: Location of double drive tube at station 3, Apollo 17.

Station 3 is located on the light mantle approximately 50 meters east of the rim of Laura Crater (Wolfe et al. 1981) and contains landslide material off of the South Massif (figure 3).

Petrography

73002 was X-rayed (figure 4). It "is permeated by cracks, possibly caused by the wedging of large fragments into the drive tube or from the spillage of about 4 cm of soil onto the lunar surface. Whether or not these cracks have disrupted the stratigraphy is uncertain, at least two major stratigraphic intervals seem to be present in the X-ray, but there is no indication of the soil profile seen in the nearby trench. The material is coarse grained and massive with distinct rock fragments (probably basalt), reflecting expected surface conditions near local craters and within the Lara Crater ejecta blanket."(LSPET 1973).

Note : The figure for 73001 in the core catalog (Duke and Nagle 1976) is that of 76001.

Chemistry

See sections on 73220 and 73120.

Processing

From Butler (1973), page 59 "Core return - - - is somewhat low because about 4 cm of sample was spilled from the bottom of the upper drive tube (73002) before being capped and the keeper rammed into place. In addition, large fragments like the ones now in the core could have obstructed sampling. The lower drive tube (73001) was sealed in the Core Sample Vacuum Container immediately following separation from the upper drive tube, and has not been removed for x-radiography. From the x-radiographs of 73002, the follower was seated approximately 12 cm below the top, and there appears to be 3 cm of partial void immediately below the follower. Much of the 73002 core is permeated by cracks associated with large rock fragments. Two major stratigraphic units were identified, but no sharp stratigraphic breaks are evident."

73001 (and 73002) were returned under vacuum in ALSRC#2. When 73001 was received in Houston, it was placed in another vacuum container (Butler 1973). It has not been kept cold, but since it is sealed, an experiment to detect gasses is indicated, should it ever be opened.

73002 was X-rayed, then transferred to Brooks AFB, then White Sands, for remote storage and posterity.




Figure 4: Sketch and description of X-ray of 73002 prepared as part of preliminary examination (LSPET 1973).

Transcript

LMP Oh, there's no guarantee that this is a crater rim.

CDR Well, the first core has gone down pretty good.

LMP Oh, you won't have any problem in here coring.

CDR Oh, man, I tell you, I wish I was putting a drill hole here. Looks pretty nice.

Note: Mitchell et al. report that it took less than 9 hammer blows.

- -

CDR When I broke the cores apart, there's just a bit of dried clods and the bottom core's full; but about an inch and a half of the top core just zero G to 1/6 G'd itself right out (spilled).

- --

CDR Forty-six, Bob, is going into the long can. OK, Bob, the long can is sealed. None of the material in this core, in ether the top section or the bottom section, look unlike that stuff just beneath the surface that we smpled at theat special stop back there. It's a bluish-gray, and it tends to clod and break up in your hands. And that's core 31. You've got two-thirds of a core after I packed it down a little bit.

References for 73001

Allton J.H. (1989) Catalog of Apollo lunar surface geologic sampling tools and containers. JSC-23454 pp97 Curator's Office. JSC.

Butler P. (1973) Lunar Sample Information Catalog: Apollo 17 MSC 03211

Duke M.B. and Nagle J.S. (1976) Lunar Core Catalog. JSC09252 rev. Curators' Office

Fryxell R. and Heiken G. (1974) Preservation of lunar core samples: Preparation and interpretation of three-dimensional stratigraphic sections. *Proc.* 5th *Lunar Sci. Conf.* 935-966.

Keihm S.J. and Langseth M.G. (1973) Surface brightness temperatures at the Apollo 17 heat flow site: thermal conductivity of the upper 15 cm of regolith. *Proc.* 4th Lunar Sci. Conf. 2503-2513.

Korotev R.L. and Kremser D. (1992) Compositional variations in Apollo 17 soils and their relationships to the geology of the Taurus-Littrow site. *Proc.* 22nd Lunar Planet. *Sci. Conf.* 275-301.

LSPET (1973a) Apollo 17 lunar samples : Chemical and petrographic description. *Science* **182**, 659-690.

LSPET (1973c) Preliminary examination of lunar samples. Apollo 17 Preliminary Science Report. NASA SP-330, 7-1---7-46.

Mitchell J.K., Carrier W.D., Costes N.C., Houston W.N., Scott R.F. and Hovland H.J. (1973) 8. Soil-Mechanics. *In* Apollo 17 Preliminary Science Rpt. NASA SP-330. pages 8-1-22.

Papike J.J., Simon S.B. and Laul J.C. (1982) The lunar regolith: Chemistry, Mineralogy and Petrology. *Rev. Geophys. Space Phys.* **20**, 761-826.

Wolfe E.W., Bailey N.G., Lucchitta B.K., Muehlberger W.R., Scott D.H., Sutton R.L and Wilshire H.G. (1981) The geologic investigation of the Taurus-Littrow Valley: Apollo 17 Landing Site. US Geol. Survey Prof. Paper, 1080, pp. 280.